

# **Safed Musli Farming: New entries in Medicinal Plant Database by Pankaj Oudhia. 223.**

## List of Documents

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Abelmoschus crinitus* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Abelmoschus esculentus* (L.) MOENCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Abelmoschus ficulneus* (L.) WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Abelmoschus manihot* (L.) MEDIK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Abelmoschus moschatus* MEDIK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Abies densa* W. Griff. ex. Parker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Abies pindrow* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Abies spectabilis* (D.DON) SPACH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Abies webbiana* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Abrus fruticulosus* WALL. EX WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Abrus precatorius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Abrus pulchellus* WALL. EX THWAITES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Abutilon asiaticum* (L.) SWEET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Abutilon avicennae* GAETRN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Abutilon glaucum* SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Abutilon graveolens* (ROXB.

EX HORNEM.) WIGHT & ARN. EX WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Abutilon hirtum (LAM.) SWEET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Abutilon indicum (L.) SWEET guineense (SCHUMACH.) BORSSUM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Abutilon indicum (L.) SWEET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Abutilon pannosum (G. FORST.) SCHLTDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Abutilon persicum (BURM.F.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Abutilon theophrasti MEDIK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Acacia arabica SENSU BAKER vediana COOKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Acacia arabica* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Acacia caesia* (L.) WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Acacia catechu* (L.F.) WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Acacia catechu* (L.F.) WILLD. *sundra* (DC.) PRAIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Acacia chundra* (ROXB. EX ROTTLER) WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Acacia concinna* (WILLD.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Acacia dealbata* LINK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Acacia decurrens* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Acacia eburnea* (L.F.) WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Acacia farnesiana* (L.) WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Acacia ferruginea* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Acacia indica* DESV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Acacia intsia* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Acacia jacquemontii* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Acacia leucophloea* (ROXB.) WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Acacia melonoxylon* R.BR.

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Acacia modesta WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Acacia nilotica (L.) WILLD. EX DEL. indica (BENTH.) BRENNAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Acacia pennata (L.) WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Acacia planifrons WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Acacia polyacantha WILLD. polyacantha BRENNAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Acacia polyantha SPRENG EX BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Acacia pseudo-eburnea DRUM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Acacia pycnantha* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Acacia rugata* (LAM.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Acacia senegal* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Acacia sinuata* (LOUR.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Acacia speciosa* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Acacia suma* (ROXB.) KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Acacia tomentosa* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Acacia torta* (ROXB) CRAIB NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on



coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Acalypha alnifolia* KLEIN EX WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Acalypha betulina* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Acalypha ciliata* FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Acalypha fruticosa* FORSSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Acalypha hispida* BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Acalypha indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Acalypha paniculata* MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Acalypha racemosa* WALL.

EX BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Acampe carinata* (GRIFF) PANIGR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Acampe papillosa* (LINDL.) LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Acampe praemorsa* (ROXB.) BLATT. & MCCANN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Acampe wightiana* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Acanthopanax trifoliatum* (LINN.) VOSS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Acanthospermum hispidum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Acanthospermum hispidum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Acanthus ilicifolius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Acer caesium* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Acer cappadocicum* GLEDITSCH NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Acer laevigatum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Acer mono* MAXIM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Acer oblongum* WALL. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Acer pentapomicum* STEWART.EX BRAND NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Acer pictum* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Achillea millefolium* LEDEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Achillea santolina* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Achras zapota* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Achyranthes aquatica* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Achyranthes aspera* L. *rubrofusca* HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Achyranthes bidentata* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Achyranthes lanata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Achyranthes porphyristachya*

WALL. EX MOQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Aconitum atrox (BRUHL) MUK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Aconitum balfourii STAPF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Aconitum bisma (HAM.) RAPAICS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Aconitum chasmanthum STAPF EX HOLMES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Aconitum deinorrhizum STAPF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Aconitum elwesii STAPF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Aconitum falconeri STAPF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aconitum ferox* WALL. EX SERINGE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aconitum heterophyllum* WALL. EX ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aconitum kashmiricum* STAPF EX COVENTRY NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aconitum laciniatum* (BRUEHL) STAPF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aconitum laeve* ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aconitum lethale* GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aconitum luridum* HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aconitum moschatum* (BRUEHL) STAPF NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aconitum napellus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aconitum palmatum* D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aconitum rotundifolium* KAR. & KIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aconitum soonoricum* STAPF NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aconitum spicatum* (BRUHL) STAPF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aconitum violaceum* JACQ. EX STAPF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aconogonum rumicifolium* (ROYLE EX BAB.)HARA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aconogonum tortuosum*



(D.DON)HARA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Acorus calamus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Acorus gramineus AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Acrocarpus fraxinifolius WIGHT & ARNOLAL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Acrocephalus hispidus (L.) NICOLS. & SIVADASAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Acrocephalus indicus (BURM.F.) KUNTZE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Acronychia laurifolia BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Acronychia pedunculata (L.) MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Acroptilon repens* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Acrostichum aureum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Acrotrema arnottianum* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Actaea racemosa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Actaea spicata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Actiniopteris australis* (L.F.) LINK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Actiniopteris dichotoma* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Actiniopteris radiata* (SW.) LINK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Actinodaphne angustifolia* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Actinodaphne dichotoma* FLORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Actinodaphne hookeri* MEISSN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Actinodaphne obovata* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Adansonia digitata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Adenantha pavonina* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Adenema hyssopifolium* G. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Adenia heterophylla*

(BLUME) KOORD and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Adenia hondala (GAERTN.) W.J.DE WILDE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Adenia nicobarica KING and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Adenia palmata ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Adenia penangiana (DON) DE WILDE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Adenia wightiana (WALL. EX WIGHT & ARN.) ENGLER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Adenosma capitatum HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Adenosma indianum (LOUR.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Adenosma indicum* MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Adenostemma lavenia* (L.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Adhatoda beddomei* C.B.CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Adhatoda vasica* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Adhatoda zeylanica* MEDIK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Adiantum aethiopicum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Adiantum capillus-veneris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Adiantum caudatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Adiantum cuneipinnulum* NAIR & GHOSH NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Adiantum flabellulatum* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Adiantum incisum* FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Adiantum lunulatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Adiantum melanacaulon* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Adiantum pedatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Adiantum peruvianum* A.B.R.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Adiantum philippense* L. and

15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Adiantum tinetum* MOORE F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Adiantum trapiziforme* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Adiantum venustum* DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Adina cordifolia* BENTH. & HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Adinobotrys atropurpureus* DUNN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Adonis aestivalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Adonis chrysocyathus* HOOK.F. & THOMS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Adonis majus* GAERTN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Adonis scrobiculata* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Adonis vernalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aegiceras corniculatum* (L.) BLANCO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aeginetia indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aegle marmelos* (L.) CORREA EX. SCHULTZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aerides crispum* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aerides fieldingii* WILLMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,



stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aerides multiflorum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aerides odorata* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aerides rosea* LINDL. & PAXT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aerides williamsii* WARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aerva javanica* (BURM.F.) JUSS. EX SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aerva lanata* (L.) JUSS. EX SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aerva monsonia* MART. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aerva pseudotomentosa*



BLATT. & HALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aerva sanguinolenta* (L.) BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aerva tomentosa* FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aerva wightii* HOOK .F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aeschynanthus hookerii* CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aeschynanthus maculata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aeschynomene aspera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aeschynomene indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aesculus assamica* GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aesculus hippocastamum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aesculus indica* COLEBR. EX CAMBESS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aframomum melegueta* (ROSC.) K. SCHUM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aganosma calycina* A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aganosma caryophyllata* G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aganosma cymosa* (ROXB.) G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aganosma dichotoma* (ROTH) K.SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aganosma marginata* G. DON. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aganosma wallichii* G.DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Agapanthus africanus* (L.)HOFFMANN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Agathis robusta* F.M.BAILEY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Agati grandiflora* (L.) DEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Agave americana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Agave angustifolia* HAW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Agave cantala* ROXB. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Agave sisalana* PERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Agave vera-cruz* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Agave vivipara* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ageratina adenophora* (SPR.) KING & ROB., NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ageratum conyzoides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ageratum houstonianum* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aglaia diepenhorstii* MIQ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aglaia domestica* (CORREA EMEND. JACK) PELLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aglaia elaeagoidea* (JUSS.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aglaia lawii* (WIGHT.) SALDANHA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aglaia minutiflora* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aglaia odorata* LOUR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aglaia odoratissima* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aglaia roxburghiana* MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Agni-jwalamonia eupatoria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Agni-jwalamonia pilosa* LEDEB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Agropyron repens* BEAUV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Agrostemma githago* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Agrostis linearis* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Agrostistachys meeboldii* PAX & HOFFM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ailanthus altissima* SWINGLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ailanthus excelsa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ailanthus glandulosa* DESF.

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ailanthus malabarica* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ailanthus triphysa* (DENNST.) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ainsliaea angustifolia* HOOK.F. & TH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ainsliaea aptera* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ainsliaea pteropoda* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aisandra butyracea* (ROXB.) BAEHNI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ajuga bracteosa* WALL. EX BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ajuga macrocarpa* WALL EX. BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ajuga macrosperma* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ajuga parviflora* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Alangium begonifolium* MARM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Alangium decapetalum* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Alangium hexapetalum* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Alangium kurzii* CRAIB NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Alangium lamarckii* THWAITES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on



coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Alangium salvifolium* (L.F.) WANG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Albizia amara* (ROXB.) BOIVIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Albizia chinensis* (OSBECK) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Albizia julibrissin* DURASS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Albizia lebbek* (L.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Albizia lucida* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Albizia lucidior* (STEND.) NIELSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Albizia marginata* MERR.

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Albizia myriophylla* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Albizia odoratissima* (L.F.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Albizia procera* (ROXB.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Albizia stipulata* BOIVIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Alcornoja javensis* MULL.-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Alcornoja rugosa* (LOUR) MUELL.-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Alcea rosea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Alchornea tiliacea* MUELL.-ARG. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Alectra parasitica* RICH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Alectra parasitica* A.RICH. *chitrakutensis* RAU. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aleurites moluccana* (L.) WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Alhagi camelorum* FISCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Alhagi maurorum* DESV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Alhagi pseudalhagi* (BIEB.) DESV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Alisma plantago* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Alisma plantago-aquatica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Alisma plantagoauatica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Alkanna tinctoria* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *AllamKalam cathartica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Alliaria officinalis* ANDRZEJ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Alliaria petiolata* (BIEB.)CAVARA & GRANDE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Allium ampeloprasum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Allium ascalonicum* L. and

15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Allium carolinianum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Allium cepa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Allium chinense* DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Allium consanguineum* KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Allium hookeri* THW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Allium humile* KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Allium leptophyllum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Allium macleani* BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Allium porrum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Allium rubellum* M.BIEB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Allium sativum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Allium schoenoprasum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Allium stracheyi* BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Allium tuberosum* ROTTL. EX SPRENG and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Allium victorialis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Allium wallichii* KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Allmania nodiflora* (L.) R.BR. EX WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Allophylus cobbe* (L.) RAEUSCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Allophylus rheedii* (WIGHT.) RADLK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Allophylus serratus* (ROXB.) KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Alloteropsis cimicina* (L.) STAPR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Alnus nepalensis* DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Alnus nitida* ENDL. and 15



wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Alocasia cucullata* SCHOTT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Alocasia denudata* ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Alocasia fornicata* (ROXB.) SCH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Alocasia indica* (LOUR.) SPACH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Alocasia macrorrhiza* (L.) G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Alocasia montana* SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Alocasia odora* (ROXB.) C.KOCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aloe abyssinica* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aloe barbadensis* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aloe ferox* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aloe indica* (SCHOTT) G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aloe littoralis* KOEN. EX. BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aloe perryi* BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aloe spicata* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aloe succotrina* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aloe variegata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aloe vera* L. *chinensis* BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aloe vera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aloe vera* L. *littoralis* KOEING EX BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aloe vera*(typica) (L.) BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aloysia triphylla* (L'HER.) BRITT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Alphonsea veratricosa* HOOK. F. & THOMS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Alpinia allhugas* ROSCOE

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Alpinia calcarata* ROSCOE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Alpinia chinensis* ROSCOE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Alpinia conchigera* GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Alpinia galanga* (L.) WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Alpinia khulanjan* M. SHERIFF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Alpinia malaccensis* (BURM.F.) ROSC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Alpinia nigra* (GAERTN.) BURTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Alpinia nutans* ROSCOE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Alpinia officinarum* HANCE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Alpinia speciosa* K.SCHWM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Alpinia zerumbet* BURTT & R.M. SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Alseodaphne semicarpifolia* NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Alstonia constricta* F MUELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Alstonia kurzii* HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Alstonia macrophylla* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Alstonia scholaris* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Alstonia spectabilis* R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Alstonia venenata* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Alternanthera ficoidea* (L.) R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Alternanthera philoxeroides* (MAR.) GRISEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Alternanthera pungens* H.B.K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Alternanthera sessilis* (L.) R.BR.EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Alternanthera triandra* LAM.

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Althaea ludwigii* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Althaea officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Althaea rosea* (L.) CAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Altingia excelsa* NORONHA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Alysicarpus bupleurifolius* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Alysicarpus longifolius* WIGHT. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Alysicarpus monilifer* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Alysicarpus vaginalis* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Alyxia reinwartii* BL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Alyxia stellata* ROEM. & SCH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Amaranthus atropurpureus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Amaranthus blitum* L. oleracea DUTHIE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Amaranthus blitum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Amaranthus campestris* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Amaranthus caudatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,



stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Amaranthus dubius* E.H.L.KRAUSE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Amaranthus fasciatus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Amaranthus gangeticus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Amaranthus gangeticus* LINN. tristis PRAIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Amaranthus gracilis* DESF. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Amaranthus graecizans* AUCT. HISP. EX CUT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Amaranthus hybridus* L. hybridus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Amaranthus hybridus* L.

paniculatus THELL. cruentus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Amaranthus hypochondriacus L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Amaranthus lividus L. polygonoides (MIQ.) THELL. EX PROBS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Amaranthus lividus L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Amaranthus mangostanus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Amaranthus oleraceus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Amaranthus paniculatus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Amaranthus polygamus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Amaranthus polygonoides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Amaranthus spinosus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Amaranthus tenuifolius* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Amaranthus tricolor* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Amaranthus tristis* WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Amaranthus viridis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Amaryllis belladonna* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Amberboa divaricata* KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Amberboa hookeri* (HASSK.) HARA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Amberboa ramosa* (ROXB.) JAFRI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Amblyanthus glandulosus* A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ambroma augusta* (L.) L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Amentotaxus assamica* D.K.Ferguson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Amischophacelus axillaris* ROLLA RAO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Amischotolype hookeri* (HASSK.) HARA NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ammannia auriculata*

WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ammannia baccifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ammannia senegalensis* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ammannia vesicatoria* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ammi majus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Amomum aromaticum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Amomum costatum* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Amomum dealbatum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Amomum fenzlii* KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Amomum granum-paradisi* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Amomum kepulaga* SPRAGUE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Amomum melegueta* ROSC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Amomum racemosum* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Amomum subulatum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Amomum xanthioides* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Amomum zingiber* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Amoora cucullata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Amoora rohituka* (ROXB.) WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Amorpha fruticosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Amorphophallus bulbifer* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Amorphophallus campanulatus* BLUME EX DECNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Amorphophallus commutatus* ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Amorphophallus dubius* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Amorphophallus*



paeoniifolius (DENNST.) NICOLSON campanulatus (DECNE.) SIVADASAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Amorphophallus paeoniifolius (DENNST.) NICOLSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Amorphophallus prainii HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Amorphophallus sylvaticus (ROXB.) KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Ampelocissus araneosa (DALZ. & CRIBBS.) PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Ampelocissus arnottiana PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Ampelocissus barbata (WALL.) PLANCH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Ampelocissus indica (L.) PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ampelocissus latifolia* (ROXB.) PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ampelocissus tomentosa* (ROTH.) PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Amphicome emodi* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Amphilophis odorata* CAMUS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Amphineuron extensus* (BI.) HOLTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Amyris gileadensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Anacardium occidentale* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Anacardium occidentale* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Anacyclus pyrethrum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Anagallis arvensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Anamirta cocculus* (L.) WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ananas comosus* (L.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ananas sativus* SCHULT.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Anaphalis adnata* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Anaphalis brevifolia* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Anaphalis cinnamomea* C.B.

CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Anaphalis contorta* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Anaphalis cuneifolia* HK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Anaphalis neelgerriana* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Anaphalis nubigena* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Anaphalis sarmentosa* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Anaphalis semepervivoides* JACQ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Anaphalis triplinervis* CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Anastatica hierochuntica* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Anchusa strigosa* LABILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ancistrocladus heyneanus* WALL. EX GRAHAM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ancistrocladus tectorius* (LOUR.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Andira araroba* AGUIAR NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Andrachne cadishaw* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Andrachne cordifolia* MUELL. ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Andrographis atropurpurea* (DENNST.) ALSTON EX MABB. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Andrographis echiioides* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Andrographis lineata* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Andrographis macrobotrys* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Andrographis paniculata* (BURM.F.) WALLICH EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Andrographis paniculata* (BURM.F.) WALLICH EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Andrographis paniculata* (BURM.F.) WALLICH EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Andrographis paniculata* (BURM.F.) WALLICH EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Andrographis paniculata*

(BURM.F.)WALLICH EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Andrographis paniculata (BURM.F.)WALLICH EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Andrographis paniculata (BURM.F.)WALLICH EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Andrographis paniculata (BURM.F.)WALLICH EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Andrographis paniculata (BURM.F.)WALLICH EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Andrographis paniculata (BURM.F.)WALLICH EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Andrographis paniculata (BURM.F.)WALLICH EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Andrographis paniculata (BURM.F.)WALLICH EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Andrographis serpyllifolia* (ROTTL. EX VAHL) WIGHT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Andropogon citratus* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Andropogon contortus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Andropogon halepensis* BROT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Andropogon jwarancusa* JONES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Andropogon laniger* DUTHIE NON DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Andropogon martini* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Andropogon muricatus* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Andropogon nardus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Andropogon odoratus* DNA LISBOA NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Clerodendrum phlomidis* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Clerodendrum serratum* (L.) Moon and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Clerodendrum thomsonae* Balf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Clerodendrum waiiichii* Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Duranta erecta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gmelina arborea* Roxb. and

15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gmelina asiatica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gmelina philippensis* Cham. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Holmskioldia sanguinea* Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lantana camara* L. var. *aculeata* (L.) Mold. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lantana camara* L. var. *splendens* (Medic.) Mold. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lantana indica* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lantana trifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lantana veronicifolia* Hayek and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lippia citriodora* H.B.K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lippia javanica* (Burm.f.) Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Petrea volubilis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Phyla nodiflora* (L.) Greene and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Premna balakrishnanii* Rajendran & P.Daniel and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Premna coriacea* Clarke var. *coriacea* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Premna coriacea* Clarke var. *villosa* (C. B. Clarke) Rajendran & Daniel and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Premna corymbosa* (Burm.f.) Rottl. & Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Premna glaberrima* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Premna herbacea* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Premna latifolia* Rozb. var. *latifolia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Premna latifolia* Roxb. var. *henryi* D. Naras. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Premna latifolia* Rozb. var. *mollissima* (Roth) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Premna latifolia* Roxb. var. *viburnoides* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Premna mundanthuraiensis*

Rajendran & P.Daniel and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Premna paucinervis* (Clarke) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Premna serratifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Premna tomentosa* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Premna wightiana* Schauer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Priva cordifolia* (L.f.) Druce and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Stachytarpheta jamaicensis* (L.) Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Stachytarpheta mutabilis* (Jacq.) Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Stachytarpheta urticaefolia* (Salisb.) Sims and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tectona grandis* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Verbena bipinnatifida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Verbena bonariensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Verbena x hybrida* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Verbena rigida* Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vitex altissima* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vitex leucoxydon* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,



stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vitex negundo* L. var. *negundo* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vitex negundo* L. var. *purpurascens* Sivar. & Moldenke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vitex peduncularis* Wall. ex Schauert and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vitex pinnata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vitex trifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Congea tomentosa* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sphenodesme paniculata* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Symphorema involucratum*

Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Avicennia alba* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Avicennia marina* (Forssk.) Vierh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Avicennia officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Acrocephalus hispidus* (L.) Nicolson & Sadasivan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Acrocephalus palniensis* Mukerjee and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Anisochilus argenteus* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Anisochilus carnosus* (L.f.) Wall. ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Anisochilus dysophylloides* Benth. var. *dysophylloides* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Anisochilus dysophylloides* Benth. var. *purpureus* (Wight) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Anisochilus eriocephalus* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Anisochilus henryi* Ravikumar & Lakshmanan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Anisochilus paniculatus* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Anisochilus robustus* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Anisochilus scaber* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Anisochilus sericeus* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Anisochilus suffruticosus* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Anisochilus wightii* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Anisomeles heyneana* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Anisomeles indica* (L.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Anisomeles malabarica* (L.) R. Br. ex Sims and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Basilicum polystachyon* (L.) Moench and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Becium filamentosum* (Forssk.) Chiov. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Clinopodium umbrosum* (M.

Bieb.) K. Koch and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Colebrookea oppositifolia* J.E. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Elsholtzia ciliata* (Thunb.) Hyland and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Endostemon viscosus* (Roth) M. Ashby and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eusteralis cruciata* (Benth.) Panigrahi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eusteralis deccanensis* Panigrahi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eusteralis quadrifolia* (Benth.) Panigrahi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Geniosporum elongatum* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Geniosporum menthoides* (L.) Druce and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Geniosporum menthoides* (L.) Merr. var. *longiracemosum* (Ramam. & Sebastine) Press & Sivar. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gomphostemma eriocarpon* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gomphostemma heyneanum* Wall. ex Benth. var. *heyneanum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gomphostemma heyneanum* Wall. ex Benth. var. *rottleri* Prain and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gomphostemma keralensis* Vivek., Gopalan & Ansari and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gomphostemma strobilinum* Wall. ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hyptis suaveolens* (L.) Poit. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Isodon coetsa* (D. Don) Kudo and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Isodon nigrescens* (Benth.) H. Hara and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Isodon nilgherricus* (Benth.) H. Hara and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Isodon walkeri* ( Arn. ) H.Hara and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Isodon wightii* (Benth.) H. Hara and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lavendula angustifolia* Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lavandula lawii* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Leonotis leonurus* R.Br. and



15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Leonotis nepetifolia* (L.) R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Leonurus sibiricus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Leucas anKalamraoana* Umamahesw. & P. Daniel and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Leucas angularis* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Leucas aspera* (Willd.) Link and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Leucas biflora* (Vahl) R.Br. var. *biflora* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Leucas cephalotes* (Roth) Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Leucas chinensis* (Retz.) R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Leucas ciliata* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Leucas diffusa* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Leucas eriostoma* Hook.f. var. *eriostoma* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Leucas eriostoma* Hook.f. var. *lanata* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Leucas eriostoma* Hook.f. var. *latifolia* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Leucas flaccida* R.Br. var. *scaberula* (Hook.f.) Srinivasan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Leucas helianthemifolia* Desf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Leucas hirta* (Heyne ex Roth) Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Leucas indica* (L.) R.Br. ex Vatke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Leucas lamifolia* Desf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Leucas lanata* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Leucas lanceaefolia* Desf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Leucas marrubioides* Desf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Leucas martinicensis* (Jacq.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Leucas montana* Spreng. and

15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Leucas nutans* Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Leucas prostrata* (Hook.f.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Leucas pubescens* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Leucas rosmarinifolia* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Leucas stelligera* Wall. ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Leucas stricta* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Leucas suffruticosa* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Leucas ternifolia* Desf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Leucas urticaefolia* (Vahl) R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Leucas vestita* Benth. var. *vestita* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Leucas vestita* Benth. var. *angustifolia* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Leucas vestita* Benth. var. *oblongifolia* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Leucas vestita* Benth. var. *sericostoma* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Leucas wightiana* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Leucas zeylanica* (L.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mentha arvensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mentha canadensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mentha x piperita* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Meriandra bengalensis* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Micromeria biflora* (Buch.-Ham.ex D.Don.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Micromeria capitellata* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Nepeta hindostana* (Roth) Haines and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ocimum americanum* L. and

15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ocimum basilicum* L. var. *basilicum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ocimum basilicum* L. var. *pilosum* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ocimum basilicum* L. var. *purpurascens* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ocimum basilicum* L. var. *thrysiflorum* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ocimum gratissimum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ocimum tenuiflorum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Origanum hortensis* Moench and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Orthosiphon aristatus* (Blume) Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Orthosiphon comosus* Wight ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Orthosiphon pallidus* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Orthosiphon rubicundus* (D.Don) Benth. var. *rubicundus* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Orthosiphon rubicundus* (D.Don) Benth. var. *hohenackeri* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Orthosiphon thymiflorus* (Roth) Sleensen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Plectranthus amboinicus* (Lour.) Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Plectranthus barbatus* Andr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Plectranthus bishopianus* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Plectranthus bourneae* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Plectranthus caninus* Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Plectranthus coleoides* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Plectranthus deccanicus* Briq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Plectranthus malabaricus* (Benth.) Willems and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Plectranthus mollis* (Ait.) Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Plectranthus rivularis* Wight

ex Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Plectranthus rotundifolius* (Poir.) Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Plectranthus scutellarioides* (L.) R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Plectranthus stocksii* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Plectranthus subincisus* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Plectranthus urticifolius* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Plectranthus vettiveroides* (Jacob) Singh & Sharma and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pogostemon atropurpureus* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pogostemon auricularius* (L.) Hassk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pogostemon benghalensis* (Burm.f.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pogostemon cablin* (Blanco) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pogostemon gardneri* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pogostemon hedgei* V.S. Kumar & B. Sharma and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pogostemon heyneanus* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pogostemon mollis* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pogostemon myosuroides* (Roth) El Gazzar & L. Watson and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pogostemon nilagiricus* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pogostemon paludosus* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pogostemon paniculatus* (Willd.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pogostemon pubescens* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pogostemon purpurascens* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pogostemon rotundatus* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pogostemon rugosus* (Hook.f.) El Gazzar & L. Watson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pogostemon speciosus* Benth.

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pogostemon wightii* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Prunella vulgaris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rosmarinus officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Salvia coccinea* Buc'hoz ex Etlinger and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Salvia farinacea* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Salvia grahamii* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Salvia involucrata* Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Salvia leucantha* Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Salvia microphylla* Kunth var. *neurepia* (Fernald) Epling and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Salvia officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Salvia patens* Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Salvia rutilans* Carr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Salvia splendens* Sell. ex Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Salvia uliginosa* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Salvia verbenacea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,



stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Satureja umbrosa* (Bieb.) Scheele and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Scutellaria colebrookiana* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Scutellaria rivularis* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Scutellaria violacea* Heyne ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Scutellaria wightiana* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tetradenia riparia* (Hochst.) Codd and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Teucrium fruticans* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Teucrium plectranthoides*

Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Teucrium tomentosum* Heyne ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Teucrium wightii* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Thymus vulgaris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Plantago afra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Plantago erosa* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Plantago exigua* Juss.ex Murr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Plantago lanceolata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Plantago ovata* Forssk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Commicarpus chinensis* (L.) Heimerl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Boerhavia crispa* Heyne ex Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Wild Boerhavia diffusa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Boerhavia erecta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Boerhavia helenae* Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bougainvillea glabra* Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bougainvillea spectabilis* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mirabilis jalapa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mirabilis longiflora* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pisonia aculeata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pisonia grandis* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Achyranthes aspera* L. var. *aspera* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Achyranthes aspera* L. var. *porphyristachya* (Wall. ex Moq.) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Achyranthes aspera* L. var. *rubro-fusca* (Wight) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Achyranthes bidentata* Blume

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aerva lanata* (L.) Juss. ex Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aerva persica* (Burm.f.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aerva sanguinolenta* (L.) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aerva wightii* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Allmania nodiflora* (L.) R. Br. ex Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Alternanthera paronychioides* A.St. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Alternanthera philoxeroides* (C. Martiu) Griseb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Alternanthera pungens* Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Alternanthera sessilis* (L.) R.Br. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Alternanthera tenella* Colla. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Alternanthera tenella* Colla. var. *bettzickiana* (Regel) Veldkamp and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Amaranthus blitum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Amaranthus caudatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Amaranthus graecizans* subsp. *thelProstateianus* (Nevski) Gusev. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Amaranthus hybridus* L. subsp. *cruentus* (L.) Thell. var. *paniculatus* (L.) Thell. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Amaranthus spinosus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Amaranthus tricolor* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Amaranthus viridis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Celosia argentea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Celosia cristata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Celosia polygonoides* Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Celosia pulchella* Moq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cyathula prostrata* (L.)



Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Digera muricata* (L.) Mart. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gomphrena globosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gomphrena serrata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Indobanalia thyrsoflora* (Moq.) Henry & Roy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Iresine herbstii* Hook.f. ex Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Nothosaerva brachiata* (L.) Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Psilotrichum elliotii* Baker & Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Psilotrichum nudum* (Heyne ex Wall.) Moq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pupalia lappacea* (L.) Juss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Trichuriella monsoniae* (L.f.) Bennet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Arthrocnemum glaucum* (Del.) Ung.-Sternb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Arthrocnemum indicum* (Willd.) Moq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Atriplex repens* Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Atriplex stockesii* Boiss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Beta vulgaris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Chenopodium album* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Chenopodium ambrosioides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Chenopodium carinatum* R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Chenopodium giganteum* D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Chenopodium murale* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Chenopodium pumilo* R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Haloxylon recurvum* (Moq.) Bunge and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Kochia indica* Wight. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Salicornia brachiata* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Spinacia oleracea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Suaeda maritima* (L.) Dumort. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Suaeda monoica* Forssk. ex Gmel. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Suaeda vermiculata* Forssk. ex J.F.Gmel. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Basella rubra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ercilla spicata* Moq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Petiveria alliacea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Phytolacca dioica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Phytolacca octandra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rivina humilis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Antigonon leptopus* Hook. & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Coccoloba uvifera* (L.) L. Syst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Emex spinosus* (L.) Campdera and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Fagopyrum esculentum* Moench and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Muehlenbeckia gracillima* Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Muehlenbeckia platyclada* (F.v. Muell. ex Hook.) Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Persicaria attenuata* ( R.Br. ) Sojak subsp. *pulchra* ( Blume ) K.L.Wilson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Persicaria barbata* ( L. ) Hara var. *gracilis* ( Danser ) H.Hara and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Persicaria barbata* ( L. ) Hara var. *stagnina* ( Buch.-Ham. ex Meisn. ) S.K.Dixit B.Datt & G.P.Roy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Persicaria capitata* ( Buch.-Ham. ex D.Don ) H.Gross and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Persicaria chinensis* ( L. ) H.Gross and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Persicaria dichotoma* ( Blume

) S.K.Dixit B.Datt & G.P.Roy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Persicaria hydropiper* ( L. ) Spach var.*hydropiper* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Persicaria hydropiper* ( L. ) Spach subsp. *flaccida* ( Meisn. ) Munshi & Javeid and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Persicaria lapathifolia* ( L. ) Gray var. *lanigera* ( R.Br. ) Chantar. & Tubtintong and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Persicaria nepalensis* ( Meisn. ) H.Gross and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Persicaria peduncularis* (Meissner) Nemato and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Polygonum dichotomum* Blume var. *angustissima* (Hook.f.) Chandrasekaran and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Polygonum dichotomum* Blume var. *nilagirica* (Hook.f.) Chandrasekaran and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Polygonum dichotomum* Blume var. *robusta* (Hook.f.) Chandrasekaran and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Polygonum glabrum* Willd. var. *glabrum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Polygonum glabrum* Willd. var. *scabrinervis* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Polygonum minus* Huds. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Polygonum molle* D.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Polygonum orientale* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Polygonum plebeium* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Polygonum sphaerocephalum* Wall.ex Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rheum rhaponticum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rumex acetosella* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rumex crispus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rumex maritimus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rumex nepalensis* Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rumex vesicarius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dalzellia zeylanica* (Gard.) Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Farmeria indica* Willis and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Indotristicha ramosissima* (Wight) Royen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Indotristicha tirunelveliana* Sharma, Karthik. & Shetty and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Podostemon barberi* Willis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Podostemon subulatus* Gard. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Polypleurum dichotomum* (Gard.) Hall and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Polypleurum stylosum* (Wight) Hall and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Willisia selaginoides* (Bedd.) Warm. ex Willis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Zeylanidium lichenoides* (Kurz) Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Zeylanidium olivaceum* (Gard.) Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aristolochia bracteolata* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aristolochia cymbifera* Mart. & Zucc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aristolochia grandiflora* Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aristolochia indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aristolochia ringens* Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aristolochia tagala* Cham. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Thottea barberi* (Gamble) Ding Hou and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Thottea siliquosa* (Lam.) Ding Hou and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lepianthes umbellata* (L.) Rafin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Peperomia blKalam* (Jacq.) Kunth var. *floribunda* (Miq. ) Huber and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Peperomia heyneana* Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Peperomia pellucida* (L.) H.B.K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Peperomia candolleana* Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Peperomia tetraphylla*

(Forst.f.) Hook. & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Peperomia pseudo-rhombi* C. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Peperomia wightiana* Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Piper argyrophyllum* Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Piper barberi* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Piper betle* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Piper galeatum* C.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Piper glaberrhache* C.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Piper hapnium* Buch.-Ham. ex Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Piper hymenophyllum* Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Piper longum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Piper mullesua* Buch.-Ham. ex D.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Piper nigrum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Piper obtusistigium* C.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Piper ootacamunbense* C.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Piper opacilimum* C.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,



stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Piper ovatostemon* C.DC and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Piper pykarahense* C.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Piper schmidtii* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Piper trichostachyon* (Miq.) C.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Piper trioicum* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Piper wightii* Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sarcandra chloranthoides* Gard. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Knema attenuata* (Wall. ex

Hook.f.& Thoms.) Warb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Myristica dactyloides* Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Myristica fatua* Houtt. var. *magnifica* (Bedd.) Sinclair and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Myristica fragrans* Houtt. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Actinodaphne bourdillonii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Actinodaphne bourneae* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Actinodaphne campanulata* Hook.f. var. *campanulata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Actinodaphne campanulata* Hook.f. var. *obtusata* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Actinodaphne lanata* Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Actinodaphne lawsonii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Actinodaphne maderaspatana* Bedd. ex Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Actinodaphne malabarica* Balakr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Actinodaphne salicina* Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Actinodaphne tadulingamii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Alseodaphne semecarpifolia* Nees var. *semecarpifolia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Alseodaphne semecarpifolia* Nees var. *angustifolia* Meisner and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Alseodaphne semecarpifolia* Nees var. *parvifolia* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Apollonias arnottii* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Beilschmiedia bourdillonii* Brandis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Beilschmiedia gammieana* King ex Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Beilschmiedia wightii* (Nees) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cassytha capillaris* Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cassytha filiformis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cinnamomum bejolghota*

(Buch. - Ham.) Sweet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cinnamomum camphora* (L.) Presl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cinnamomum filipedicellatum* Kosterm and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cinnamomum keralaense* Kosterm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cinnamomum macrocarpum* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cinnamomum malabattrum* (Burm.f.) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cinnamomum multiflorum* (Roxb.) Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cinnamomum nitidum* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cinnamomum perrottetii* Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cinnamomum riparium* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cinnamomum sulphuratum* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cinnamomum travancoricum* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cinnamomum verum* Presl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cinnamomum walaiwarens* Kosterm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cinnamomum wightii* Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cryptocarya anamalayana* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cryptocarya beddomei* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cryptocarya bourdillonii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cryptocarya lawsonii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cryptocarya neilgherrensis* Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cryptocarya stocksii* Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Laurus nobilis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Litsea beddomei* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Litsea bourdillonii* Gamble



and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Litsea coriacea* (Heyne ex Meisner) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Litsea deccanensis* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Litsea floribunda* (Blume) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Litsea glabrata* (Wall. ex Nees) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Litsea glutinosa* (Lour.) C. Robinson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Litsea hookeriana* Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Litsea insignis* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Litsea laevigata* (Nees) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Litsea monopetala* (Roxb.) Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Litsea nigrescens* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Litsea oleoides* (Meisner) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Litsea quinqueflora* (Dennst.) Suresh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Litsea stocksii* (Meisner) Hook.f. var. *stocksii* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Litsea stocksii* (Meisner) Hook.f. var. *glabrescens* (Meisner) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Litsea travancorica* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Litsea venulosa* (Meisner) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Litsea wightiana* (Nees) Hook.f. var. *wightiana* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Litsea wightiana* (Nees) Hook.f. var. *tomentosa* (Meisner) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Neolitsea cassia* (L.) Kosterm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Neolitsea fischeri* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Neolitsea foliosa* (Nees) Gamble var. *caesia* (Meisner) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Neolitsea scrobiculata* (Meisner) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Persea americana* Mill. and

15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Persea macrantha* (Nees) Kosterm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Phoebe lanceolata* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Phoebe paniculata* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Phoebe wightii* Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gyrocarpus asiaticus* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Banksia marginata* Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Grevillea banksii* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Grevillea bipinnatifida* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Grevillea hilliana* F.v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Grevillea punicea* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Grevillea robusta* A. Cunn. ex R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hakea laurina* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hakea salicifolia* (Vent.) Burtt and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hakea sericea* Schrader and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Helicia nilagirica* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Helicia robusta* (Roxb.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Leucadendron argenteum* (L.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Macadamia ternifolia* F.v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Petrophile pulchella* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Stenocarpus salignus* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gnidia glauca* (Fresen.) Gilg var. *glauca* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gnidia glauca* (Fresen.) Gilg var. *sisparensis* (Gard.) Kumari and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gyrinops walla* Gaertn. and

15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ovidia humboldtia* Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Wikstroemia indica* (L.) C. Meyer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Elaeagnus conferta* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Elaeagnus indica* Servettaz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Elaeagnus kologa* Schlecht. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dendrophthoe falcata* (L.f.) Etting. var. *falcata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dendrophthoe falcata* (L.f.) Etting. var. *pubescens* (Hook.f.) Chandrasekaran and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dendrophthoe memecylifolia* (Wight & Arn.) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dendrophthoe neelgherrensis* (Wight & Arn.) Tieghem and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dendrophthoe sarcophylla* (Wight & Arn.) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dendrophthoe trigona* (Wight & Arn.) Danser ex Sant. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Helicanthus elastica* (Desr.) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Helixanthera hookeriana* (Wight & Arn.) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Helixanthera intermedia* (Wight) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Helixanthera lepidophylla* (Walp.) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Helixanthera obtusata* (Schultes) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Helixanthera wallichiana* (Schultes) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Macrosolen capitellatus* (Wight & Arn.) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Macrosolen parasiticus* (L.) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Scurrula cordifolia* (Wall.) G. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Scurrula parasitica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Taxillus courtallensis* (Gamble) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Taxillus cuneatus* (Heyne ex

Roth) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Taxillus heyneanus* (Schultes) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Taxillus recurvus* (Wall. ex DC.) Tieghem and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Taxillus sclerophyllus* (Thw.) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Taxillus tomentosus* (Heyne ex Roth) Tieghem and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Korthalsella japonica* (Thunb.) Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Viscum angulatum* Heyne ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Viscum articulatum* Burm.f. var. *articulatum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Viscum articulatum* Burm.f. var. *dichotomum* Kurz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Viscum articulatum* Burm.f. var. *thelocarpum* (Danser) R. Rao and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Viscum capitellatum* J.E. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Viscum heyneanum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Viscum monoicum* Roxb.ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Viscum orientale* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Viscum ramosissimum* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Viscum trilobatum* Talbot and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Osyris quadripartita* Salzm. ex Decne. var. *quadripartita* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Osyris quadripartita* Salzm. ex Decne. var. *puberula* (Hook.f.) Kumari

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Santalum album* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Scleropyrum pentandrum* (Dennst.) Mabberley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Thesium wightianum* Wall. ex Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Balanophora fungosa* J.R. & G. Forst. subsp. *indica* (Arn.) Hansen var. *indica* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Balanophora fungosa* J.R. & G. Forst. subsp. *indica* (Arn.) Hansen var. *minor* (Eichl.) Hansen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Balanophora fungosa* J.R. & G. Forst. subsp. *indica* (Arn.) Hansen var. *agastyamalayana* Viswanathan Prem Kumar & Ramesh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Balanophora fungosa* J.R. & G. Forst. subsp. *indica* (Arn.) Hansen var. *tirunelveli*ensis Viswanathan Prem Kumar & Ramesh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Acalypha alnifolia* Klein ex Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Acalypha brachystachya* Hornem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Acalypha ciliata* Forssk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Acalypha fruticosa* Forssk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Acalypha hispida* Burm.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Acalypha indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Acalypha lanceolata* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Acalypha malabarica* Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Acalypha racemosa* Heyne ex Baill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Acalypha amentacea* Roxb. subsp. *wilkesiana* (Muell.Arg.) Fosberg and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Actephila excelsa* (Dalz.) Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Agrostistachys borneensis* Becc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Agrostistachys indica* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aleurites moluccana* (L.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on



coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Antidesma acidum* Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Antidesma alexiteria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Antidesma buniis* (L.) Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Antidesma ghaesembilla* Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Antidesma menasu* (Tul.) Miq. ex Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Antidesma walkeri* (Tul.) Pax & Hoffm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aporosa acuminata* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aporosa fusiformis* Thw. and

15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aporosa lindleyana* (Wight) Baill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Baccaurea courtallensis* (Wight) Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Baliospermum montanum* (Willd.) Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bischofia javanica* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Blachia calycina* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Blachia reflexa* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Blachia umbellata* (Willd.) Baill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Breynia retusa* (Dennst.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Breynia vitis-idaea* (Burm.f.) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bridelia cinerascens* Gehrm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bridelia crenulata* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bridelia retusa* (L.) Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bridelia scandens* (Roxb.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Chrozophora prostrata* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Chrozophora rottleri* (Geiseler) Juss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Claoxylon anomalum* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Claoxylon wightii* Hook.f. var. *angustatum* Susila et Balakr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Claoxylon wightii* Hook.f. var. *hirsutum* (Hook.f.) Sushila et Balakr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cleidion spiciflorum* (Burm.f.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cleistanthus collinus* (Roxb.) Benth. ex Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cleistanthus patulus* (Roxb.) Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cleistanthus travancorensis* Jablonszky and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Codiaeum variegatum* (L.)

Juss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Coelodepas calycinum* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Croton bonplandianum* Baill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Croton caudatus* Geiseler var. *caudatus* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Croton caudatus* Geiseler var. *obovoides* Balakr. & Chakrab. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Croton hirtus* L'Herit and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Croton klotzchianus* (Wight) Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Croton laccifer* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Croton malabaricus* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Croton oblongifolius* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Croton tiglium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Croton zeylanicus* Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dalechampia indica* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dalechampia scandens* L. var. *velutina* (Wight) Mull. Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dimorphocalyx beddomei* (Benth.) Airy Shaw and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dimorphocalyx glabellus* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dimorphocalyx lawianus* (Muell.-Arg.) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Drypetes elata* (Bedd.) Pax & Hoffm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Drypetes longifolia* (Blume) Pax & Hoffm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Drypetes malabarica* (Bedd.) Airy Shaw

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Drypetes porteri* (Gamble) Pax & Hoffm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Drypetes roxburghii* (Wall.) Hurusawa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Drypetes sepiaria* (Wight & Arn.) Pax & Hoffm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Drypetes venusta* (Wight) Pax & Hoffm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on



coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Drypetes wightii* (Hook.f.) Pax & Hoffm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Epiprinus mallotiformis* (Muell.-Arg.) Croizat and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Euphorbia agowensis* Hochst. ex Boiss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Euphorbia antiquorum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Euphorbia balakrishnanii* Binojk. & Gopalan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Euphorbia barnhartii* Croizat and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Euphorbia chamaesyce* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Euphorbia corrigioloides*

Boiss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Euphorbia cotinifolia* L. subsp. *cotinoides* (Miq.) Christenh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Euphorbia cristata* Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Euphorbia cyathophora* Murr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Euphorbia dracunculoides* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Euphorbia heterophylla* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Euphorbia helioscopia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Euphorbia heyneana* Spreng. subsp. *heyneana* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Euphorbia heyneana* Spreng. subsp. *nilagirica* (Miq.) Panigrahi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Euphorbia hirta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Euphorbia indica* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Euphorbia laciniata* Panigrahi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Euphorbia longistyla* Boiss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Euphorbia neriifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Euphorbia milii* Des and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Euphorbia nivulia* Buch.-Ham. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Euphorbia pulcherrima* Willd.ex Klotzsch and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Euphorbia pycnostegia* Boiss. var. *zornii* (Boiss.) Sant. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Euphorbia rosea* Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Euphorbia rothiana* Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Euphorbia santapau* Henry and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Euphorbia serpens* H.B.K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Euphorbia thymifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Euphorbia tirucalli* L. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Euphorbia trigona* Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Euphorbia tortilis* Rottl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Euphorbia vajravelui* Binojk. & Balakr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Excoecaria agallocha* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Excoecaria cochinchinensis* Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Excoecaria crenulata* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Excoecaria robusta* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Fahrenheitia zeylanica* (Thw.) Airy Shaw and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Flueggea leucopyrus* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Flueggea virosa* (Willd) Baill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Givotia rottleriformis* Griff. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Glochidion arboreum* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Glochidion balakrishnanii* G.J. Jothi, V.S. Manickam, V. Sundaresan & M. Josphine Mary and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Glochidion bourdillonii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Glochidion candolleanum* (Wight & Arn.) Chakrab. & Gangop and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Glochidion ellipticum* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Glochidion fagifolium* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Glochidion malabaricum* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Glochidion neilgherrense* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Glochidion pauciflorum* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Glochidion tomentosum* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Glochidion velutinum* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Glochidion zeylanicum*



(Gaertn.) Juss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hevea brasiliensis* (Willd. ex Juss.) Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Homonoia retusa* (Graham ex Wight) Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Homonoia riparia* Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hura crepitans* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Jatropha curcas* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Jatropha glandulifera* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Jatropha gossypifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Jatropha heynei* Balakr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Jatropha integerrima* Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Jatropha maheshwarii* Subram. & Nayar and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Jatropha multifida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Jatropha tanjorensis* Ellis & Saroja and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Jatropha villosa* Wight var. *villosa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Jatropha villosa* Wight var. *ramnadensis* Ramam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Macaranga flexuosa* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Macaranga indica* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Macaranga peltata* (Roxb.) Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mallotus atrovirens* Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mallotus aureo-punctatus* (Dalz.) Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mallotus beddomei* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mallotus distans* Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mallotus philippensis* (Lam.) Muell.-Arg. var. *philippensis* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mallotus philippensis* (Lam.)

Muell.-Arg. var. tomentosus Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Mallotus repandus (Willd.) Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Mallotus resinous (Blanco) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Mallotus rhamnifolius Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Mallotus stenanthus Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Mallotus subramanyamii Ellis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Mallotus tetracoccus (Roxb.) Kurz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Manihot esculenta Crantz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Manihot glaziovii* Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Margaritaria indica* (Dalz.) Airy Shaw and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Meineckia longipes* (Wight) Webster and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Meineckia parvifolia* (Wight) Webster and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Micrococca beddomei* (Hook.f.) Prain and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Micrococca mercurialis* (L.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Micrococca wightii* (Hook.f.) prain var. *wightii* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Micrococca wightii* (Hook.f.) prain var. *hirsutum* (Hook.f.) Prain and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mischodon zeylanicus* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Paracroton integrifolius* (Airy Shaw) Balakr. & Chakrab and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pedilanthus tithymaloides* (L.) Poir. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Phyllanthus acidus* (L.) Skeels and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Phyllanthus amarus* Schum. & Thonn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Phyllanthus baillonianus* Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Phyllanthus beddomei* (Gamble) Mohanan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Phyllanthus chandrabosei*

Govaerts & Radcl. - Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Phyllanthus debilis* Klein ex Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Phyllanthus emblica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Phyllanthus fimbriatus* (Wight) Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Phyllanthus gageana* (Gamble) Mohanan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Phyllanthus gardnerianus* (Wight) Baill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Phyllanthus indofischeri* Bennet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Phyllanthus kozhikodianus* Sivar. & Manilal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Phyllanthus lawii* Graham ex Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Phyllanthus leschenaultii* Muell. Arg., and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Phyllanthus longiflorus* Heyne ex Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Phyllanthus macraei* Muell.-Arg. var. *macraei* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Phyllanthus macraei* Muell.-Arg. var. *hispidus* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Phyllanthus macrocalyx* Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Phyllanthus maderaspatensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Phyllanthus megacarpa* (Gamble) Kumari & Chandrabose and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Phyllanthus myrtifolius* Moon and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Phyllanthus pinnatus* (Wight) Webster and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Phyllanthus polyphyllus* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Phyllanthus reticulatus* Poir. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Phyllanthus rheedii* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Phyllanthus rotundifolius* Klein ex Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Phyllanthus singampattiana* (Sebastine & Henry) Kumari & Chandrabose and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Phyllanthus speciosus* Jacq.

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Phyllanthus urinaria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Phyllanthus virgatus* Forst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pseudoglochidion anamalayanum* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ricinus communis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sapium insigne* (Royle) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sapium sebiferum* (Michaux) Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sauropus androgynus* (L.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sauropus bacciformis* (L.) Airy Shaw and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sauropus quadrangularis* (Willd.) Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sebastiania chamaelea* (L.) Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Suregada lanceolata* (Willd.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Synadenium grantii* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tragia bicolor* Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tragia involucrata* L. var. *involucrata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tragia involucrata* L. var. *angustifolia* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tragia muelleriana* Pax & Hoffm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tragia plukenetii* R. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Trewia nudiflora* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Trewia polycarpa* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Trigonostemon nemoralis* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vernicia montana* Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Daphniphyllum neilgherrense* (Wight) K. Rosenth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Buxus sempervirens* L. and

15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sarcococca brevifolia* (Muell.-Arg.) Stapf ex Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sarcococca saligna* (D. Don.) Muell. Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Boehmeria glomerulifera* Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Boehmeria macrophylla* Hornem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Boehmeria nivea* (L.) Gaudich. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Chamabaina cuspidata* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Debregeasia ceylanica* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Debregeasia longifolia* (Burm.f.) Wedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Debregeasia wallichiana* (Wedd.) Wedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dendrocnide sinuata* (Blume) Chew and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Droguetia iners* (Forssk.) Schweinf. subsp. *urticoides* (Wight) friis & Wilmot- Dear and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Elatostema acuminatum* (Poir.) Brongn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Elatostema cuneatum* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Elatostema lineolatum* Wight var. *lineolatum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Elatostema lineolatum* Wight var. *falcigera* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical



practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Elatostema lineolatum* Wight var. *linearis* Wedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Elatostema lineolatum* Wight var. *setosum* Henry and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Elatostema sessile* Forst. var. *sessile* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Elatostema sessile* Forst. var. *cuspidata* (Wight) Wedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Elatostema sessile* Forst. var. *pubescens* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Elatostema surculosum* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Elatostema wightii* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Girardinia diversifolia* (Link)

Friis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Laportea bulbifera* (Sieb. & Zucc.) Wedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Laportea interrupta* (L.) Chew and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lecanthus peduncularis* (Wall. ex Royle) Wedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Oreocnide frutescens* (Thunb.) Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Oreocnide integrifolia* (Gaudich.) Miq. var. *integrifolia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Oreocnide integrifolia* (Gaudich.) Miq. var. *sylvatica* (Hassk.) Chithra and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Parietaria micrantha* Ledeb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pellionia heyneana* Wedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pilea angulata* (Blume) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pilea kingii* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pilea melastomoides* (Poir.) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pilea microphylla* (L.) Liebm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pilea wightii* Wedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pouzolzia auriculata* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pouzolzia bennettiana* Wight var. *bennettiana* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pouzolzia bennettiana* Wight var. *acuta* (Wight) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pouzolzia bennettiana* Wight var. *gardneri* (Wight) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pouzolzia bennettiana* Wight var. *macrophylla* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pouzolzia bennettiana* Wight var. *mysorensis* (Wight) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pouzolzia bennettiana* Wight var. *ovalifolia* (Wight) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pouzolzia bennettiana* Wight var. *quadrialata* (Wight) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pouzolzia bennettiana* Wight var. *tomentosa* (Wight) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pouzolzia cymosa* Wight and

15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pouzolzia hirta* (Blume) Hassk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pouzolzia pentandra* (Roxb.) Benn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pouzolzia wightii* Benn. var. *wightii* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pouzolzia wightii* Benn. var. *caudata* (Benn.) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pouzolzia wightii* Benn. var. *lawsoniana* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pouzolzia wightii* Benn. var. *nilghirensis* (Wight) Hook.f and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pouzolzia wightii* Benn. var. *scabra* (Wight) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pouzolzia wightii* Benn. var. *wallichiana* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pouzolzia zeylanica* (L.) Benn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Procris crenata* Robinson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Urtica hyperborea* Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Urtica parviflora* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aphananthe cuspidata* (Blume) Planch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Celtis australis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Celtis philippensis* Blanco var. *wightii* (Planch.) Soep. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Celtis tetrandra* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Celtis timorensis* Spanoghe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Holoptelea integrifolia* (Roxb.) Planch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Trema orientalis* (L.) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cannabis sativa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Antiaris toxicaria* (Pers.) Lesch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Artocarpus incisus* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Artocarpus gomezianus* Wall.



ex Trec. subsp. zeylanicus Jarrett and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Artocarpus heterophyllus* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Artocarpus hirsutus* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Broussonetia papyrifera* Vent. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cudrania cochinchinensis* (Lour.) Kudo & Masamune and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dorstenia indica* Wall. ex Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ficus albipila* (Miq.) King and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ficus amplissima* J.E. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ficus amplocarpa* Govindarajulu & Masilamoney and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ficus angladei* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ficus arnottiana* (Miq.) Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ficus auriculata* Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ficus beddomei* King and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ficus benghalensis* L. var. *benghalensis* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ficus benghalensis* L. var. *krishnae* C.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ficus benjamina* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ficus callosa* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ficus carica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ficus dalhousiae* Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ficus drupacea* Thunb. var. *pubescens* (Roth) Corner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ficus elastica* Roxb. ex Hornem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ficus exasperata* Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ficus glaberrima* Blume var. *bracteata* Corner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ficus guttata* (Wight) Kurz ex

King and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ficus heterophylla* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ficus hispida* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ficus hookeriana* Corner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ficus laevis* Blume var. *macrocarpa* (Miq.) Corner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ficus microcarpa* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ficus mollis* Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ficus nervosa* Heyne ex Roth var. *nervosa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ficus nervosa* Roth var. minor King and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ficus palmata* Forssk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ficus pumila* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ficus racemosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ficus religiosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ficus talbotii* King and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ficus tinctoria* Forst.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ficus tsjahela* Burm.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ficus virens* Ait. var. *virens* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ficus virens* Ait. var. *lambertiana* (Miq.) Raizada and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ficus virens* Ait. var. *wightiana* (Miq.) Chithra and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Morus alba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Morus australis* Poir. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Morus nigra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Plecosperrum spinosum* Trec. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Streblus asper* Lour. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Streblus taxoides* (Heyne ex Roth) Kurz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Platanus orientalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Juglans regia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Casuarina glauca* Sieber. ex A.Dc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Casuarina equisetifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Casuarina junghuhniana* Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Casuarina stricta* Dryand. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Casuarina suberosa* Otto & Dietr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Casuarina torulosa* Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Alnus nepalensis* D.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Betula alnoides* Buch.-Ham. ex D.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Castanea crenata* Sieb. & Zucc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Castanea sativa* Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Castanopsis indica* (Roxb.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Castanopsis roxburghiana* S.N. Biswas and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Fagus sylvatica* L. var. *sylvatica* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Fagus sylvatica* L. var. *cuprea* Loud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Quercus baloot* Griff. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Quercus coccifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Quercus leucotrichophora* A. Camus ex Bahadur and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Quercus robur* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Quercus serrata* Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Salix babylonica* L. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Salix tetrasperma* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ceratophyllum demersum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Blyxa aubertii* Rich. var. *echinosperma* (Clarke) Cook & Luond and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Blyxa octandra* (Roxb.) Planch ex Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Enhalus acoroides* (L. f.) Royle and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Halophila beccarii* Asch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Halophila decipiens* Ostenf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Halophila ovalis* (R. Br.) Hook.f. subsp. *ovalis* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Halophila ovalis* (R. Br.) Hook.f. subsp. *ramamurthiana* Ravikumar & Ganesan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Halophila ovata* Gaudich. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Halophila stipulacea* (Forssk.) Asch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hydrilla verticillata* (L. f.) Royle and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Nechamandra alternifolia* (Roxb.) Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ottelia alismoides* (L.) Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Thalassia hemprichii* (Ehrenb.) Asch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vallisneria natans* (Lour.) Hara and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Burmannia candelabrum* Gagnep. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Burmannia coelestis* D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Burmannia wallichii* (Miers) Hook. f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Acampe praemorsa* (Roxb.) Blatter & McCann and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Acanthephippium bicolor* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aenhenrya rotundifolia* (Blatter) Sathish & Rasmussen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aerides crispa* Lindl. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aerides maculosum* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aerides ringens* (Lindl.) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Anoectochilus elatus* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Anoectochilus rotundifolius* (Blatter) Balakr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aphyllorchis montana* Reichb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Arundina graminifolia* (D. Don) Hochr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Brachycorythis iantha* (Wight) Summerh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Brachycorythis splendida* Summerh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bulbophyllum acutiflorum* A. Rich. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bulbophyllum albidum* (Wight) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bulbophyllum aureum* (Hook. f.) J. J. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bulbophyllum elegantulum* (Rolfe) J. J. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bulbophyllum fischeri* Seidenfaden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bulbophyllum fuscopurpureum* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bulbophyllum kaitiense* Reichb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on



coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bulbophyllum sterile* (Lam) Suresh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bulbophyllum tremulum* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bulbophyllum xylophyllum* Par. & Reichb. f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Calanthe sylvatica* (Thouars) Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Calanthe triplicata* (Willem.) Ames and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Calanthe vestita* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cheirostylis flabellata* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cheirostylis parvifolia* Lindl.

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Chiloschista fasciata* (F. Muell.) Seidenf. & Ormerod and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Chrysoglossum hallbergii* Blatter and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Chrysoglossum maculatum* (Thw.) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Coelogyne breviscapa* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Coelogyne glandulosa* Lindl. var. *glandulosa* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Coelogyne glandulosa* Lindl. var. *bournei* Das & Jain and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Coelogyne glandulosa* Lindl. var. *sathyanarayanae* Das & Jain and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Coelogyne mossiae* Rolfe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Coelogyne nervosa* A. Rich. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Coelogyne odoratissima* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Coelogyne ovalis* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Coelogyne prolifera* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Coelogyne uniflora* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Corymborkis veratrifolia* (Reinw.) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cottonia peduncularis* (Lindl.) Reichb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Crepidium purpureum* (Lindl.) Szlach and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cymbidium aloifolium* (L.) Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cymbidium bicolor* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cymbidium ensifolium* (L.) Sw. var. *haematodes* (Lindley) D. Du Put & P. Cribb and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dendrobium anamalayanum* Chandrabose, Chandrasekaran & N. C. Nair and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dendrobium aqueum* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dendrobium barbatulum* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dendrobium diodon* Reichb.f.

subsp. kodayarensis Gopalan & A.N. Henry and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dendrobium haemoglossum* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dendrobium herbaceum* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dendrobium heterocarpum* Wall. ex Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dendrobium heyneanum* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dendrobium macrostachyum* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dendrobium microbulbon* A. Rich. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dendrobium nanum* Hook. f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dendrobium nutantiflorum* Hawkes & Heller and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dendrobium wightii* A. Hawkers & A. H. Heller and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dendrobium panduratum* Lindl. subsp. *villosum* Gopalan & Henry and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Didymoplexis pallens* Griff. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Diplocentrum congestum* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Diplocentrum recurvum* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Disperis neilgherrensis* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Epidendrum radicans* Pav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Epipactis veratrifolia* Boiss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Epipogium roseum* (D. Don) Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eria albiflora* Rolfe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eria dalzellii* (Hook. ex Dalz.) Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eria microchilos* (Dalz.) Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eria mysorensis* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eria nana* A. Rich and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eria pauciflora* Wight and 15



wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eria polystachya* A. Rich and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eria pseudoclavicaulis* Blatter and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eria reticosa* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eulophia cullenii* (Wight) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eulophia epidendrea* (Koen.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eulophia graminea* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eulophia pulchra* (Thouars) Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eulophia pratensis* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eulophia spectabilis* (Dennst.) Suresh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Flickingeria nodosa* (Dalz.) Seidenfaden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gastrochilus acaulis* (Lindl.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gastrochilus calceolaris* (Buch.- Ham. ex J. E. Smith) D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Geodorum densiflorum* (Lam.) Schlte and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Goodyera fumata* Thwaites and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Goodyera procera* (Ker-Gawl) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Habenaria acuminata* (Thw.) Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Habenaria barnesii* Summerh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Habenaria cephalotes* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Habenaria crassifolia* A. Rich and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Habenaria crinifera* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Habenaria decipens* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Habenaria denticulata* Reichb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Habenaria digitata* Lindl. var.

digitata and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Habenaria digitata* Lindl. var. *foliosa* (A. Rich) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Habenaria digitata* Lindl. var. *travancorica* (Hook. f.) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Habenaria elliptica* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Habenaria elwesii* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Habenaria furcifera* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Habenaria grandifloriformis* Blatter & McCann and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Habenaria heyneana* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Habenaria hollandiana* Sant. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Habenaria longicorniculata* Granham and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Habenaria longicornu* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Habenaria macrostachya* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Habenaria marginata* Coleb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Habenaria multicaudata* Sedgw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Habenaria ovalifolia* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Habenaria pallideviridis* Seidenf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Habenaria perrottetiana* A. Rich and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Habenaria plantaginea* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Habenaria polyodon* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Habenaria rariflora* A. Rich and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Habenaria richardiana* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Habenaria roxburghii* Nicolson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Habenaria virens* (Lindl.) Abeyw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Habenaria viridiflora* (Rottl.

Ex Sw.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hetaeria ovalifolia* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Kingidium deliciosum* (Reichb.f.) Sweet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Liparis atropurpurea* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Liparis beddomei* Ridley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Liparis biloba* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Liparis caespitosa* (Thouars) Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Liparis duthiei* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Liparis elliptica* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Liparis nervosa* (Sw.) Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Liparis platyphylla* Ridley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Liparis prazeri* King & Pantl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Liparis resupinata* Ridley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Liparis viridiflora* (Blume) Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Liparis walkeriae* Graham and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Liparis wightiana* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Luisia birchea* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Luisia zeylanica* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Malleola gracilis* (Lindl.) Schltr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Nervilia aragoana* Gaudich. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Nervilia carinata* (Roxb.) Schltr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Nervilia plicata* (Andr.) Schltr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Nervilia prainiana* (Ling & Prantl) Seidenfaden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Oberonia anamalayana*

Joseph and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Oberonia balakrishnanii* R. Ansari and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Oberonia brunoniana* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Oberonia ensiformis* (J. E. Smith) Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Oberonia iridifolia* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Oberonia platycaulon* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Oberonia proudlockii* King & Pantl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Oberonia santapau* Kapadia and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Oberonia sebastiana* Shetty & Vivek and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Oberonia seidenfadeniana* Joseph & Vajravelu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Oberonia tenuis* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Oberonia verticillata* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Oberonia wightiana* Lindl. var. *wightiana* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Oberonia wightiana* Lindl. var. *arnottiana* (Wight) R. Ansari N. C. Nair & V. J. Nair and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Oberonia wightiana* Lindl. var. *nilgiriensis* R. Ansari and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Oberonia zeylanica* Hook and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pachystoma senile* (Lindl.) Reichb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Paphiopedilum druryi* (Bedd.) Pfitz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Papilionanthe cylindrica* (Lindl.) Seidenf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pecteilis gigantea* (J. E. Smith) Rafin and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Peristylus aristatus* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Peristylus brachyphyllus* A. Rich and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Peristylus densus* (Lindl.) Sant. & Kapadia and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Peristylus goodyeriodes* (D.

Don) Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Peristylus lawii* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Peristylus plantagineus* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Peristylus secundus* (Lindl.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Peristylus spiralis* A. Rich and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Peristylus stocksii* (Hook. f.) Kraenzl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pholidota pallida* Lindl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Podochilus falcatus* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Polystachya concreta* (Jacq.) Garay & Sweet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Porpax jerdoniana* (Wight) Rolfe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Porpax reticulata* Lindl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Proteroceras leopardianum* (Par. Reichb.f.) Seidenf. & Smitin and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rhynchosstylis retusa* (L.) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rhytionanthos nodosus* ( Rolfe ) Garay Hamer & Siegerist and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Robiquetia josephiana* Manilal & Satish Kumar and 15 wasteland weeds based Green Spray with Vedic Agronomical



practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Satyrium nepalense* D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Schoenorchis jerdoniana* (Wight) Garay and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Seidenfadeniella filiformis* (Richb.f.) E.A.Christ & Ormerod and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Seidenfia densiflora* (A. Rich.) Szlach. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Seidenfia intermedia* (A. Rich.) Szlach. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Seidenfia rheedii* (Sw.) Szlach. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Seidenfia versicolor* (Lindley) Marg. & Szlach. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sirhookera lanceolata*

(Wight) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sirhookera latifolia* (Wight) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Smithsonia maculata* (Dalz.) Saldanha and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Spathoglottis plicata* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Spiranthes sinensis* (Pers.) Ames var. *sinensis* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Spiranthes sinensis* (Pers.) Ames var. *wightiana* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Taeniophyllum alwisii* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tainia bicornis* (Lindl.) Reichb and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Thelasis pygmaea* (Griff.) Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Thrixspermum muscaeflorum* A. S. Rao & Joseph var. *nilagiricum* Joseph & Vajravelu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Trias stocksii* Benth ex Hook and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Trichoglottis tenera* (Lindl.) Schltr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tropidia angulosa* (Lindl.) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tropidia curculigoides* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *VKalam spathulata* (L.) Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *VKalam tessellata* (Roxb.) Hook ex. G. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *VKalam testaceae* (Lindl.) Reichb and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *VKalam wightii* Reichb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vanilla planifolia* Andrews and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vanilla walkeriae* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vanilla wightiana* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Zeuxine affinis* (Lindl.) Benth.ex. Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Zeuxine gracilis* (Breda) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Zeuxine longilabris* (Lindl.)

Benth ex Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Alpinia abundiflora Burt & Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Alpinia calcarata Roscoe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Alpinia galanga Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Alpinia malaccensis (Burm.f.) Roscoe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Alpinia nigra (Gaertn.) B. L. Brutt and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Alpinia zerumbet (Pers.) B. L. Burt & R. M.Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Amomum cannicarpum (Wight) Benth. ex Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Amomum hypoleucum* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Amomum masticatorium* Thwaites and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Amomum muricatum* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Amomum pterocarpum* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Curcuma amada* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Curcuma aromatica* Salisb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Curcuma longa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Curcuma montana* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Curcuma neilgherrensis* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Curcuma pseudomontana* Graham and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Curcuma zedoaria* (Christm.) Roscoe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Elettaria cardamomum* (L.) Maton var. *cardamomum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Elettaria cardamomum* (L.) Maton var. *major* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Globba marantina* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Globba ophioglossa* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hedychium coronarium*



Koen. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hedychium flavescens* Carey ex Roscoe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hedychium spicatum* Hamilton ex Smith var. *acuminatum* (Roscoe) Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hedychium venustum* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Kaempferia galanga* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Zingiber montanum* (K. D. Koenig) Link ex Dietr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Zingiber nimmonii* (J. Graham) Dalzell and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Zingiber officinale* Roscoe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Zingiber roseum* (Roxb.) Roscoe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Zingiber wightianum* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Zingiber zerumbet* (L.) J. E. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Costus pictus* D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Costus speciosus* (Koen.) J. E. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Maranta arundinacea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Phrynium pubinerve* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Schumannianthus virgatus* (Roxb.) Rolfe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ensete superbum* (Roxb.) Cheesman and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ensete ventricosum* (Welw.) Cheesman and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Heliconia psittacorum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Musa acuminata* Colla and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Musa balbisiana* Colla and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Musa parasidiaca* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ravenala madagascarensis* Sonner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Strelitzia reginae* Aiton and

15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Canna indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ananas comosus* (L.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Anigozanthos flavidus* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Disporum leschenaultianum* D. Don var. *leschenaultianum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Disporum leschenaultianum* D. Don var. *angustifolium* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lilium trigrinum* Ker-Gawl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lilium wallichianum* Schultes & Schultes f. var. *neilgherrense* (Wight) Hara and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ophiopogon intermedius* D. Don var. *intermedius* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ophiopogon intermedius* D. Don var. *gracilipes* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ophiopogon intermedius* D. Don var. *pauciflorus* Hook. f and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Peliosanthes teta* Andr. subsp. *humilis* (Andr.) Jessop and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aristea ecklonii* Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Babiana stricta* (Aiton) Ker Gawl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Babiana villosa* Ker Gawl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Crocasmia x crocosmiiflora* (E. Morren) N. E. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Crocasmia pottsii* (Baker) N. E. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dierama pulcherrima* (Hook. F.) Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eleutherine palmifolia* (L.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Freesia refracta* Klatt and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gladiolus natalensis* (Eckl.) Reinw. ex Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gladiolus primulinus* Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Iris germanica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Iris japonica* Thunb. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Iris unguicularis* Poir. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Moraea iridioides* L. Mant. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Watsonia borbonica* (Pourr.) Goldblatt subsp. *ardernei* (Sander) Goldblatt and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Watsonia rosea* Ker-Gawl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Amaryllis belladonna* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Crinum asiaticum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Crinum viviparum* (Lam.) R. Ansari & V.J. Nair and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Crinum latifolium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Crinum moorei* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eucharis x grandiflora* Planch. & Linden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eurycles sylvestris* Salisb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Haemanthus coccineus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Haemanthus matalensis* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hippeastrum x johnsonii* (Hort.) Herb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hippeastrum reginae* Herb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hippeastrum vittatum* (L'Her.) Herb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hymenocallis littoralis* (Jacq.) Salisb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Leucojum aestivum* L and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Leucojum pulchellum* Salisb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Narcissus pseudo-narcissus* L. subsp. *moschatus* (L.) Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Narcissus tazetta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Nerine flexuosa* (Jacq.) Herb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Nerine undulata* Herbert and

15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pancratium triflorum* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Phaedranassa dubia* (Kunth) J. F. Macbr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sprekelia formosissima* Herbert and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Stenomesson coccineum* Herbert and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Zephyranthes carinata* Herbert and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Zephyranthes grandiflora* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Zephyranthes tubispatha* Herbert and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Agave americana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Agave angustifolia* Haw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Agave sisalana* Perrine ex Engelm and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Agave vera-cruz* Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cordyline australis* (Forst. F.) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Furcraea foetida* (L.) Haw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Polianthes tuberosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Yucca gloriosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dianella ensifolia* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Phormium tenax* Forst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dracaena fruticosa* (L.) A. Chev. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dracaena terniflora* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sansevieria roxburghiana* Schultes & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sansevieria trifasciata* Hort. ex Prain and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sansevieria thyridiflora* Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sansevieria varians* N.E.Br

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sansevieria zeylanica* (L.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Alstroemeria aurea* Graham and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bomarea caldasiana* Herbert and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bomarea oligantha* Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Curculigo orchioidea* Gaertn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hypoxis aurea* Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Molineria trichocarpa* (Wight) Balakr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tacca leontopetaloides* (L.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dioscorea alata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dioscorea belophylla* Voigt. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dioscorea bulbifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dioscorea esculenta* (Lour.) Burkill and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dioscorea hamiltonii* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dioscorea hispida* Dennst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dioscorea kalkapershadii* Prain & Burkill and 15 wasteland weeds based Green Spray with Vedic Agronomical practices



on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dioscorea oppositifolia* L. var. *oppositifolia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dioscorea oppositifolia* L. var. *dukhumensis* Prain & Burkill and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dioscorea pentaphylla* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dioscorea spicata* Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dioscorea tomentosa* Koen ex Spreng and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dioscorea wallichii* Hook and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dioscorea wightii* Hook and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Trichopus zeylanicus* Gaertn.

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Stemona tuberosa* Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dipcadi montanum* (Dalz.) Baker var. *madrasicum* (Barnes & Fischer) Deb & Dasgupta and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eucomis autumnalis* (Miller) Chitt. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eucomis punctata* L'Herit. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ornithogalum arabicum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ornithogalum conicum* Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Scilla hyacinthina* (Roth) Mecbr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Urginea congesta* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Urginea indica* (Roxb.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Urginea polyantha* Blatter & Mc Cann and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Asphodelus tenuifolius* Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aloe vera* (L.) Burm.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Kniphofia uvaria* (L.) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Asparagus asiaticus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Asparagus fysonii* Macbr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Asparagus gonoclados* Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Asparagus laevissimus* Steud. ex Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Asparagus officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Asparagus setaceus* (Kunth) Jessop and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Asparagus racemosus* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Chlorophytum acaule* Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Chlorophytum arundinaceum* Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Chlorophytum attenuatum*

(Wight) Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Chlorophytum heynei* Rottl. ex Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Chlorophytum laxum* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Chlorophytum malabaricum* Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Chlorophytum nimmonii* (Graham) Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Chlorophytum tuberosum* (Roxb.) Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gloriosa rothschildiana* O'Brien and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gloriosa superba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Iphigenia indica* (L.) A. Gray ex Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Iphigenia magnifica* Ansari & R. S. Rao and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hemerocallis aurantiaca* Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Agapanthus praecox* Willd. var. *orientalis* (F. Leight.) F. Leight. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Agapanthus praecox* Willd. var. *albus* Hort. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Allium cepa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Allium porrum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Allium sativum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ruscus aculeatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Smilax aspera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Smilax perfoliata* Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Smilax wightii* A. DC and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Smilax zeylanica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eichhornia crassipes* (Mart.) Solms-Laub. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Monochoria hastata* (L.) Solms-Laub. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Monochoria vaginalis* (Burm.



F.) Presl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Xyris capensis* Thunb. var. *schoenoides* (Mart) Nilsson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Xyris pauciflora* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aclisia secundiflora* (Blume) Bakh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aneilema montana* (Wight) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aneilema ovalifolia* (Wight) Hook and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Belosynapsis kewensis* Hassk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Belosynapsis vivipara* (Dalz.) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Commelina attenuata* Koen var. Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Commelina benghalensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Commelina clavata* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Commelina diffusa* Burm and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Commelina ensifolia* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Commelina erecta* L. var. *erecta* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Commelina erecta* L. var. *glochidea* (Koen.ex Clarke) Bhargavan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Commelina forskalaei* Vahl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Commelina hirsuta* (Wight) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Commelina imberbis* Ehrenb. ex Hassk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Commelina indehiscens* Barnes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Commelina longifolia* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Commelina paleata* Hassk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Commelina paludosa* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Commelina subulata* Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Commelina tricolor* Barnes

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Commelina wightii* R. Rao and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cyanotis adscendens* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cyanotis arachnoidea* Clarke var. *arachnoidea* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cyanotis arachnoidea* Clarke var. *thwaitesii* (Hassk.) R. Rao & Kammathy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cyanotis arcotensis* R. Rao and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cyanotis axillaris* (L.) D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cyanotis burmanniana* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cyanotis concanensis* Hassk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cyanotis cristata* (L.) D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cyanotis cucullata* (Roth) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cyanotis fasciculata* (Heyne ex Roth) Schultes & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cyanotis obtusa* Trimen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cyanotis papilionacea* (L.) Schultes & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cyanotis pilosa* Schultes & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cyanotis tuberosa* (Roxb.) Schultes & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cyanotis villosa* (Spreng.) Schultes & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cyanotis wightii* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dictyospermum scaberrimum* (Blumes) Morton ex Hara et al. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Floscopa scandens* Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Murdannia dimorpha* (Dalz.) Brueckner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Murdannia edulis* (Stokes) Faden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Murdannia esculenta* (Wall ex Clarke) Raizada ex R. Rao & Kammaty and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mudannia gigantea* (Vahl.)

Brueckner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Murdannia glauca* (Thw. ex Clarke) Brueckner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Murdannia japonica* (Thunb.) Faden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Murdannia juncoides* (Wight) R. Rao & Kammathy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Murdannia lanceolata* (Wight) Kammathy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Murdannia lanuginosa* (Wall ex Clarke) Brueckner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Murdannia loriformis* (Hassk.) R. Rao & Kammathy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Murdannia nudiflora* (L.) Brenan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Murdannia pauciflora* Brueckner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Murdannia semiteres* (Dalz.) Sant. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Murdannia simplex* (Vahl.) Brenan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Murdannia spirata* (L.) Brueckner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Murdannia vaginata* (L.) Brueckner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Murdannia zeylanica* (Clarke) Brueckner var. *longiscapa* (Clarke) R. Rao & Kammathy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rhoeo discolor* Hance and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Setcreasea purpurea* Boom and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Zebrina pendula* Schnitzl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Flagellaria indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Juncus bufonius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Juncus effusus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Juncus inflexus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Juncus leschenaultii* J. Gay and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Luzula indica* Kirschner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Areca catechu* L. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Arenga wightii* Griff. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bentinckia condapanna* Berry ex Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Borassus flabellifer* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Calamus brandisii* Beccari ex Beccari & Hook and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Calamus gamblei* Beccari ex Becari & Hook. var. *gamblei* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Calamus gamblei* Beccari ex Beccari & Hook. var. *sphaerocarpa* Beccari ex Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Calamus huegelianus* Mart. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Calamus pseudo-tenuis* Beccari ex Beccari & Hook and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Calamus rheedii* Griff and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Calamus rotang* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Calamus travancoricus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Caryota urens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cocos nucifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Corypha umbraculifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Corypha macropoda* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Livistona chinensis* (Jacq.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Livistona rotundifolia* (Lam.) Mart. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Phoenix canariensis* Hort ex Chabaud and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Phoenix loureirii* Kunth var. *loureirii* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Phoenix loureirii* Kunth var. *humilis* (Becc.) S.C. Barrow and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Phoenix pusilla* Gaertn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Phoenix rupicola* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Phoenix sylvestris* (L.) Roxb.

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pinanga dicksonii* (Roxb.) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rhapis excelsa* (Thunb.) A. Henry ex Rehder and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Roystonea regia* (Kunth) O. F. Cook and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sabal mauritiiformis* (Karsten) Griseb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Trachycarpus fortunei* (Hook.) Wendl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Washingtonia robusta* Wendl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *PKalamnus amaryllifolius* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *PKalamnus canaranus* Warb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *PKalamnus odoratissimus* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *PKalamnus tectorius* Parkinson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *PKalamnus thwaitesii* Martelli and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Typha angustifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Acorus calamus* L and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Alocasia indica* (Roxb.) Schott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Amorphophallus paeoniifolius* (Dennst.) Nicolson var. *campanulatus* (Blume ex Decne) Sivadasan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,



stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Amorphophallus sylvaticus* (Roxb.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Anaphyllum beddomei* Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Anaphyllum wightii* Schott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Anthurium spathiphyllum* N. E. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Arisaema auriculatum* Barnes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Arisaema barnesii* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Arisaema leschenaultii* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Arisaema murrayi* (Graham)

Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Arisaema tortuosum* (Wall.) Schott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Arisaema translucens* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Arisaema tuberculatum* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Arisaema tylophorum* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Arisaema wightii* Schott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Caladium bicolor* (Ait.) Vent. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Colocasia esculenta* (L.) Schott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cryptocoryne ciliata* (Roxb.) Schott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cryptocoryne consobrina* Schott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cryptocoryne retrospiralis* (Roxb.) Kunth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cryptocoryne spiralis* (Retz.) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Epipremnum pinnatum* cv aureum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lagenandra meeboldii* (Engler) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lagenandra toxicaria* Dalz. var. *barnesii* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Monstera deliciosa* Liebm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pistia stratiotes* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Plesmonium margaritifera* (Roxb.) Schott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pothos armatus* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pothos scandens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pothos thomsonianus* Schott. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Remusatia vivipara* (Lodd.) Schott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rhaphidophora pertusa* (Roxb.) Schott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Theriophonum fischeri*

Sivadasan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Theriophonum minutum* (Willd.) Baillon and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Theriophonum sivaganganum* (Ramam. & Sebastine) Bogner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Xanthosoma sagittifolium* (L.) Schott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Zantedeschia aethiopica* (L.) Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lemna gibba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lemna perpusilla* Torrey and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Spirodela polyrhiza* (L.) Schleiden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Wolffia globosa* (Roxb.) Hartog & Vander Plas and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hyalisma janthina* Champ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Caldesia parnassiifolia* (L.) Parl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Limnophyton obtusifolium* (L.) Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sagittaria guayanensis* H.B.K. subsp *lappula* (D Don) Bogin and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sagittaria sagittifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Najas graminea* Del. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Najas indica* (Willd.) Cham. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Najas malesiana* Wilde and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Najas marina* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Najas minor* All. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ruppia maritima* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aponogeton appendiculatus* Bruggen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aponogeton echinatus* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aponogeton natans* (L.) Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aponogeton undulatus* Roxb.



and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cymodocea rotundata* Ehrenb. & Hempr. ex Asch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cymodocea serrulata* (R. Br.) Asch. & Magnus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Halodule pinifolia* (Miki) Hartog and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Halodule uninervis* (Forssk.) Asch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Halodule wrightii* Asch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Potamogeton crispus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Potamogeton nodosus* Poir. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Potamogeton pectinatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Potamogeton perfoliatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Syringodium isoetifolium* (Asch.) Dandy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eriocaulon brownianum* Martius ex Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eriocaulon cinereum* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eriocaulon conica* (Fyson) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eriocaulon elenorae* Fyson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eriocaulon ensiforme* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eriocaulon leucomelas* Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eriocaulon longicuspis* Hook. f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eriocaulon nairii* Chandrabose & Chandrasekaran and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eriocaulon nepalense* Prescott ex Bongard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eriocaulon odoratum* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eriocaulon panagudianum* Ansari & Balakr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eriocaulon pectinatum* Ruhl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eriocaulon quinquangulare* L.

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eriocaulon ramnadense* Ansari & Balakr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eriocaulon richardianum* (Fyson) Ansari & Balakr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eriocaulon ritchieanum* Ruhl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eriocaulon robusto-brownianum* Ruhland and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eriocaulon robustum* Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eriocaulon talbotii* Ansari & Balakr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eriocaulon thwaitesii* Koern. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eriocaulon truncatum* Buch. - Ham. ex Mart. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eriocaulon xeranthemum* Mart. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ascopholis gamblei* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bulbostylis barbata* (Rottb.) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bulbostylis densa* (Wall.) Hand.-Mazz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bulbostylis puberula* (Poir.) Kunth ex C. B. Clarke var. *puberula* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bulbostylis puberula* (Poir.) Kunth ex C. B. Clarke var. *gracilis* C. Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Carex baccans* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Carex breviculmis* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Carex brunnea* Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Carex christii* Boeckeler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Carex eluta* Nelmes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Carex foliosa* D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Carex filicina* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Carex glaucina* Boeckeler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Carex hebecarpa* C. Meyer

var. *ligulata* (Nees) Kuek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Carex lateralis* Kuek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Carex lenta* D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Carex leucantha* Arn. ex Boott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Carex lindleyana* Nees var. *lindleyana* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Carex lindleyana* Nees var. *mercurensis* (Hochst. ex Steud.) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Carex longicruris* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Carex longipes* D. Don var. *longipes* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Carex longipes* D. Don var. *dissitiflora* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Carex maculata* Boott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Carex myosurus* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Carex nubigena* D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Carex phacota* Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Carex pseudoaperta* Boeckeler ex Kuek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Carex raphidocarpa* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Carex rara* Boott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Carex speciosa* Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Carex vicinalis* Boott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Carex walkeri* Arn. ex Boott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Carex wallichiana* Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Carex wightiana* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cyperus alopecuroides* Rottb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cyperus alternifolius* L. subsp. *flabelliformis* (Rottboell) Kukenth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cyperus arenarius* Retz. and

15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cyperus articulatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cyperus bulbosus* Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cyperus castaneus* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cyperus cephalotes* Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cyperus conglomeratus* Rottb. subsp. *pachyrrhizus* (Nees ex Boeck.) T. Koyama and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cyperus compressus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cyperus corymbosus* Rottb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cyperus curvibracteatus* Govindarajulu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cyperus cuspidatus* Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cyperus difformis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cyperus diffusus* Vahl. var. *diffusus* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cyperus diffusus* Vahl. var. *macrostachyus* Boeckeler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cyperus digitatus* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cyperus distans* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cyperus distans* L. var. *pseudonutans* Kuek. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cyperus elatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cyperus esculentus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cyperus exaltatus* Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cyperus halpan* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cyperus imbricatus* Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cyperus iria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cyperus laevigatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cyperus latovaginata*

Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cyperus lurida* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cyperus michelianus* (L.) Link. subsp. *pygmaeus* (Rottb.) Asch. & Graebn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cyperus nutans* Vahl var. *nutans* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cyperus natans* Vahl var. *eleusinoides* (Kunth) Haines and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cyperus pangorei* Rottb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cyperus pilosus* Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cyperus platyphyllus* Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cyperus platystylis* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cyperus plumbeonucea* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cyperus polyanthelus* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cyperus procerus* Rottb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cyperus pygmaeus* Rottb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cyperus rotundus* L. subsp. *rotundus* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cyperus rotundus* L. subsp. *tuberosus* (Rottb.) Kuek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cyperus rubicundus* Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,



stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cyperus rubrigitulosus* Govindarajulu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cyperus sesquiflorus* (Torr.) Matf. & Kuek. var. *cylindricus* (Nees) Kuek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cyperus spachelatus* Rottb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cyperus stoloniferous* Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cyperus strictulmis* Govindarajulu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cyperus sulcinus* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cyperus tenuiculmis* Boeckeler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cyperus tenuispica* Steud.

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eleocharis acutangula* (Roxb.) Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eleocharis atropurpurea* (Retz.) Presl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eleocharis congesta* D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eleocharis dulcis* (Burm.f.) Henschel and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eleocharis geniculata* (L.) Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eleocharis retroflexa* (Poir.) Urban subsp. *chaetaria* (Roem. & Schult.) Koyama and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eleocharis spiralis* (Rottb.) Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eleocharis tetraquetra* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Fimbristylis aestivalis* (Retz.) Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Fimbristylis aggregata* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Fimbristylis amplocarpa* Govindarajulu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Fimbristylis aphylla* Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Fimbristylis argentea* (Rottb.) Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Fimbristylis bisumbellata* (Forssk.) Bubani and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Fimbristylis cinnamometorum* (Vahl) Kunth and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Fimbristylis complanata* (Retz.) Link and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Fimbristylis consanguinea* Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Fimbristylis contorta* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Fimbristylis crystallina* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Fimbristylis cymosa* R. Br. subsp. *spathacea* (Roth) T. Koyama and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Fimbristylis dichotoma* (L.) Vahl subsp. *dichotoma* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Fimbristylis dichotoma* (L.) Vahl subsp. *podocarpa* (Nees & Meyen) Koyama and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Fimbristylis dichotoma* (L.)

Vahl subsp. glauca (Vahl) Koyama and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Fimbristylis dipsacea (Rottb.) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Fimbristylis eragrostis (Nees & Meyen ex Nees) Hance and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Fimbristylis falcata (Vahl.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Fimbristylis ferruginea (L.) Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Fimbristylis kingii Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Fimbristylis latiglumifera Govindarajulu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Fimbristylis latinucifera Govindarajulu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Fimbristylis longistigmata* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Fimbristylis miliacea* (L.) Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Fimbristylis monospicula* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Fimbristylis monticola* Hochst. ex Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Fimbristylis narayanii* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Fimbristylis nutans* (Retz.) Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Fimbristylis ovata* (Burm. F.) Kern and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Fimbristylis paupercula* Boeckeler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Fimbristylis pentaptera* (Nees) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Fimbristylis pierotii* Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Fimbristylis polytrichoides* (Retz.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Fimbristylis pustulosa* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Fimbristylis quinquangularis* (Vahl) Kunth var. *crassa* C. B. Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Fimbristylis rectifolia* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Fimbristylis rigidiuscula* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Fimbristylis rugosa*



Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Fimbristylis salbundia* (Nees) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Fimbristylis scabrisquama* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Fimbristylis schoenoides* (Retz.) Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Fimbristylis semidisticha* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Fimbristylis sieberiana* Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Fimbristylis squarrosa* Vahl var. *esquarrosa* Makino and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Fimbristylis strigosa* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Fimbristylis tenera* Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Fimbristylis tetragona* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Fimbristylis tortifolia* Govindarajulu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Fimbristylis triflora* (L.) Schum. ex Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Fimbristylis tristachya* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Fimbristylis uliginosa* Hochst. ex Steud and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Fimbristylis woodrowii* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Fuirena ciliaris* (L.) Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Fuirena pubescens* (Lam.) Kunth var. *pergamentacea* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Fuirena trilobites* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Fuirena umbellata* Rottb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Fuirena uncinata* (Willd.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Fuirena wallichiana* Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hypolytrum nemorum* (Vahl) Spreng and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Kylinga brevifolius* Rottboell and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Kylinga bulbosa* P. Beauv.

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Kylinga hyalina* (Vahl) T. Koyama and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Kyllingia nemoralis* ( J. R. & G. Forst.) Dandy ex Hutchinson & Dalziel and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Kyllingia malanosperma* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lipocarpha chinensis* (Osbeck.) Kern and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lipocarpha raynaleana* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lipocarpha sphacelata* (Vahl.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mariscus clarkei* (Cooke) T. Koyama and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mariscus compactus* (Retz.) Bolding and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mariscus cyperinus* (Retz.) Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mariscus dubius* (Rottboell) Kukenth ex C.E.C. Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mariscus paniceus* (Rottboell.) Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mariscus squarrosus* (L.) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mariscus sumaterensis* (Retz.) A. Raynal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pycnus flavescens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pycnus flavidus* (Retz.) T. Koyama and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pycnus polystachyos* (Rottboell) Beauv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pycnus pumilus* (L.) Nees ex Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pycnus puncticulatus* (Vahl) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pycnus sanguinolentus* (Vahl) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pycnus stramineus* (Nees) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pycnus unioides* (R. Br.) Urb. var. *angulatus* (Nees) Domin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rhynchospora corymbosa* (L.) Britton and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rhynchospora gracillima*

Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rhynchospora rubra* (Lour.) Makino and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rhynchospora rugosa* (Vahl.) Gale and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Riklrella squarrosa* (L.) Raynal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Schoenoplectus articulatus* (L.) Palla and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Schoenoplectus grossus* (L. f.) Palla and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Schoenoplectus juncoideus* (Roxb) Palla and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Schoenoplectus littoralis* (Schrader) Palla subsp. *subulatus* (Vahl) Koyama and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Schoenoplectus mucronatus* (L.) Palla and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Schoenoplectus senegalensis* (Steud.) Palla ex Raynal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Schoenoplectus supinus* (L.) Palla subsp. *lateriflorus* (Gmel.) Koyama and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Scirpus fluitans* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Scirpus maritimus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Scirpus subcapitatus* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Scleria caricnia* (R. Br.) Benth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Scleria corymbosa* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Scleria lithosperma* (L.) Sw. var. *lithosperma* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Scleria lithosperma* (L.) Sw. var. *linearis* Benth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Scleria lithosperma* (L.) Sw. var. *multispiculata* Govindarajulu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Scleria levis* Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Scleria mikawana* Makino and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Scleria parvula* Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Scleria terrestris* (L.) Fassett and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Acrachne henrardiana* (Bor)

Phillips and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Acrachne racemosa* (Heyne ex Roth) Ohwi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Acrachne sundararajii* Umamahesw. et al and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aeluropus lagopoides* (L.) Trin ex Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Agrostis micrantha* Stue. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Agrostis peninsularis* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Agrostis pilosula* Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Agrostis schmidii* (Hook. f.) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Agrostis stolonifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Agrostis zenkeri* Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Alloteropsis cimicina* (L.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Andropogon hallii* Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Andropogon lividus* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Andropogon longipes* Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Andropogon polytychus* Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Andropogon pumilus* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Anthoxanthum borii* Jain & Pal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Anthoxanthum odoratum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Apluda mutica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Apocopsis courtallumensis* (Steud.) Henrard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Apocopsis vaginata* Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aristida adscensionis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aristida funiculata* Trin & Rupr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aristida hystrix* L. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aristida mutabilis* Trin. & Rupr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aristida setacea* Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Arthraxon castratus* (Griff.) Narayanaswami ex Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Arthraxon depressus* Stapf ex Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Arthraxon lanceolatus* (Roxb.) Hochst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Arthraxon micans* (Nees) Hochst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Arthraxon prionodes* (Steud.) Dandy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Arthraxon quartinianus* (A. Rich) Nash and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Arundinaria walkeriana* Munro and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Arundinaria wightiana* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Arundinella ciliata* (Roxb.) Nees ex Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Arundinella hookeri* Munro ex Keng and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Arundinella leptochloa* (Nees ex Steud.) Hook and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Arundinella mesophylla* Nees ex Steud and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Arundinella nepalensis* Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,



stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Arundinella nervosa* (Roxb.) Nees ex Hook. & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Arundinella pumila* (Hochst. ex A. Rich) Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Arundinella purpurea* Hochst. ex Steud. var. *purpurea* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Arundinella purpurea* Hochst. ex Steud. var. *laxa* Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Arundinella setosa* Trin. var. *setosa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Arundinella setosa* Trin. var. *nilagiriana* Subbarao & Kumari and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Arundinella vaginata* Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Arundo conspicua* Forst. and

15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Arundo donax* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Avena byzantina* K. Koch and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Avena fatua* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Avena sativa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Avena sterilis* L. var. *ludoviciana* (Durieu) Gill & Magne and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Axonopus compressus* (Sw.) P. Beauv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bambusa bambos* Voss and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bothriochloa bladhii* (Retz.) S. T. Blake and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bothriochloa foulkesii* (Hook. f.) Henrard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bothriochloa insculpta* (Hochst. ex A. Rich.) A. camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bothriochloa kuntzeana* (Hack.) Henrard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bothriochloa pertusa* (L.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bothriochloa pseudoischaemum* (Nees ex Steud.) Henrard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Brachiaria distachya* (L.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Brachiaria eruciformis* (J. E. Smith) Griseb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Brachiaria kurzii* (Hook. f.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Brachiaria miliiformis* (J. S. Presl) Chase and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Brachiaria muna* Basappa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Brachiaria mutica* (Forssk.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Brachiaria nilagirica* Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Brachiaria ramosa* (L.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Brachiaria remota* (Retz.) Haines and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Brachiaria reptans* (L.) Gard.

& Hubbard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Brachiaria Semiundulata* (Hochst. ex A. Rich) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Brachiaria Semiverticillata* (Rottl.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Brachiaria setigera* (Retz.) Hubbard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Brachypodium distachyon* (L.) P. Beauv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Brachypodium sylvaticum* (Huds.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Briza maxima* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Briza media* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Briza minor* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bromus arvensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bromus catharticus* Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bromus diandrus* Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bromus ramosus* Huds. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Capillipedium filiculme* (Hook. f.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Capillipedium huegelii* (Hack.) Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Capillipedium parviflorum* (R. Br.) Stapf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cenchrus biflorus* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cenchrus ciliaris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cenchrus glaucus* Mudaliar & Sundararaj and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cenchrus pennisetiformis* Hochst. & Steud. ex Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cenchrus setigerus* Vahl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Centotheca lappacea* (L.) Desv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Chionachne koenigii* (Spreng.) Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Chionachne semiteres*



(Benth. ex Hook. f.) Henrard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Chloris barbata* Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Chloris bournei* Rang. & Tadol. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Chloris dolichostachya* Lagasca and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Chloris gayana* Kunth ex Stapf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Chloris montana* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Chloris pycnothrix* Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Chloris roxburghiana* Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Chloris virgata* Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Chloris wightiana* Nees ex Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Chrysopogon aciculatus* (Retz.) Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Chrysopogon asper* (Heyne ex Hook. f.) Blatter & Mc Can and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Chrysopogon copei* Mohanan et Ravi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Chrysopogon fulvus* (Spreng) Choiv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Chrysopogon hackelii* (Hook.f.) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Chrysopogon orientalis* (Desv.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Chrysopogon zeylanicus* (Nees ex Steud.) Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Coelachne perpusilla* (Arn. ex Steud.) Thw. var. *perpusilla* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Coelachne perpusilla* (Arn. ex Steud.) Thw. var. *nilagirica* Ved Prakash & Jain and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Coelachne simpliciuscula* (Wight & Arn. ex Steud) Munro ex Benth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Coelachyopsis lagopoides* (Burm.f.) Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Coix aquatica* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Coix gigantea* Koen. ex Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Coix lacryma-jobi* L. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cortaderia selloana* (Schultes) Asch. & Graebn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cymbopogon caesius* (Nees ex Hook. & Arn.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cymbopogon citratus* (DC.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cymbopogon coloratus* (Hook. f.) Stapf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cymbopogon flexuosus* (Nees ex Steud.) Wats var. *flexuosus* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cymbopogon flexuosus* (Nees ex Steud.) Wats var. *coimbatorensis* Gupta and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cymbopogon gidarba* (Ham. ex Steud.) Haines and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cymbopogon jwarancusa* (Jones) Schultes subsp. *olivieri* (Boiss.) Soenarko and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cymbopogon martinii* (Roxb.) Wats. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cymbopogon nardus* (L.) Rendle var. *nardus* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cymbopogon nardus* (L.) Rendle var. *confertiflorus* (Steud.) Stapf ex Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cymbopogon polyneuros* (Steud.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cymbopogon travancorensis* Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cynodon arcuatus* J. S. Presl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cynodon barberi* Rang & Tad. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cynodon dactylon* (L.) Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cynodon plectostachyus* (Schum ex Engler) Pilger and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cyrtococcum deccanense* Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cyrtococcum longipes* (Wight & Arn. ex Hook. f.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cyrtococcum muricatum* (Retz.) Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cyrtococcum oxyphyllum* (Steud.) Stapf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cyrtococcum patens* (L.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cyrtococcum sparsicomum*

(Nees ex Steud.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cyrtococcum trigonum* (Retz.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dactylis glomerata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dactyloctenium aegyptium* (L.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dendrocalamus strictus* (Roxb.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Desmostachya bipinnata* (L.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dichanthium annulatum* (Forssk.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dichanthium aristatum* (Poir) Hubbard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dichanthium caricosum* (L.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dichanthium foveolatum* (Del.) Roberty and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dichanthium oliganthum* (Hochst.ex Steud.) Cope and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dichanthium pallidum* (Hook. f.) Stapf ex Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dichaetaria wightii* Nees ex Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Digitaria abludens* (Roem. & Schultes) Veldk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Digitaria bicornis* (Lam.) Roem. & Schultes ex Loud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Digitaria ciliaris* (Retz.) Koeler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Digitaria duthieana* Henr. ex Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Digitaria griffithii* (Hook. f.) Henrard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Digitaria longiflora* (Retz.) Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Digitaria microbachne* (Presl) Henr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Digitaria radicata* (Presl) Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Digitaria setigera* Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Digitaria stricta* Roth ex Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Digitaria ternata* (A. Rich)

Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Digitaria tomentosa* (Koen ex Willd.) Henrard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Digitaria violascens* Link and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Digitaria wallichiana* (Wight & Arn. ex Steud.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dimeria acutipes* Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dimeria avenacea* (Retz.) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dimeria balakrishnaniana* K.Ravik., P.V. Sreek. & V. Lakshmanan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dimeria fuscescens* Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dimeria kollimalayana* Mohanan & Rao and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dimeria lehmanii* (Nees ex Steud.) Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dimeria orissae* Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dimeria ornithopoda* Trin. var. *ornithopoda* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dimeria ornithopoda* Trin. var. *hasiana* Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dinebra retroflexa* (Vahl) Panzer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Diplachne malabarica* (L.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Echinochloa colona* (L.) Link and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Echinochloa crus - galli* (L.) P. Beauv var. *crus - galli* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Echinochloa crus - galli* (L.) P. Beauv var. *brevisetia* (Doll) Neill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Echinochloa frumentacea* Link and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Echinochloa oryzoides* (Ard.) Fritsch and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Echinochloa picta* (J. Koen) Michael and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Echinochloa stagnina* (Retz.) P. Beauv and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ehrharta abyssinica* Hochst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eleusine coracana* (L.)

Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eleusine indica* (L.) Gaertn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Elytrophorus spicatus* (Willd.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Enneapogon schimperanus* (Hochst. Ex A. Rich) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Enteropogon coimbatorensis* K K. N. Nair Jain & Nayar and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Enteropogon monostachyos* (Vahl) Schum ex Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eragrostiella bifaria* (Vahl) Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eragrostiella brachyphylla* (Stapf.) Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eragrostis aspera* (Jacq.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eragrostis atrovirens* (Desf.) Trin. ex Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eragrostis cilianensis* (Al.) Vign. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eragrostis ciliaris* (L.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eragrostis ciliata* (Roxb.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eragrostis coarctata* Stapf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eragrostis curvula* (Schrader) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eragrostis dayanKalamnii* P. Ravichandran S.Krishnan N.P. Samson and 15 wasteland weeds based Green Spray with Vedic



Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eragrostis deccanensis* Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eragrostis gangetica* (Roxb.) Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eragrostis japonica* (Thunb.) Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eragrostis kiwuelsis* Jedwabn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eragrostis macilenta* (A. Rich) Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eragrostis maderaspatana* Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eragrostis minor* Host and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eragrostis nigra* Nees ex

Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eragrostis nutans* (Retz.) Nees ex Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eragrostis pilosa* P. Beauv and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eragrostis riparia* (Willd.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eragrostis rottleri* Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eragrostis schweinfurthii* Chioe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eragrostis superba* Peyr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eragrostis tef* (Zucc.) Trotter and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eragrostis tenella* (L.) P. Beauv. ex Roem. & Schultes var. *tenella* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eragrostis tenella* (L.) P. Beauv. ex Roem. & Schultes var. *insularis* Hubbard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eragrostis tenuifolia* (A. Rich) Hochst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eragrostis tremula* (Lam.) Hochst. ex Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eragrostis unioloides* (Retz.) Nees ex Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eragrostis viscosa* (Retz.) Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eremochloa muricata* (Retz.) Hack and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eremopogon foveolatus* (Del.) Stapf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eriochloa procera* (Retz.) Hubbard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eriochrysis rangacharii* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Euchlaena mexicana* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eulalia phaeothrix* (Hack.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eulalia trispicata* (Schultes) Henrard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eulalia wightii* (Hook. f.) Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eulaliopsis binata* (Retz.) C.E. Hubbard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Festuca ovina* L. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Festuca undata* Stapf var. *aristata* Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Garnotia arundinacea* Hook and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Garnotia courtallensis* (Arn. & Nees) Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Garnotia elata* (Arn. Ex Miq.) Janowski and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Garnotia exaristata* Gould and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Garnotia fergusonii* Trimen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Garnotia schmidii* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Garnotia tenella* (Arn. ex Miq.) Janowski and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Glyceria spicata* Guss and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Halopyrum mucronatum* (L.) Stapf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Helictotrichon polyneuron* (Hook. f.) Henrard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Helictotrichon schmidii* (Hook. f.) Henrard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Helictotrichon virescens* (Nees ex Steud.) Henrard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hemarthria compressa* (L.f.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Heteropogon contortus* (L.) P Beauv and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Heteropogon fischerianus* Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Heteropogon polystachyos* (Roxb.) Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Holcolemma canaliculatum* (Nees ex Steud.) Stapf & Hunnard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hordeum vulgare* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hygroryza aristata* (Retz.) Nees ex Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hymenachne acutigluma* (Steud.) Gilliland and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ichnanthus vicinus* (Bailey) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Imperata cylindrica*



(L.)Raeusch. var. major (Nees) Hubbard ex Hubbard & Vaughan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Isachne angladei* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Isachne bourneorum* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Isachne deccanensis* Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Isachne dispar* Trin. var. *dispar* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Isachne dispar* Trin. var. *villosa* C.E.C. Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Isachne elegans* Dalz ex Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Isachne globosa* (Thunb.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Isachne kunthiana* (Wight & Arn. ex Steud.) Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Isachne miliacea* Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Isachne oreades* (Domin) Bor. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Isachne pulchella* Roth ex Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Isachne walkeri* (Arn. ex Steud.) Wight & Arn. ex Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ischaemum commutatum* Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ischaemum flumineum* Bor. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ischaemum indicum* (Houtt.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ischaemum koenigii* (Hook. f.) Stapf ex Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ischaemum nilagiricum* Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ischaemum pilosum* (Klein ex Willd.) Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ischaemum rangacharianum* Ficher and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ischaemum rugosum* Salisb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ischaemum tadulingamii* Nair & Sreekumar and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ischaemum timorense* Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ischaemum zeylanicum* Bor

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Iseilema antheophoroides* Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Iseilema jainiana* Umamahesw. & P. Daniel and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Iseilema laxum* Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Iseilema prostratum* (L.) Andersson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Jansenella griffithiana* (C. Muell.) Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Leersia hexandra* Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Leptochloa chinensis* (L.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Leptochloa neesii* (Thw.) Benth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Leptochloa obtusiflora* Hochst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Leptochloa panicea* (Retz.) Ohwl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Leptochloa uniflora* Hochst ex A. Rich and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lolium perenne* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lolium temulentum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lophatherum gracile* Brongn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lopholepis ornithocephala* (Hook.) Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lophopogon tridentatus* (Roxb.) Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Manisuris myuros* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Melanocenchris jacquemontii* Jaub. & Spach and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Melanocenchris monoica* (Rottl.) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Melica scaberrima* (Nees ex Steud.) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Microchloa indica* (L.f.) Beauv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Microchloa kunthii* Desv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Microchloa kunthii* Desv. and

15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Microstegium ciliatum* (Trin.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Microstegium nudum* (Trin.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Miscanthus nepalensis* (Trin.) Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mnesithea granularis* (L.) de Koning & Sosef and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mnesithea laevis* (Retz.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Myriostachya wightiana* (Nees ex Steud.) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Oclandra beddomei* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ochlandra scriptoria* (Dennst.) Fischer var. *sivagiriana* (Gamble) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ochlandra setigera* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ochlandra travancorica* Benth ex Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ophiuros bombaiensis* Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ophiuros exaltatus* (L.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Oplismenus burmannii* (Retz.) P. Beauv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Oplismenus compositus* (L.) P. Beauv and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Oplismenus undulatifolius* (Ard.) P. Beauv ex Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Oropetium thomaeum* (L.f.) Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Oryza barthii* A. Chevali and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Oryza meyeriana* (Zoll. & Mor.) Baill. var. *granulata* (Nees & Arn. ex Wall) Duist. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Oryza minuta* J. S. Presl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Oryza officinalis* Wall ex Watt subsp. *malampuzhaensis* (Krishnaswami & and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>. Chandrasekaran) Tateoka and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Oryza rufipogon* Griff. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Oryza sativa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ottochloa nodosa* (Kunth) Dandy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Oxytenanthera monadelphae* (Thw.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Oxytenanthera ritcheyi* (Munro) Blatter and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Panicum antidotale* Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Panicum brevifolium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Panicum fischeri* Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Panicum gardneri* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Panicum maximum* Jacq. and

15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Panicum miliaceum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Panicum notatum* Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Panicum paludosum* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Panicum psilopodium* Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Panicum repens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Panicum sparsicomum* Nees ex Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Panicum sumatrense* Roth ex Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Panicum trypheron* Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Paspalidium flavidum* (Retz.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Paspalidium geminatum* (Forssk.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Paspalidium punctatum* (Burm.f.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Paspalum canarae* (Steud.) Veldk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Paspalum conjugatum* Berg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Paspalum dilatatum* Poir. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Paspalum distichum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Paspalum longifolium* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Paspalum scrobiculatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Paspalum vaginatum* Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pennisetum americanum* (L.) Leeke. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pennisetum clandestinum* Hochst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pennisetum hohenackeri* Hochst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pennisetum pedicellatum* Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pennisetum polystachyon* (L.)

Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pennisetum purpureum* Schum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pennisetum villosum* R. Br. ex Fresen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Perotis indica* (L.) Kuntze var. *indica* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Perotis indica* (L.) Kuntze var. *keelakaraiensis* Umamahesw. & P. Daniel and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Phalaris aquatica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Phalaris arundinacea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Phalaris minor* Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Phragmites karka* (Retz.) Trin ex Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Poa annua* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Poa gamblei* Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Poa trivialis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pogonatherum crinitum* (Thunb.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pogonatherum paniceum* (Lam.) Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Polypogon fugax* Nees ex Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pommereulla cornucopiae* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pseudanthistiria heteroclita* (Roxb.) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pseudanthistiria umbellata* (Hack.) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pseudechinolaena polystachya* (H.B.K.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pseudobrachiaria deflexa* (Schum.) Launert and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pseudoraphis spinescens* (R. Br.) Veickery and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pseudosorghum fasciculare* (Roxb.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rhynchelytrum repens* (Willd.) Hubbard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rottboellia cochinchinensis*

(Lour.) Clayton and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Saccharum arundinaceum* Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Saccharum narenga* (Nees ex Steud.) Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Saccharum officinarum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Saccharum spontaneum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sacciolepis curvata* (L.) Chase and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sacciolepis indica* (L.) Chase and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sacciolepis interrupta* (Willd.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sacciolepis myosuroides* (R. Br.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Schizachyrium brevifolium* (Sw.) Nees ex Buese and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sehima nervosum* (Rottl.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sehima sulcatum* (Hack.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Setaria homonyma* (Steud.) Chiov. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Setaria intermedia* Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Setaria italica* (L.) P. Beauv and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Setaria palmifolia* (Koen.) Stapf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Setaria plicata* (Lam.) Cooke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Setaria poiretiana* (Schultes) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Setaria pumila* (Poir.) Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Setaria sphacelata* (Schum.) Stapf & Hubbard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Setaria verticillata* (L.) P. Beauv and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sinarundinaria wightiana* (Nees) C.S.Chao & Renvoize and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sorghum arundinaceum* (Desv.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sorghum bicolor* (L.)

Moench. Meth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sorghum cernuum* Host var. *orbiculatum* Snowden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sorghum cernuum* Host var. *truchmenorum* (C.Koch) Snowden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sorghum conspicuum* Snowden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sorghum coriaceum* Snowden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sorghum dimidiatum* Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sorghum dochna* (Forssk.) Snowden var. *irungu* (Burkill ex Benson & Subbarao) Snowden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sorghum dochna* (Forssk.) Snowden var. *obovatum* (Hack.) Snowden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sorghum durra* (Forssk.) Stapf var. *coimbotoricum* (Burkill ex Benson & Subbarao) Snowden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sorghum durra* (Forssk.) Stapf var. *mediocre* (Burkill ex Benson & Subbarao) Snowden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sorghum guineense* Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sorghum halepense* (L.) Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sorghum laxiflorum* F.M. Bailey and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sorghum nitidum* (Vahl.) Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sorghum roxburghii* Stapf var. *hians* Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sorghum subglabrescens* (Steud.) Schweinf. & Asch. var. *subglabrescens* and 15 wasteland weeds based Green Spray with



Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sorghum subglabrescens* (Steud.) Schweinf. & Asch. var. *compactum* (Burkill) Snowden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sorghum subglabrescens* (Steud.) Schweinf. & Asch. var. *irungiforme* (Burkill) Snowden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sorghum subglabrescens* (Steud.) Schweinf. & Asch. var. *oviforme* Snowden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sorghum subglabrescens* (Steud.) Schweinf. & Asch. var. *rubidum* (Burkill) Snowden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sorghum versicolor* Anderss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Spinifex littoreus* (Burm.f.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Spodiopogon rhizophorus* (Steud.) Pilger and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sporobolus capillaris* Miq.

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sporobolus coromandelianus* (Retz.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sporobolus hajrae* Umamahesw. & P. Daniel and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sporobolus indicus* (L.) R. Br. var. *diander* (Retz.) Jovet & Guedes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sporobolus indicus* (L.) R. Br. var. *fertilis* (Steudd.) Jovet & Guedes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sporobolus maderaspatanus* Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sporobolus piliferus* (Trin.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sporobolus spicatus* (Vahl.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sporobolus tenuissimus* (Schränk) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sporobolus tremulus* (Willd.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sporobolus virginicus* (L.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sporobolus wallichii* Munro ex Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Stenotaphrum dimidiatum* (L.) Brongn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Teinostachyum wightii* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Themeda cymbaria* Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Themeda quadrivalvis* (L.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Themeda tremula* (Nees ex Steud.) Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Themeda triandra* Forssk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Thysanolaena maxima* (Roxb.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Trachys muricata* (L.) Pers ex Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tragus roxburghii* Panigrahi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tripogon bromoides* Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tripogon jacquemontii* Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tripogon lisboae* Stapf and

15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tripogon pungens* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tripogon wightii* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tripsacum laxum* Nash and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Triticum aestivum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Triticum dicoccum* Schubler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Urochloa panicoides* P. Beauv and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vetiveria lawsonii* (Hook. f.) Blatter & Mc Cann and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vetiveria zizanioides* (L.) Nash and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vulpia bromoides* (L.) Gray and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vulpia megalura* (Nutt.) Rydb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vulpia myuros* (L.) Gmel. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Zea mays* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Zenkeria elegans* Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Zenkeria sebastinei* Henry & Chandrabose and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Zenkeria stapfii* Henrard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Zoysia matrella* (L.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Zoysia pungens* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Andropogon schoenanthus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Andropogon sorghum* BROTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Andropogon squarrosus* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Androsace rotundifolia* HARDW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aneilema conspicuum* KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aneilema lineolatum*



KUNTH NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aneilema nudiflorum* BR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aneilema scapiflorum* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aneilema tuberosum* HAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Anemarrhena asphodeloides* BUNGE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Anemone falconeri* THOMS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Anemone narcissiflora* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Anemone obtusiloba* D.DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Anemone rivularis* HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Anemone rupicola* CAMB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Anemone tetrasepala* ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Anemone vitifolia* HAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aneseia martinicensis* (JACQ.) CHOIS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Anethum foeniculum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Anethum graveolens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Anethum sowa* KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Angelica archangelica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Angelica archangelica* L. *himalayana* (C.B.Clarke) Badhwar and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Angelica glauca* Edgew. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Angelica polymorpha* Maxim. *Sinensis* Oliv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Angelonia salicariaefolia* Humb. & Bonpl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Angiopteris evecta* (Forst.) Hoffm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aniseia martinicensis* (Jacq.) Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Anisochilus carnosus* Wall.

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Anisochilus carnosus* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Anisochilus eriocephalus* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Anisomeles indica* (L.) O.KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Anisomeles malabarica* R.BR. EX SIMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Anisomeles ovata* R.BR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Anisonema multiflorum* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Annona cherimola* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Annona muricata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Annona reticulata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Annona squamosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Anodendron paniculatum* A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Anoectochilus regalis* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Anoectochilus roxburghii* BL. REGALIS (BL.) PRADHAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Anoectochilus setaceus* (BLUME) LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Anogeissus acuminata* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Anogeissus latifolia* WALL. EX. GUILL. & PERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Anogeissus pendula* EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Anotis foetida* (DALZ.) BENTH. & HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Anplectrum assamicum* CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Anthemis cotula* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Anthemis gayana* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Anthemis nobilis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Anthemis odontostephana*

BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Anthemis pyrethrum* GOUAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Anthocephalus cadamba* MIQ.. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Anthocephalus chinensis* (LAM.) A.RICH. EX WALP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Anthocephalus indicus* A. RICH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Anthoxanthum odoratum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Anthriscus cerefolium* (L.) HOFFM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Anthriscus sylvestris* HOFFM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Anthyrium filix-femina* (L.) ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Antiaris innoxia* BL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Antiaris saccidora* DALZ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Antiaris toxicaria* (PERS.) LESCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Anticharis glandulosa* ASCHERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Antidesma acidum* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Antidesma buniis* (L.) SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Antidesma diandrum* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Antidesma ghaesembilla* GAERTN. FRUCT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Antidesma menasu* (TULASNE) MULL.-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Antidesma zeylanicum* LAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Antirrhinum cymbalaria* GUELLENST EX LEDEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Antirrhinum majus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Antirrhinum orantium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Apama siliquosa* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Apama tomentosa* (BI.)

ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aphanamixis polystachya* (WALL.) PARKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aphananthe cuspidata* (BL.) PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Apium graveolens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Apium leptophyllum* F.MUELL. EX.BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aplotaxis auriculata* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Apluda mutica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Apluda varia* HACK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Apocynum foetidum* BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Apollonias arnottii* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aponogeton monostachyon* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aponogeton natans* (L.) ENGL. & KRAUSE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aporosa dioica* (ROXB.) MUELL.- ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aporosa lindleyana* BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aporosa octandra* (BUCH.-HAM. EX D. DON) VICK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aquilaria agallocha* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aquilaria malaccensis* LAM., NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aquilaria ovata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aquilegia fragrans* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aquilegia vulgaris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Arabidopsis thaliana* (L.) HEYNH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Arabidopsis wallichii* (HOOK.F.&T.) N. BUSH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Arabis chinensis* ROTTLER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Arabis recta* MILL. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Arabis tribetica* HK. & TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Arachis hypogaea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Arachne cordifolia* (DECNE) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aralia armata* SEEM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aralia cachemirica* DECNE. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aralia pseudo-ginseng* BENTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aralia quinquefolia* DECNE. & PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aralia racemosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Arbutus unedo* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Arceuthobium minutissimum* HK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Archangelica himalaica* EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Archangelica officinalis* HOFFM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Archidendron clypearia* (JACK) NIELSEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Archidendron monadelphum* (ROXB.) NIELSEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Arctium lappa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,



stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Arctostaphylos uva ursi* SPRENG and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ardisia colorata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ardisia humilis* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ardisia odontophylla* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ardisia oxyphylla* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ardisia solanacea* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Areca catechu* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Areca concinna* THW. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Areca nagensis* GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Areca triandra* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Arenaria serpyllifolia* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Arenga obtusifolia* MART. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Arenga pinnata* MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Arenga saccharifera* LABILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Arenga wightii* GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Argemone alba* LESTIB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Argemone mexicana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Argyreia aggregata* (ROXB.) CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Argyreia argentea* ARN. EX CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Argyreia cuneata* KER-GAWL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Argyreia daltonii* CLARKE IN HOOK.F. FL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Argyreia fulgens* CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Argyreia imbricata* (ROTH) SANT. & PATEL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Argyreia involucrata* C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Argyreia kleiniana* (ROEM.&SCHULT.) NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Argyreia malabarica* CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Argyreia nervosa* (BURM.F.) BOJ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Argyreia petaloidea* CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Argyreia pomacea* (ROXB.) CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Argyreia sericea* Dalz. & Gib. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Argyreia setosa* (ROXB.)

CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Argyrea speciosa* SWEET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aricennia officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Arikuryroba schizophylla* BECC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Arisaema alba* N. E. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Arisaema curvatum* KUNTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Arisaema decipiens* SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Arisaema flavum* (FORSK.) SCHOTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Arisaema jacquemontii* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Arisaema leschenaultii* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Arisaema murrayi* (GRAHAM) HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Arisaema speciosum* (WALL.) SCHOTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Arisaema tortuosum* SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Arisaema triphyllum* SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Arisaema wallichianum* HK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aristida adscensionis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aristida depressa* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aristida humilis* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aristida setacea* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aristolochia bracteata* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aristolochia bracteolata* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aristolochia indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aristolochia labiosa* KER.-GAWL.. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aristolochia longa* L. and 15



wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aristolochia reticulata* NUTTAL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aristolochia rotunda* L and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aristolochia roxburghiana* KLOTZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aristolochia saccata* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aristolochia serpentaria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aristolochia tagala* CHAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Armoracia rusticana* GAERTN. MEY. & SCHERB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Arnebia benthamii* (WALL. EX G.DON) JOHNSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Arnebia euchroma* (ROYLE) JOHN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Arnebia guttata* BUNGE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Arnica montana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Artabotrys hexapetalus* (L.F.) BHKALAMRI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Artabotrys odoratissimus* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Artabotrys suaveolens* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Artanema longifolia* (L.) MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Artanema longifolium* (L.) VATAKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Artanema sesamoides* (VAHL) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Artemisia abrotanum* SAVI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Artemisia absinthium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Artemisia annua* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Artemisia austriaca* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Artemisia biennis* WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Artemisia brevifolia* WALL.

EX DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Artemisia capillaris* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Artemisia cina* BERG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Artemisia dracunculus* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Artemisia gmelinii* WEBER EX. STECHM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Artemisia indica* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Artemisia japonica* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Artemisia macrocephala* JACQ. EX BESS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Artemisia maderaspatana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Artemisia maritima* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Artemisia moorcroftiana* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Artemisia nilagirica* (CLARKE) PAMP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Artemisia pallens* WALL. EX. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Artemisia parviflora* BUCH. HAM. EX ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Artemisia persica* BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Artemisia roxburghiana* BESS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Artemisia sacrorum* LEDEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Artemisia scoparia* WALDST.& KIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Artemisia sieversiana* EHRH. EX WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Artemisia vestita* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Artemisia vulgaris* AUCT.NON L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Arthraxon nudus* (STEUD.) HOCHST. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Arthrocnemum indicum* MOQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Arthrophyllum blumeianum*

ZOLL. & MOR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Artocarpus chaplasha ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Artocarpus communis J. & G. FORST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Artocarpus gomezianus WALL. EX TREC. zeylanicus JANET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Artocarpus heterophyllus LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Artocarpus hirsutus LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Artocarpus integra (THUNB.) MERRILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Artocarpus integrifolia L. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Artocarpus lakoocha* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Arum campanulatum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Arum colocasia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Arum macrorhizon* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Arum numphaeifolium* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aruncus dioicus* (WALTER) FERNALD NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Arundina graminifolia* (D.DON) HOCHR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Arundinella nepalensis* TRIN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Arundo donax* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Arundo karka* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Asagraea officinalis* LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Asarum europaeum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Asclepias asthmatica* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Asclepias curassavica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Asclepias gigantea* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Asclepias lactifera* L. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Asclepias prolifera* ROTTLER EX W. AINSLIE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Asclepias volubilis* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Asclepias vomitoria* KOEN. EX HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Asechynanthus gracilis* PARISH EX CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aspalathus indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aspalathus linearis* (BURM.F.) R. DAHLGR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Asparagus adscendens* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Asparagus curillus* BUCH .- HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Asparagus filicinus* BUCH .- HAM. EX D. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Asparagus gonoclados* BAK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Asparagus laevissimus* STEND. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Asparagus officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Asparagus punjabensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Asparagus racemosus* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Asparagus rottleri* BAKER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Asparagus sarmentosus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Asperugo procumbens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Asphodelus fistulosus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Asphodelus tenuifolius* CAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aspidium polymorphum* (WALL.); BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Asplenium adiantoides* (L.) C. CHR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Asplenium adiantum-nigrum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Asplenium alternans* WALL.

NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Asplenium ceterach L. ceterach Khullar and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Asplenium dalhousiae HOOK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Asplenium falcatum LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Asplenium furcatum THUMB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Asplenium laciniatum D.DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Asplenium nidus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Asplenium parasiticum WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Asplenium polyodon* G. FORSTER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Asplenium ruta-muraria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Asplenium septentrionale* HOFFM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Asplenium trichomanes* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Asplenium viride* HUDSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aster amellus* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aster asteroides* (DC.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aster falconeri* HUTCH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on



coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aster indamellus* GRIERSON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aster tibeticus* HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aster trinervius* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Asteracantha longifolia* (L.) NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Asteriastigma macrocarpa* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Astilbe rivularis* BUCH.-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Astraeus hygrometricus* (PERS.) MORG. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Astragalus aegacanthoides*

PARKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Astragalus candolleanus ROYLE EX BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Astragalus ciliolatus BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Astragalus graveolens BUCH.-HAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Astragalus hamosus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Astragalus heratensis BUNGE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Astragalus himalayanus KLOTZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Astragalus jacquemontii BUNGE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Astragalus multiceps* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Astragalus munori* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Astragalus nivalis* KAR. & KIR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Astragalus polyacanthus* ROYLE EX BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Astragalus psilocentrus* FISCH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Astragalus rhizanthus* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Astragalus sarcocola* DYMOCK NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Astragalus strobiliferus* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Astragalus tribuloides* DELILE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Astragalus verus* OSKIN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Asystasia coromandeliana* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Asystasia dalzelliana* SANTAPAU and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Asystasia gangetica* (L.) T. ANDERSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Asystasia violacea* DALZ. EX CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Atalantia monophylla* CORR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Atalantia racemosa* WIGHT

& ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Athyrium filix-femina (L.) ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Athyrium hohenackerianum BEDD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Athyrium puncticaule (BL.) MOORE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Athyrium schimperi (FEE) MOUG. F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Atriplex hortensis LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Atropa acuminata ROYLE EX LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Atropa belladonna L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Atylosia barbata* (BENTH.) BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Atylosia candollei* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Atylosia goensis* DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Atylosia lineata* WT. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Atylosia mollis* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Atylosia platycarpa* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Atylosia scarabeoides* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Atylosia volubilis* GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Auricularia sambucina* MART. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Avena fatua* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Avena sativa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Averrhoa acida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Averrhoa bilimbi* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Averrhoa carambola* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Avicennia alba* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Avicennia marina* (FORSK.)



and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Avicennia officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Avicennia tomentosa* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Azanza lampas* (CAV.) ALEF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Azima tetracantha* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Baccaurea ramiflora* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Balanites aegyptiaca* (L.) DELILE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Balanites roxburghii* PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Balanocarpus utilis* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Balanophora dioica* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Balanophora fungosa* J.R. & G. FORST. *indica* (ARN.) Hans. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Balanophora involucreata* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Balanophora polyandra* GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Baliospermum axillare* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Baliospermum calycinum* MUELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Baliospermum montanum* (WILLD.) MUELL.-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Baliospermum sinuatum* MUELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Baliospermum solanifolium* (J.BURM.) SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Balsamodendron agallocha* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Balsamodendron katarf* KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Balsamodendron mukul* HOOK. EX STOCKS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Balsamodendron myrrha* N.& E. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Balsamodendron stocksiana* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bambusa arundinacea*

WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Bambusa balcooa ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Bambusa bambos DRUCE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Bambusa nana ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Bambusa nutans WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Bambusa oSkiniana GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Bambusa tulda ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Bambusa vulgaris SCHRAD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Barbarea vulgaris* R.BR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Barleria acanthoides* VAHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Barleria acuminata* NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Barleria buxifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Barleria courtallica* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Barleria cristata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Barleria cuspidata* HEYNE EX. NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Barleria dichotoma* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Barleria involucrata* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Barleria longiflora* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Barleria longifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Barleria lupulina* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Barleria montana* NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Barleria mysorensis* ROTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Barleria noctiflora* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Barleria prattensis* SANT.

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Barleria prionitis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Barleria strigosa* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Barringtonia acutangula* (L.) GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Barringtonia asiatica* (L.) KURZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Barringtonia racemosa* (L.) K.SPENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Barringtonia speciosa* FORST. CHAR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Basella alba* L. rubra (L.) STEWART and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Basella alba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Basella cordifolia* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Basella rubra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Basilicum polystachyon* (L.) MOENCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bassia butyracea* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bassia latifolia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bassia longifolia* KOENIG and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bassia malabarica* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bauhinia acuminata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bauhinia candida* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bauhinia diphylla* BUCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bauhinia macrostachya* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bauhinia malabarica* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bauhinia phenicea* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bauhinia phenicea* HEYNE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bauhinia purpurea* L. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bauhinia racemosa* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bauhinia retusa* HAM. EX. ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bauhinia roxburghiana* VOIGT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bauhinia rufescens* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bauhinia scandens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bauhinia tenuiflora* WATT EX CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bauhinia tomentosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bauhinia vahlii* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bauhinia variegata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bauhinia wallichii* MACBRIDE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Begonia cathcartii* J.D. HOOK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Begonia hatacoa* BUCH.-HAM. EX D. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Begonia inflata* C.B.CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Begonia josephii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Begonia laciniata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Begonia luxurians* SCHEIDW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Begonia malabarica* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Begonia palmata* DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Begonia picta* SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Begonia rex* PUTZEYS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Begonia roxburghii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Begonia rubro-venia* HK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Begonia thomsonii* DC.

NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *NripatimcKalam chinensis* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Benincasa cerifera* SAVI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Benincasa hispida* (THUNB.) COGN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Benkara malabarica* (LAM.) TIRVENGADUM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bentinckia condapanna* BERRY EX ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Berberis aristata* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Berberis asiatica* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Berberis chitria* EDWARDS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Berberis insignis* HOOK. F. & THOMS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Berberis jaeschkeana* SCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Berberis kashmiriana* AHRENDT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Berberis kumaoensis* SCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Berberis lamberti* PARKER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Berberis lycium* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Berberis nepalensis* SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on



coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Berberis pachyacantha* JAFRI *zabeliana* JAFRI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Berberis petiolaris* WALL. EX G. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Berberis pseudumbellata* PARKER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Berberis tinctoria* LESCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Berberis ulicina* HK.F. & TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Berberis umbellata* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Berberis vulgaris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Berberis wallichiana* DC.

NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Berchemia lineata* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bergenia ciliata* (HOW.) STERN. *fa ligulata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bergenia ciliata* (HOW.) STERN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bergenia ligulata* SENSU BAILEY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bergenia purpurascens* (HOOK.F. & TH.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bergenia stracheyi* (HOOK.F. & THOMS.) ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bergera koenigii* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bergia capensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bergia odorata* EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bergia suffruticosa* (DEL.) FENZL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Beta benghalensis* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Beta maritima* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Beta vulgaris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Betula alnoides* BUCH.-HAM. EX DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Betula bhojpatra* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Betula utilis* DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bidens biternata* (LOUR.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bidens cernua* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bidens pilosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bidens tripartita* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Biebersteinia odora* STEPH. EX FISH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bignonia chelonoides* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bignonia indica* L. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bigonia longifolia* (WILLD.) K.SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Biophytum apodisciac* TUREZ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Biophytum candolleanum* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Biophytum nervifolium* THW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Biophytum petersianum* KLOTZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Biophytum reinwardtii* (ZUCC.) KLOTZSCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Biophytum sensitivum* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bischofia javanica* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bistorta amplexicaulis* GREENE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bixa orellana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Blastania garcini* COG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Blechnum orientale* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Blechnum spicant* (L.) WITH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Blepharis boerhaviifolia* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Blepharis edulis* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Blepharis linariaefolia* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Blepharis maderaspatensis* (L.) ROTH. *maderaspatensis* NAPPER *maderaspatensis* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Blepharis persica* (BURM.) O. KUNTZE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Blepharispermum subsessile* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Blepharistemma serratum* (DENNST.) SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Blighia sapida* KOEN. & SIMS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Blumea aurita* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Blumea balsamifera* DC. and



15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Blumea densiflora* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Blumea erientha* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Blumea fistulosa* (ROXB.) KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Blumea hieracifolia* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Blumea lacera* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Blumea laciniata* (ROXB.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Blumea lanceolaria* (ROXB.) DRUCE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Blumea membranacea* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Blumea mollis* (D.DON) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Blumea myriocephala* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Blumea obliqua* DRUCE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Blumea oxyodonta* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Blumea pubigeru* (L.) MERR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Blumea riparia* (BLUME) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Blumea sessiliflora* DECNE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Blumea wightiana* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Blumeopsis falcata* (D.DON) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Blumeopsis flava* (DC.) GAGNEP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Blyxa octandra* (ROXB.) PLANCH.EX.THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bocagea dalzellii* HOOK.F. & THOMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Boehmeria macrophylla* HORN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Boehmeria nivea* (L.) GAUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Boehmeria repens* NEES &

MART. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Boenninghauseni albiflora* (HK.) REICHB. EX MEISSN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Boenninghausenia albiflora* (HOOK. F.) REICHB. EX MEISSN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Boerhavia chinensis* (L.) ASCH. & SCHW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Boerhavia diffusa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Boerhavia erecta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Boerhavia repKalam* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Boerhavia repens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Boerhavia verticillata* ROTTL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Boesenbergia rotunda* (L.) MANSF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bolbitis subcrenata* (HOOK. & GREV.) CHING and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Boletus crocatus* BATSCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bombax ceiba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bombax cibaricum* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bombax insigne* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bombax malabaricum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bombax pentandrum* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bongardia chrysogonum* (L.) SPACH NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bongardia rauwolfii* C.A.MEY. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bonnaya oppositifolia* SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bonnaya reptans* SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Borago officinalis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Borassus flabellifer* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Borassus flabelliformis* L.

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Borreria articularis* (L.F.) WILLIAMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Borreria hispida* (L.) SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Borreria pusilla* (WALL) DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bosea amherstiana* HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Boswellia carteri* BIRDW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Boswellia frereana* BIRDW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Boswellia glabra* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Boswellia ovalifoliolata* BAL & HENRY. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Boswellia serrata* ROXB. *glabra* (ROXB.) BENNETT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Boswellia serrata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Boswellia thurifera* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bothriochloa odorata* (LISBOA) A. CAMUS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Botrychium lunaria* (L.) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Botrychium ternatum* (THUNB.) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Botrychium virginianum* SW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Boucerosia aucheriana* DECNE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bougainvillea spectabilis* WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Brachiaria eruciformis* (J.E.SMITH) GRISEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Brachiaria ramosa* STAPF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Brachiaria reptans* (L.) C.A. GARDNER & C.E. HUBBARD and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Brachyactis roylei* WEND and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bragantia tomentosa* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bragantia wallichii* R.BR.

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Brasenia sachreberi* J.F. GMEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Brasenia schreberi* J.F. GMEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Brassaiopsis glomerulata* BL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Brassica alba* (L.) RABENH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Brassica campestris* L. *dichotoma* (ROXB.) WATT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Brassica campestris* L. *glauca* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Brassica campestris* L. *rapa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Brassica campestris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Brassica cernua* (THUNB.) FORBES & HEMSLEY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Brassica integrifolia* (WEST) SCHULZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Brassica juncea* (L.) CZERN. *integrifolia* (WEST) SINSKAJA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Brassica juncea* (L.) CZERN. SSP. JUNCEA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Brassica napus* L. *dichotoma* (ROXB.) PRAIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Brassica napus* L. *glauca* (ROXB.) SCHULZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Brassica nigra* (L.) KOCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Brassica nigra* (L.) KOCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Brassica oleracea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Brassica oleracea* L. capitata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Brassica oleracea* L. gongylodes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Brassica rapa* L. campestris (L.) L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Brassica tournefortii* GOUAN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Brexa arvensis* (L.) LESS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bremekampia verticillata*

(ROXB.) SREEMADHAVAN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Breynia patens* (ROXB.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Breynia retusa* (DENNST.) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Breynia rhamnoides* MUELL.-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Breynia vitis-idaea* (BURM.F.) FISCHER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bridelia crenulata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bridelia montana* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bridelia retusa* SPR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bridelia scandens* (ROXB.) WILLD, and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bridelia squamosa* (LAM.) GEHRM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bridelia stipularis* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bridelia tomentosa* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bromelia ananas* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bromus unioloides* H.B.N.OV. GEN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Broussonetia papyrifera* (L.) VENT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Brucea javanica* (L.) MERR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on



coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Brucea mollis* WALL. EX KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bruguiera cylindrica* (L.) BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bruguiera gymnorrhiza* (L.) SOVIGY. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Brunfelsia americana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Brunfelsia calycina* BENTH. MACRANTHA RAFFILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bruxanellia indica* DENNST. EX KOSTEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bryonia epigoea* ROTTL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bryonia grandis* L. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bryonia laciniosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bryonia rostrata* ROTTL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bryonia scaber* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bryonia umbellata* KLEIN EX WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bryonopsis laciniosa* NAUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bryophyllum calicynum* SALISB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bryophyllum pinnatum* (LAM.) OKEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bryum bicolor* DICKSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Buchanania angustifolia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Buchanania axillaris* (DESR.) RAMAMOORTHY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Buchanania angustifolia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Buchanania latifolia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Buddleja asiatica* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Buddleja davidii* FRANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Buddleja macrostachys* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Buddleja neemda* HAM. EX ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Buettneria herbacea* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bulbophyllum congestum* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bulbophyllum neilgherrense* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bulbophyllum sterile* (LAM.) SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bulbostylis barbata* (ROTTB.) CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bunium persicum* (BOISS.) FEDT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bupleurum falcatum* L. and

15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bupleurum jucundum* KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bupleurum lanceolatum* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bupleurum longicaule* WALL. EX DC. *himalayense* (KI.) CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bupleurum setaceum* FENZL NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bupleurum thompsoni* CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bursera serrata* COLEBR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Butea buteiformis* (VOIGT) GRIERSON & LONG and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Butea frondosa* ROXB. ET KOEN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Butea monosperma* (LAM.) TAUB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Butea parviflora* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Butea superba* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Butia yatay* (MART.) BECC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Buxus sempervirens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Buxus wallichiana* BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bytineria Kalammanensis* KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Byttneria herbacea* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Byttneria pilosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cacalia kleinia* HERB. MADR. EX. C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cacalia pentaloba* HAND.-MAZZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cacalia sonchifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Caccinia crassifolia* O. KUNTZE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cachrys pabularia* (LINDL.) HERRNST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cactus ficus-indica* L. and 15



wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cadaba farinosa* FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cadaba fruticosa* (L.) DRUCE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cadaba indica* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cadaba trifoliata* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Caesalpinia bonduc* (L.) ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Caesalpinia bonducella* (L.) FLEMING and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Caesalpinia coriaria* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Caesalpinia crista* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Caesalpinia cuculata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Caesalpinia decapetala* (ROTH) ALSTON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Caesalpinia digyna* ROTTL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Caesalpinia jayabo* NAZA. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Caesalpinia mimosoides* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Caesalpinia nuga* AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Caesalpinia paniculata* DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Caesalpinia pulcherrima* (L.) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Caesalpinia sappan* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Caesalpinia sepiaria* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Caesalpinia spicata* DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Caesulia axillaris* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cajanus bicolor* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cajanus cajan* (L.) MILLSP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cajanus indicus* SPR. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Calacanthus grandiflorus* (DALZ.) RADLK.. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Caladium bicolor* VENT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Caladium sagittaeifolium* SUBER. EX ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Calamintha clinopodium* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Calamintha umbrosa* FISH. & MEY. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Calamus draco* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Calamus erectus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Calamus extensus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Calamus huegelianus* MART, and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Calamus latifolius* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Calamus rheedei* GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Calamus rotang* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Calamus tenuis* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Calamus thwaitesii* BECC. canaranus Becc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Calamus travancoricus* BEDD. EX HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Calamus viminalis* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Calanthe masuca* (D.DON) LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Calanthe sylvatica* (THOU.) LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Calanthe triplicata* (WILLEM.) AMES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Calanthe veratrifolia* (WILLD.) KER.-GAWL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Calendula arvensis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Calendula officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Callicarpa arborea* ROXB.

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Callicarpa cana* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Callicarpa lanata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Callicarpa longifolia* LAMK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Callicarpa macrophylla* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Callicarpa psilocalyx* CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Callicarpa rubella* LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Callicarpa tomentosa* (L.) MURRAY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Calligonum polygonoides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Callistemon lanceolatus* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Callitris inophyllum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Calonyction bona-nox* BOJER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Calonyction muricatum* G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Calophyllum apetalum* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Calophyllum calaba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Calophyllum elatum* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Calophyllum inophyllum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Calosanthus indica* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Calotropis gigantea* (L.) R.BR. *alba* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Calotropis gigantea* (L.) R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Calotropis procera* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Caltha alba* CAMB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Caltha palustris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Calvatia cyathiformis*

(BOSC.) MORGAN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Calycopteris floribunda* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Calyptanthus caryophyllifolia* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Calyptanthus jambolana* MOON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Camellia kissi* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Camellia sinensis* (L.) O.KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Camellia thea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Campanula colorata* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Camphora officinarum* NEES. EX WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Campsis grandiflora* (THUNB.) SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Campsis radicans* (LINN.) SEEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cananga odorata* HOOK.F. & THOMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Canarium odoratum* BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Canarium bengalense* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Canarium commune* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Canarium euphyllum* KURZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Canarium resiniferum* BRUCE EX KING NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Canarium strictum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Canarium vulgare* LEENH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Canavalia ensiformis* SENSU BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Canavalia gladiata* (JACQ.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Canavalia lineata* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Canavalia rosea* (SW.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Canavalia virosa* (ROXB.)

WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Canella alba* Murr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Canella winterana* (L.) GAERTNER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Canna coccinea* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Canna indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Canna orientalis* ROSC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cannabis indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cannabis sativa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Canscora andrographioides* GRIFF. EX C. B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Canscora decussata* SCHULTES & SCHULTES.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Canscora diffusa* (VAHL) R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Canscora perfoliata* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cansjera rheedi* J.F. GMELIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Canthium angustifolium* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Canthium coromandelicum* (N.BURM.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Canthium dicoccum* (GAERTN.) TEIJSM. & BINN. dicoccum and 15 wasteland weeds based Green Spray with



Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Canthium parviflorum* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Canthium rheedei* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Canthium umbellatum* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Caoxylon indicum* (BL.) HASSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Capparis aphylla* ROTH. NOV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Capparis assamica* HK. F. & TH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Capparis bisperma* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Capparis corundas* and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Capparis decidua* (FORSK.) EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Capparis diffusa* RIDLEY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Capparis divaricata* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Capparis grandis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Capparis heyneana* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Capparis horrida* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Capparis micrantha* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Capparis moonii* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Capparis olacifolia* HK.F. & TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Capparis pedunculosa* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Capparis rheedii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Capparis roxburghii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Capparis sepiaria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Capparis spinosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Capparis zeylanica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Capsella bursa-pastoris* MEDIC and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Capsella thomsoni* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Capsicum annuum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Capsicum festigiatum* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Capsicum frutescens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Capsicum grossum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Capsicum minimum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Caragana crassicaulis*

BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Caragana cuneata* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Caragana pygmaea* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Carallia brachiata* (LOUR.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Carallia integerrima* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Caralluma adscendens* (ROXB.) HAW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Caralluma attenuata* WT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Caralluma edulis* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Caralluma tuberculata* BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Caralluma umbellata* HAW. SYN. PL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Carapa granatum* (KOENIG) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Carapa gromatum* (KOENIG) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Carapa moluccensis* LAM. EXCYCL. METH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Carapa obovata* BL. BIJDR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cardamine impatiens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cardamine loxostemonoides* O.E. SCHULZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cardamine pratensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cardamine scutata* THUNB. *flexuosa* (WITH.) HARA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cardanthera uliginosa* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cardaria draba* (L.) DESV. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cardiocrinum giganteum* (WALL.) MAK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cardiospermum canescens* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cardiospermum halicacabum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Carduus edelbergii* RECH.F.



NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Carduus gigas UCRIA NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Carduus nutans L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Carex atrata L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Carex cernua BOOTT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Carex nivalis BOOTT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Carex notha KUNTH NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Carex nubigena D.DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Careya arborea* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Careya herbacea* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Carica cKalammarcensis* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Carica papaya* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Carissa carKalams* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Carissa congesta* WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Carissa opaca* STAPF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Carissa paucinervia* A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Carissa spinarum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Carmona microphylla* (LAM.) G. DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Carmona retusa* (VAHL) MASAMUNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Carpesium abrotanoides* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Carpesium cernuum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Carpopogon pruriens* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Carthamus lanatus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Carthamus oxyacantha* BIEB.

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Carthamus tinctorius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Carum bulbocastanum* Auct. Non Koch: C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Carum carvi* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Carum copticum* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Carum roxburghianum* KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Carum strictocarpum* C.B. CLARK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Caryophyllus aromaticus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Caryopteris odorata* ROBIN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Caryota mitis* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Caryota urens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *CascaNripati thevetia* (L.) LIPPOLD and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Casearia elliptica* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Casearia esculenta* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Casearia esculentta* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Casearia graveolens* DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Casearia grewiaefolia* VENT. *deglabrata* KOORD. & VAL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Casearia ovata* (LAM.) WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Casearia tomentosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Casearia vareca* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Casearia zeylanica* (GAERTN.) RHW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cassia absus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cassia acutifolia* DELILE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cassia alata* L. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cassia angustifolia* VAHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cassia arborea* MACFAD and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cassia auriculata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cassia didymobotrya* FRESEN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cassia elongata* LEMAIRE - LIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cassia fistula* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cassia fistula* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cassia glauca* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cassia hirsuta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cassia italica* (MILL.) SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cassia javanica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cassia kleinii* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cassia laevigata* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cassia lanceolata* COLLAD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cassia marginata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cassia mimosoides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cassia montana* HEYNE EX. ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cassia obovata* COLLOD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cassia obtusifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cassia occidentalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cassia pumila* LAMK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cassia roxburghii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cassia senna* L. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cassia siamea* LAMK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cassia sophera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cassia surattensis* BRUN. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cassia tora* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cassia uniflora* Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cassine glauca* (ROTTB.) O.KTZE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cassiope fastigiata* DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cassytha filiformis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Castanea sativa* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Castanopsis indica* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Castanopsis tribuloides* A. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Castanospermum australe* A. CUNN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Casuarina equisetifolia* FORST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Catha edulis* FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Catharanthus pusillus* (MURR.) G. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Catharanthus roseus* (L.) G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Catimbium malaccense* (BURM.F.) HOLTUM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Catimbium speciosum* (WENDL.) HOLTUM NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Catunaregam rugulosa* (THW.) TIRUV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Catunaregam uliginosa* (RETZ.) SIVARAJAN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Catunaregam spinosa* (THUNB.) TIRVENGADUM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Caulophyllum thalictroides* MICHX. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cayratia auriculata*

(ROXB.)GAMBLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Cayratia carnos (WALL.) GAGNEP. EX WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Cayratia mollissima (WALL.) GAGNEP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Cayratia pedata (LAM.) JUSS. EX GAGNEP. glabra GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Cayratia pedata JUSS. EX GAGNEPAIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Cayratia trifolia (L.) DOMIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Cedrela serrata ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Cedrela toona ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cedrus deodara* (ROXB.) LOUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cedrus libani* BARREL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cedrus libani* BARREL deodara HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ceiba pentandra* (L.) GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Celastrus paniculatus* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Celosia argentea* L. cristata (L.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Celosia argentea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Celosia cristata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,



stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Celosia cristata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Celsia coromandeliana* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Celtis australis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Celtis cinnamomea* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Celtis orientalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Celtis philippensis* BLANCO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Celtis tetrandra* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Celtis timorensis* SPAN. and

15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Celtis wightii* PLANCH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cenchrus barbatus* SCHUM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cenchrus biflorus* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cenchrus ciliaris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Centaurea behen* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Centaurea calcitrapa* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Centaurea cyanus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Centaurea iberica* TREV. EX SPR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Centaurea picris* PALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Centaurea solstitialis* ASSO. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Centaureum centaurioides* (ROXB.) ROLLA RAO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Centaureum roxburghii* (G.DON) DRUCE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Centella asiatica* (L.) URBAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Centipeda minima* (L.) A.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Centipeda orbicularis* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Centranthera grandiflora* BTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Centranthera indica* (L.) GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Centratherum anthelminticum* (L.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Centrosema pubescens* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Centrostachys aquatica* (R.BR.) WALL. EX MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cepa alba* RENAULT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cepa flava* MOENCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cephaelis ipecacuanha* RICH.

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cephalandra indica* NAUDIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cephalanthera ensifolia* RICH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cephalanthera longifolia* (L.) FRITZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cephalostachyum capitatum* MUNRO NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cephalostachyum pergracile* MUNRO. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cephalotaxus griffithi* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cerastium cerastoides* (L.) BRITH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cerastium fontanum* BAUMG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cerastium glomeratum* THUILL.FL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cerastium indicum* THUILL NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cerastium thomsoni* HK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cerastium vulgatum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cerasus hexagonus* MILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ceratocephalus falcatus* (L.) PERS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ceratonis siliqua* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ceratophyllum demersum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ceratopteris siliquosa* COPELAND and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ceratopteris thalictroides* (L.) BRONGN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cerbera manghas* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cerbera odollam* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cereus grandiflorus* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cerriops candolleana* ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cerriops roxburghiana* ARN.



and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cerriops tagal* C.B. ROBINSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ceriscoides turgida* (ROXB.) TIRUV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ceropegia bulbosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ceropegia candelabrum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ceropegia hirsuta* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ceropegia juncea* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ceropegia tuberosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cestrum diurnum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cestrum nocturnum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cestrum parqui* L'HERIT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ceterach officinarum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Chaerophyllum acuminatum* LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Chaerophyllum villosum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Chamaemelum nobile* (L.) ALL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Chamaerops ritchieana* GRIFF. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Champereia griffithii* PLANCH. EX KURZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Champereia manillana* (BL.) MORR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Chasallia chartacea* CRAIB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Chassalia chartacea* CRAIB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Chassalia chartacea* CRAIB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Chassalia curviflora* (WALL. EX KURZ) THW. *ophioxyloides* (WALL.) DEB & KRISHNA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Chassalia ophioxyloides* (WALL.) CRAIB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Chavica betle* MIQ. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Chavica roxburghii* MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cheilanthes albomarginata* C.B. CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cheilanthes farinosa* (FORST.) KAULF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cheilanthes fragrans* (L.F.) SW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cheilanthes rufa* D.DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cheilanthes tenuifolia* (N.BURM.) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cheiranthus cheiri* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Chenopodium album* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Chenopodium ambrosioides* BERT. EX STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Chenopodium blitum* HK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Chenopodium botrys* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Chenopodium murale* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Chesneya nubigena* (D.DON)ALI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Chrysanthemum segetum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cichorium endivia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cichorium intybus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cirsium wallichii* DC. var. *wightii* (Hook.f.) Vivek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cissampelopsis ansteadii* (Tad. & Jacob) C. Jeffrey & Y.L. Chen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cissampelopsis corymbosa* (DC.) C. Jeffrey & Y. L. Chen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cissampelopsis walkeri* (Arn.) C. Jeffrey & Y. L. Chen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Conyza aegyptiaca* (L.) Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Conyza bonariensis* (L.) Cronquist and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Conyza japonica* (Thunb.)

Less. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Conyza leucantha* (D. Don) Ludlow & Raven and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Conyza stricta* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Coreopsis grandiflora* Nutt. ex Chapm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Coreopsis tinctoria* Nutt var. *tinctoria* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Coreopsis tinctoria* Nutt var. *atkinsoniana* (Douglas) H. M. Parker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cosmos caudatus* Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cosmos sulphureus* Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cotula australis* (Sieb. ex Spreng.) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Crassocephalum crepidioides* (Benth.) S. Moore and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cyathocline purpurea* (Ham. ex D.Don) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dahlia coccinea* Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dahlia imperialis* Roezel ex E. Ortgies and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dendranthema x grandiflorum* (Ramat.) Kitam and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dichrocephala chrysanthemifolia* (Blume) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dichrocephala integrifolia* (L.f.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dicoma tomentosa* Cass. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Echinops echinatus* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eclipta prostrata* (L.) L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Elephantopus scaber* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Emilia coccinea* (Sims) Sweet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Emilia javanica* (Burm.f.) C. Robinson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Emilia ramulosa* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Emilia scabra* DC. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Emilia sonchifolia* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Emilia zeylanica* Clarke var. *zeylanica* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Emilia zeylanica* Clarke var. *paludosa* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Epilobium divaricatum* (L.) Cass. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Epilobium pygmaeum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Erigeron alpinus* L. var. *wrightii* (DC.) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Erigeron canadensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Erigeron karvinskianus* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Erigeron multiradiatus* (DC.) C. B. Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Erigeron sublyratus* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eupatorium ianthinum* Hemsl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eupatorium repandum* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Filago arvensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Flaveria contrayerba* Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Flaveria trinervia* (Spreng.) C. Mohr and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gaillardia pulchella* Foug. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Galinsoga parviflora* Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Galinsoga quadriradiata* Ruiz. & Pavon and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gamochaeta coarctata* (Willd.) M. Kerguelen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gamochaeta pensylvanica* (Willd.) Cavrera and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gamochaeta purpurea* (L.) Cavrera and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gazania linearis* (Thunb.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gerbera jamesonii* Bolus ex

Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Glossocardia bosvallea* (L.f.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Glossogyne bidens* (Retz.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gnaphalium hypoleucum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gnaphalium luteo-album* L. subsp. *luteo-album* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gnaphalium luteo-album* L. subsp. *affine* (D. Don.) Koster and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gnaphalium polycaulon* Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Goniocaulon indicum* (Klein ex Willd.) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Grangea maderaspatana* (L.) Poir. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Guizotia abyssinica* (L.f.) Cass. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gynura aurantiaca* (Blume) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gynura bicolor* (Willd.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gynura lycopersicifolia* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gynura nitida* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gynura pseudo-china* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gynura travancorica* W.W. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on



coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Helianthus annuus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Helianthus debilis* Nutt. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Helianthus tuberosus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Helichrysum buddleioides* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Helichrysum perlanigerum* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Helichrysum wightii* Clarke ex Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Helipterum citrinum* Harv. & Sond. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Helipterum roseum* Benth.

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hypochoeris glabra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hypochoeris radicata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Kleinia grandiflora* (Wall. ex DC.) Rani and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lactuca hastata* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lactuca sativa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lagascea mollis* Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Laggera crispata* (Vahl) Hepper & Wood and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Launaea acaulis* (Roxb.) Babc. ex Kerr and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Launaea intybacea* (Jacq.) Beauv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Launaea procumbens* (Roxb.) Ramayya & Rajagopal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Launaea sarmentosa* (Willd.) Sch.-Bip. ex Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Leucanthemum x superbum* (J.W. Ingram) D. H. Kent and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Montanoa bipinnatifida* C. Koch and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Moonia heterophylla* Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Myriactis wightii* DC. var. *wightii* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Myriactis wightii* DC. var. *bellidioides* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Notonia shevaroyensis* Fyson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Notonia walkeri* (Wight) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Olearia cassiniae* F.v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Oligochaeta ramosa* (Roxb.) Wagenitz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Osteospermum ecklonis* (DC.) Norl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Osteospermum moniliferum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Parthenium hysterophorus* L.

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Pentanema cernuum ( Dalzell ) Ling and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Pentanema indicum (L.) Ling and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Phyllocephalum courtallense (Wight) Narayana and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Phyllocephalum indicum (Less.) Kirkman and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Phyllocephalum phyllolaenum (DC.) Narayana and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Phyllocephalum rangacharii (Gamble) Narayana and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Phyllocephalum scabridum (DC.) Kirkman and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Phyllocephalum sengaltherianum* (Narayana) Narayana and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Picris hieracioides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pluchea tomentosa* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Proustia pyrifolia* Lagasca and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Psiadia ceylanica* (Arn.) Grierson var. *ceylanica* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Psiadia ceylanica* (Arn.) Grierson var. *beddomei* (Gamble) Chandrasekaran and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pulicaria angustifolia* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pulicaria wightiana* (DC.) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rudbeckia maxima* Nutt. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Santolina chamaecyparissus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sclerocarpus africanus* Jacq.ex Murr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Senecio ansteadii* Tad. & Jacob and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Senecio articulatus* (Haw.) Sch.-Bip. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Senecio calcadensis* Ramaswami and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Senecio candicans* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Senecio cineraria* DC. and 15



wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Senecio confusus* Elmer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Senecio edgeworthii* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Senecio hohenackeri* Hook.f. var. *hohenackeri* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Senecio hohenackeri* Hook.f. var. *rupestris* (Wight) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Senecio intermedius* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Senecio kundaicus* Fishcher and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Senecio lavandulaefolius* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Senecio lawsonii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Senecio lessingianus* (Wight & Arn.) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Senecio ludens* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Senecio neelgherryanus* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Senecio polycephalus* (DC.) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Senecio tenuifolius* Burm.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Senecio vulgaris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Senecio wightii* (DC.) Benth. ex Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Senecio zeylanicus* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sigesbeckia orientalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Silybum marianum* (L.) Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Solidago canadensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Solidago gigantea* Aiton and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Solidago microglossa* Dc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Solidago nemoralis* Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Solidago virga-aurea* L. and

15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sonchus asper* (L.) Hill and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sonchus jainii* Chandrabose, Chandrasekaran & Nair and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sonchus oleraceus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sonchus wightianus* DC and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sphaeranthus africanus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sphaeranthus amaranthoides* Burm.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sphaeranthus indicus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Spilanthes calva* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Spilanthes radicans* Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Spilanthes uliginosa* Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Stokesia laevis* (Hill) Greene and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Struthium sparganophorum* (L.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Synedrella nodiflora* (L.) Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tagetes erecta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tagetes lucida* Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tagetes minuta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tagetes patula* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tanacetum parthenium* (L.) Sch. bip. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Taraxacum javanicum* Soest and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Taraxacum officinale* Weber and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tanacetum cinerariaefolium* Sch.Bip. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tithonia diversifolia* (Hemsl.) A. Gray and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tricholepis radicans* (Roxb.)

DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tridax procumbens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Verbesina encelioides* (Cav.) Benth. & Hook.f. ex A. Gray and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vernonia albicans* Dc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vernonia anamallica* Bedd. ex Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vernonia anthelmintica* (L.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vernonia arborea* Buch.-Ham. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vernonia bourdillonii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vernonia bourneana* W.W. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vernonia cinerascens* Sch.-Bip. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vernonia cinerea* (L.) Less. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vernonia comorinensis* W.W.Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vernonia conyzoides* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vernonia dalzelliana* Drumm. & Hutchinson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vernonia divergens* (Roxb.) Edgew. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vernonia elaeagnifolia* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vernonia fysonii* Calder and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vernonia gossypina* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vernonia heynei* Bedd. ex Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vernonia indica* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vernonia malabarica* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vernonia membranacea* Bedd. ex S. Moore and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vernonia monosis* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vernonia pectiniformis* DC.

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vernonia peninsularis* (Clarke) Clarke ex Hook.f. var. *peninsularis* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vernonia peninsularis* (Clarke) Clarke ex Hook.f. var. *kodayarensis* Henry & Gopalan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vernonia pothigaiana* Chelladurai & Gopalan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vernonia ramaswamii* Hutchinson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vernonia recurva* Bedd. ex S. Moore and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vernonia saligna* DC. var. *nilghirensis* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vernonia salvifolia* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vernonia setigera* Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vernonia shevaroyensis* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vernonia travancorica* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vittadinia australis* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Wedelia chinensis* (Osbeck) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Wedelia trilobata* (L.) A. Hitchc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Wedelia urticaefolia* (Blume) DC. var. *urticaefolia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Wedelia urticaefolia* (Blume) DC. var. *wightii* DC and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Xanthium indicum* Koen. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Youngia fuscipappa* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Youngia japonica* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Youngia nilgiriensis* Bab. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Zinnia elegans* Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Scaevola plumieri* (L.) Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Scaevola sericea* Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Asyneuma fulgens* (Wall.)

Briq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Campanula alphonсии* Wall. ex A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Campanula benthamii* Wall. ex Kitam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Campanula drabifolia* Sibth. & Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Campanula latifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Campanula medium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Campanula ramulosa* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Campanula rapunculoides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Campanula wightii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Laurentia longiflora* (L.) Presl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Wahlenbergia erecta* (Roth ex Schultes) Tuyn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Wahlenbergia flexuosa* (Hook.f. & Thoms.) Thulin and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Wahlenbergia marginata* (Thunb.) A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lobelia alsinoides* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lobelia angulata* Forst.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lobelia chinensis* Lour and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,



stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lobelia courtallensis* K.K.N.Nair and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lobelia heyneana* Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lobelia leschenaultiana* (Presl) Skottsb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lobelia nicotianifolia* Roth ex Schultes var. *nicotianifolia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lobelia nicotianifolia* Roth ex Schultes var. *trichandra* (Wight) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sphenoclea zeylanica* Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vaccinium leschenaultii* Wight var. *leschenaultii* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vaccinium leschenaultii*

Wight var. pubescens S.M. Rajendran, S.C. Agarwal & H.N. Verma and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vaccinium leschenaultii* Wight var. *rotundifolia* (Wight) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vaccinium leschenaultii* Wight var. *zeylanica* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vaccinium neilgherrense* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Arbutus unedo* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Calluna vulgaris* (L.) Hull and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Erica arborea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Erica vagans* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gaultheria fragrantissima* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rhododendron arboreum* J.E. Smith subsp. *nilagirium* (Zenk.) Tagg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rhododendron indicum* (L.) Sweet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rhododendron mucronatum* G.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rhododendron ponticum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rhododendron simsii* Planch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Clethra arborea* Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Limonium sinuatum* (L.) Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Plumbago auriculata* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Plumbago indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Plumbago zeylanica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Anagallis arvensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Anagallis pumila* Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lysimachia candida* Lindl. subsp. *obovata* (Buch.-Ham.ex Hook.f.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lysimachia leschenaultii* Duby and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lysimachia procumbens*

Baudo and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aegiceras corniculatus* (L.) Blanco and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Antistrophe serratifolia* (Bedd.) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ardisia amplexicaulis* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ardisia blatteri* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ardisia littoralis* Andr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ardisia missionis* Wall. ex A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ardisia paniculata* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ardisia pauciflora* Heyne ex Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ardisia rhomboidea* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ardisia solanacea* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ardisia sonchifolia* Mez and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Embelia adnata* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Embelia basaal* (Roem. & Schultes) A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Embelia gardneriana* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Embelia ribes* Burm.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Embelia tsjeriam-cottam* (Roem. & Schultes) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Maesa indica* (Roxb.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Myrsine wightiana* Wall. ex. A. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rapanea capitellata* (Wall.) Mez var. *capitellata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rapanea capitellata* (Wall.) Mez var. *sessilis* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rapanea daphnoides* Mez and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rapanea thwaitesii* Mez and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Jacquinia barbasco* (Loefl.)



Mez and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Jacquinia aculeata* Druce and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Chrysophyllum cainito* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Chrysophyllum roxburghii* G.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Isonandra lanceolata* Wight forma *lanceolata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Isonandra lanceolata* Wight forma *anfractuosa* (Clarke) Jeuken and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Isonandra montana* (Thw.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Isonandra perrottetiana* A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Isonandra stocksii* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Madhuca indica* J. F. Gmel. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Madhuca longifolia* (Koen.) Macbr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Madhuca neriifolia* (Moon) H.J. Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Manilkara hexandra* (Roxb.) Dubard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Manilkara roxburghiana* (Wight) Dubard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Manilkara zapota* (L.) P. Royen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mimusops elengi* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Palaquium bourdillonii* Brandis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Palaquium ellipticum* (Dalz.) Baillon and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Xantolis tomentosa* (Roxb.) Rafin. var. *tomentosa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Xantolis tomentosa* (Roxb.) Rafin. var. *elengioides* (A.DC.) Vajravelu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Diospyros affinis* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Diospyros assimilis* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Diospyros barberi* Ramaswami and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Diospyros bourdillonii*

Brandis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Diospyros buxifolia* (Blume) Hiern and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Diospyros candolleana* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Diospyros chloroxylon* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Diospyros cordifolia* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Diospyros ebenum* Koen. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Diospyros ferrea* (Willd.) Bakh. var. *buxifolia* (Rottb.) Bakh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Diospyros ferrea* (Willd.) Bakh. var. *neilgherrensis* (Wight) Bakh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Diospyros foliolosa* Wall. ex A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Diospyros humilis* Bourd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Diospyros insignis* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Diospyros malabarica* (Desr.) Kostel. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Diospyros melanoxylon* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Diospyros montana* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Diospyros nigresens* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Diospyros nilgirica* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Diospyros oocarpa* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Diospyros ovalifolia* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Diospyros paniculata* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Diospyros pruriens* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Diospyros racemosa* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Diospyros sylvatica* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Diospyros walkeri* (Wight) Guerke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Symplocos anamallayana*

Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Symplocos authilingomii* Henry & Gopalan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Symplocos cochinchinensis* (Lour.) Moore subsp. *laurina* (Retz.) Nooteb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Symplocos foliosa* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Symplocos macrocarpa* Wight ex Clarke subsp. *macrocarpa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Symplocos macrocarpa* Wight ex Clarke subsp. *kanarana* (Talbot) Nooteb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Symplocos macrophylla* Wall. ex A.DC. subsp. *macrophylla* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Symplocos macrophylla* Wall. ex A.DC. subsp. *microphylla* (Wight) Nooteb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Symplocos macrophylla* Wall. ex A.DC. subsp. *rosea* (Bedd.) Nooteb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Symplocos monantha* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Symplocos nairii* Henry, Gopalan & Swamin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Symplocos obtusa* Wall. ex G.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Symplocos oligandra* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Symplocos pendula* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Symplocos pulchra* Wight subsp. *pulchra* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Symplocos pulchra* Wight subsp. *coriacea* Gopalan & Henry and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Symplocos racemosa* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Symplocos wynadense* (Kuntze) Nooteb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Chionanthus leprocarpa* Thw. var. *courtallensis* (Bedd.) K.K.N. Nair and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Chionanthus linocieroides* (Wight) Bennet & Raizada and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Chionanthus macrophylla* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Chionanthus mala-elengi* (Dennst.) P.S. Green and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Chionanthus ramiflorus* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Chionanthus zeylanica* L. and

15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Jasminum angustifolium* (L.) Willd. var. *angustifolium* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Jasminum angustifolium* (L.) Willd. var. *sessiliflorum* (Vahl) P.S. Green and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Jasminum arborescens* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Jasminum auriculatum* Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Jasminum azoricum* L. var. *azoricum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Jasminum azoricum* L. var. *travancorensis* (Gamble) Mohanan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Jasminum bignoniaceum* Wall. ex G.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Jasminum brevilobum* A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Jasminum calophyllum* Wall. ex A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Jasminum cordifolium* Wall. ex G.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Jasminum cuspidatum* Rottl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Jasminum grandiflorum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Jasminum malabaricum* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Jasminum mesnyi* Hance and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Jasminum multiflorum* (Burm.f.) Andr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Jasminum officinale* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Jasminum polyanthum* Franch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Jasminum ritchiei* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Jasminum rotterianum* Wall. ex A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Jasminum sambac* (L.) Ait. var. *sambac* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Jasminum sambac* (L.) Ait. var. *heyneanum* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Jasminum scandens* Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Jasminum trichotomum*

Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Jasminum wightii* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ligustrum decaisnei* Clarke var. *decaisnei* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ligustrum decaisnei* Clarke var. *microphylla* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ligustrum gamblei* Ramam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ligustrum lucidum* Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ligustrum perrottetii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ligustrum robustum* (Roxb.) Blume subsp. *walkeri* (Decne.) P.S. Green and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ligustrum travancoricum* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Myxopyrum serratum* A.W. Hill and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Olea dioica* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Olea paniculata* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Olea polygama* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Schrebera swietenoides* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Nyctanthes arbor-tristis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Azima tetraantha* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,



stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Salvadora persica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Adenium obesum* Roem & Schult. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aganosma cymosa* (Roxb.) G.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aganosma dichotoma* (Roth) K. Schum. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *AllamKalam cathartica* L. var. *nobilis* Bailey and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *AllamKalam violacea* Gardn. & Field and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Alstonia scholaris* (L.) R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Alstonia venenata* R.Br. and

15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Anodendron paniculatum* A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Beaumontia grandiflora* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Beaumontia jerdoniana* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Carissa carKalam* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Carissa congesta* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Carissa grandiflora* A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Carissa hirsuta* Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Carissa inermis* Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Carissa paucinervia* A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Carissa salicina* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Carissa spinarum* L. var. *spinarum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Catharanthus pusillus* (Murr.) G.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Catharanthus roseus* (L.) G.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cerbera odollam* Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Chonemorpha fragrans* (Moon) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ellertonia rheedii* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Funtumia africana* (Benth.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Holarrhena pubescens* (Buch. - Ham) Wall. ex G. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hunteria zeylanica* (Retz.) Gard. ex Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ichnocarpus frutescens* (L.) R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Kopsia fruticosa* (Ker-Gawl.) A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mandevilla laxa* (Ruiz & Pavon) Woodson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Nerium oleander* L. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Parsonsia alboflavescens* (Dennst.) Mabberley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Plumeria obtusa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Plumeria rubra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rauvolfia hookeri* Srinivasan & Chithra and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rauvolfia micrantha* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rauvolfia serpentina* (L.) Benth. ex Kurz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rauvolfia tetraphylla* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rauvolfia verticillata* (Lour.) Baill and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Strophanthus wightianus* Wall. ex Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tabernaemontana divaricata* (L.) R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tabernaemontana gamblei* Subram. & Henry and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tabernaemontana heyneana* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Thevetia peruviana* K.Schum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vallisneria spiralis* (L.) L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vinca major* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Voacanga grandiflora* (Miq.) Rolfe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Wrightia arborea* (Dennst.) Mabberley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Wrightia indica* Ngan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Wrightia tinctoria* (Roxb.) R.Br. var. *tinctoria* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Wrightia tinctoria* (Roxb.) R.Br. var. *rothii* (G.Don) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Asclepias curassavica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Brachystelma bourneae* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Brachystelma brevityubulatum*



(Bedd.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Brachystelma maculatum* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Brachystelma rangacharii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Calotropis gigantea* (L.) R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Calotropis procera* (Ait.) R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Caralluma adscendens* (Roxb.) Haw. var. *adscendens* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Caralluma adscendens* (Roxb.) Haw. var. *attenuata* (Wight) Grav. & Mayuranathan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Caralluma bhupinderana* Sarkaria and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Caralluma diffusa* (Wight) N.E. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Caralluma indica* (Wight & Arn.) N.E. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Caralluma nilagiriana* Kumari & Subba Rao and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Caralluma pauciflora* (Wight) N.E. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Caralluma procumbens* Grav. & Mayuranathan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Caralluma stalagmifera* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Caralluma umbellata* Haw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ceropegia barnesii* Bruce & Chatterjee and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ceropegia bulbosa* Roxb. var. *bulbosa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ceropegia bulbosa* Roxb. var. *lushii* (Graham) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ceropegia candelabrum* L. var. *candelabrum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ceropegia candelabrum* L. var. *biflora* (L.) M.Y. Ansari and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ceropegia ciliata* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ceropegia decaisneana* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ceropegia elegans* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ceropegia ensifolia* Bedd.

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ceropegia fimbriifera* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ceropegia hirsuta* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ceropegia intermedia* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ceropegia juncea* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ceropegia maculata* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ceropegia mannarana* Umamahesw. & P. Daniel and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ceropegia metziana* Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ceropegia oculata* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ceropegia omissa* Huber and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ceropegia pusilla* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ceropegia spiralis* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ceropegia thwaitesii* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cosmostigma racemosum* (Roxb.) Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cynanchum alatum* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cynanchum callialatum* Buch.-Ham. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cynanchum tunicatum* (Retz.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gomphocarpus fruticosus* (L.) Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gomphocarpus physocarpus* E. Meyer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gymnema alterniflorum* (Lour.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gymnema elegans* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gymnema hirsutum* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gymnema lactiferum* (L.) R. Br. ex. Schult. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gymnema montanum* (Roxb.)

Hook.f. var. montanum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gymnema montanum* (Roxb.) Hook.f. var. *beddomei* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gymnema montanum* (Roxb.) Hook.f. var. *pubiflora* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gymnema sylvestre* (Retz.) R.Br. ex Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gymnema tingens* (Roxb.) Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Heterostemma tanjorensis* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Holastemma ada-kodien* Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hoya alexicaca* (Jacq.) Moon and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hoya kanyakumariana* Henry & Swamin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hoya ovalifolia* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hoya pauciflora* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hoya wightii* Hook.f.subsp. *wightii* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hoya wightii* Hook.f. subsp. *palniensis* K .T. Mathew and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Leptadenia reticulata* (Retz.) Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Marsdenia brunoniana* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Marsdenia tenacissima* (Roxb.) Moon and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Marsdenia tirunelvelica* Henry & Subram. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pentatropis capensis* (L.f.) Bullock and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pergularia daemia* (Forrsk.) Chiov. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Raphionacme purpurea* Harv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sarcostemma acidum* (Roxb.) Voigt and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sarcostemma brunonianum* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sarcostemma intermedium* Decne and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sarcostemma secamone* (L.)

Bennet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Secamone emetica* (Retz.) R.Br. ex Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Stapelia gigantea* N.E. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Stapelia grandiflora* Masson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Telosma minor* (Andr.) Craib and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Telosma pallida* (Roxb.) Craib and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Toxocarpus beddomei* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Toxocarpus kleinii* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Toxocarpus palghatensis* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tylophora capparidifolia* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tylophora fasciculata* Buch.-Ham. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tylophora indica* (Burm.f.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tylophora macrantha* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tylophora mollissima* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tylophora multiflora* (Wight & Arn.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tylophora pauciflora* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tylophora rotundifolia* Buch.-Ham. ex Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tylophora subramanii* Henry and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tylophora tertrapetala* (Dennst.) Suresh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tylophora zeylanica* Decne and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Wattakaka volubilis* (L.f.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bacolepis nervosa* (Wight & Arn.) Decne. ex Moq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cryptolepis buchananii* Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cryptolepis grandiflora* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cryptostegia grandiflora* R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Decalepis hamiltonii* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hemidesmus indicus* (L.) R.Br. var. *indicus* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hemidesmus indicus* (L.) R.Br. var. *pubescens* (Wight & Arn.) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Decalepis arayalpathra* Joseph & Chandrasekaran and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Uleria salicifolia* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Fagraea ceilanica* Thub. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gardneria ovata* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mitrasacme indica* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Spigelia anthelmia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Strychnos lenticellata* Hill and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Strychnos minor* Dennst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Strychnos nux-vomica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Strychnos potatorum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Strychnos vanprukii* Craib



and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Strychnos wallichiana* Steud. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Buddleja asiatica* Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Buddleja davidii* Franch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Buddleja madagascariensis* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Buddleja volubilis* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Canscora decurrens* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Canscora decussata* (Roxb.) Schultes & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Canscora diffusa* (Vahl) R.Br. ex Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Canscora heteroclita* (L.) Gilg and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Canscora perfoliata* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Canscora roxburghii* Arn. ex Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Enicostema axillare* (Lam.) Raynal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Exacum anamallayanam* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Exacum atropurpureum* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Exacum courtallense* Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Exacum grande* Klack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Exacum lawii* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Exacum pedunculatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Exacum petiolare* Griseb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Exacum pumilum* Griseb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Exacum sessile* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Exacum tetragonum* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Exacum travancoricum* Bedd.

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Exacum wightianum* Arn. var. *wightianum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Exacum wightianum* Arn. var. *uniflorum* Henry & Subram. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gentiana pedicellata* Griseb. var. *wightii* Kusnezov and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gentiana quadrifaria* Blume var. *zeylanica* (Griseb.) Kusnezov and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Halenia perrottetii* Griseb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hoppea dichotoma* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hoppea fastigiata* (Griseb.) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Swertia angustifolia* Buch.-Ham. var. *pulchella* (Buch.-Ham.ex D.Don) Burkill and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Swertia beddomei* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Swertia corymbosa* (Griseb.) Wight ex Clarke var. *corymbosa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Swertia corymbosa* (Griseb.) Wight ex Clarke var. *grisebachiana* (Wight) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Swertia densifolia* (Griseb.) Kashyapa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Swertia minor* (Griseb.) Knobl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Swertia trichotoma* (Wight & Arn. ex Wight) Wall. ex Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Nymphoides aurantiacum* (Dalz.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Nymphoides hydrophylla* (Lour.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Nymphoides indicum* (L.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hydrolea zeylanica* (L.) Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Wigandia canacasana* H.B.K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Phlox drummondii* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Carmona retusa* (Vahl) Masamune and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Coldenia procumbens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cordia alba* Roem. & Schult.

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cordia diffusa* Jacob and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cordia domestica* Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cordia evolutor* (Clarke) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cordia gharaf* (Forssk.) Ehrenb. ex Asch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cordia macleodii* (Griff.) Hook.f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cordia monoica* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cordia obliqua* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cordia wallichii* G. Don. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cordia sebestena* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cordia subcordata* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cynoglossum zeylanicum* (Vahl ex Hornem.) Thunb. ex Lehm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Echium vulgare* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ehretia aspera* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ehretia canarensis* (Clarke) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ehretia laevis* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ehretia ovalifolia* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ehretia pubescens* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ehretia wightiana* Wall. ex G. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Heliotropium arborescens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Heliotropium bracteatum* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Heliotropium curassavicum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Heliotropium indicum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Heliotropium marifolium*

Retz. subsp. marifolium and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Heliotropium marifolium* Retz. subsp. *wallichii* (Clarke) Kazmi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Heliotropium ovalifolium* Forssk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Heliotropium peruvianum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Heliotropium rottleri* Lehm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Heliotropium strigosum* Willd. subsp. *brevifolium* (Wall.) Kazmi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Heliotropium subulatum* (Hochst.ex DC.) Vatke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Heliotropium supinum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Heliotropium zeylanicum* (Burm.f.) Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rotula aquatica* Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Symphytum officinale* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tournefortia argentea* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tournefortia heyneana* Wall. ex Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tournefortia reticosa* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tournefortia wightii* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Trichodesma indicum* (L.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Trichodesma inaequale* Edgew. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Trichodesma zeylanicum* (Burm.f.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aniseia martinicensis* (Jacq.) Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Argyreia argentea* Choisy var. *venusta* (Choisy) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Argyreia coonoorensis* W.W. Smith & Ramaswami and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Argyreia cuneata* (Willd.) Ker-Gawl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Argyreia cymosa* (Roxb.) Sweet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Argyreia daltonii* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Argyreia elliptica* (Roth) Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Argyreia fulgens* Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Argyreia hirsuta* Wight & Arn. var. *hirsuta* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Argyreia imbricata* (Roth) Sant. & Patel and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Argyreia involucrata* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Argyreia kleiniana* (Roem. & Schultes) Raizada and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Argyreia nellygherya* Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Argyreia nervosa* (Burm.f.) Boj. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Argyreia osyrensis* (Roth) Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Argyreia pilosa* Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Argyreia pomacea* (Roxb.) Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Argyreia populifolia* Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Argyreia sericea* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Argyreia setosa* (Roxb.) Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bonamia evolvuloides*



(Choisy) Raizada and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bonamia Semidigyna* (Roxb.) Hall.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Convolvulus arvensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Convolvulus flavus* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Convolvulus rotterianus* Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cressa cretica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cuscuta campestris* Decne. ex Engelm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cuscuta chinensis* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cuscuta hyalina* Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cuscuta reflexa* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Erycibe paniculata* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Evolvulus alsinoides* (L.) L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Evolvulus nummularius* (L.) L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hewittia sublobata* (L.f.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ipomoea alba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ipomoea aquatica* Forssk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ipomoea asarifolia* (Desr.) Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ipomoea barlerioides* (Choisy) Benth. ex Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ipomoea batatas* (L.) Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ipomoea cairica* (L.) Sweet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ipomoea campanulata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ipomoea carnea* Jacq. subsp. *carnea* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ipomoea carnea* Jacq. subsp. *fistulosa* (Mart. ex Choisy) D.F. Austin and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ipomoea coptica* (L.) Roth ex

Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ipomoea deccana* Austin and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ipomoea dichroa* Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ipomoea diversifolia* R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ipomoea eriocarpa* R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ipomoea hederifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ipomoea indica* (Burm.f.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ipomoea involucrata* Beauv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ipomoea marginata* (Desr.) Verdc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ipomoea mauritiana* Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ipomoea nil* (L.) Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ipomoea obscura* (L.) Ker-Gawl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ipomoea pes-caprae* (L.) R.Br. var. *pes-caprae* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ipomoea pes-caprae* (L.) R. Br. var. *perunkulamensis* Umamahesw. & P. Daniel and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ipomoea pes-tigridis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ipomoea pileata* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ipomoea purpurea* (L.) Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ipomoea quamoclit* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ipomoea rumicifolia* Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ipomoea sepiaria* Koen. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ipomoea sinensis* (Desr.) Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ipomoea staphylinea* Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ipomoea tuberculata* Ker - Gawl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ipomoea turbinata* Lag. and

15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ipomoea violacea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ipomoea wightii* (Wall.) Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Jacquemontia caerulea* Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Jacquemontia paniculata* (Burm.f.) Hall.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Jacquemontia pentantha* (Jacq.) D.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lepistemon leiocalyx* Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Merremia aegyptia* (L.) Urban and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Merremia dissecta* (Jacq.) Hall.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Merremia emarginata* (Burm.f.) Hall.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Merremia hederacea* (Burm.f.) Hall.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Merremia quinata* (R.Br.) Ooststr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Merremia quinquefolia* (L.) Hall.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Merremia tridentata* (L.) Hall.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Merremia umbellata* (L.) Hall.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Merremia umbellata* (L.) Hall.f. subsp. *Orientalis* Hall.f. Ooststr. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Merremia vitifolia* (Burm.f.) Hall.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Operculina turpethum* (L.) Silva Manso and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Porana paniculata* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Porana racemosa* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rivea hypocrateriformis* (Desr.) Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rivea ornata* (Roxb.) Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Stictocardia tiliifolia* (Desr.) Hall.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Browallia americana* L. and

15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Browallia speciosa* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Browallia viscosa* Kunth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Brugmansia arborea* (L.) Lagerh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Brugmansia suaveolens* (Humb. & Bonpl. ex Willd.) Bercht. & Presl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Brugmansia versicolor* Lagerh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Brunfelsia undulata* Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Capsicum annuum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Capsicum frutescens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cestrum aurantiacum* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cestrum corymbosum* Schlecht. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cestrum diurnum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cestrum elegens* Schlecht. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cestrum fasciculatum* Miers and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cestrum nocturnum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cestrum parqui* L'Herit. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cyphomandra betacea* (Cav.) Sendtner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Datura cornigera* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Datura innoxia* Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Datura metal* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Datura ferox* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Datura sanguinea* Ruiz & Pavon and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Datura stramonium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ioichroma coccinea* Scheid.

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lycium barbatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lycianthes laevis* (Dunal) Bitter subsp. *laevis* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lycianthes laevis* (Dunal) Bitter subsp. *bigeminata* (Nees) Deb and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lycianthes laevis* (Dunal) Bitter subsp. *kaitisis* (Dunal) Deb and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lycianthes laevis* (Dunal) Bitter subsp. *kaitisis* (Dunal) Deb var. *gouakai* (Dunal) Deb and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lycopersicon esculentum* Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Nicandra physalodes* (L.) Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Nicotiana glauca* Graham and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Nicotiana glutiniosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Nicotiana plumbaginifolia* Viv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Nicotiana repKalam* Willd. ex Lehm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Nicotiana tabacum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Nierembergia gracilis* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Petunia axillaris* (Lam.) Britton and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on



coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Petunia x hybrida* Vilm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Physalis ixocarpa* Brot. ex Hornem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Physalis angulata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Physalis lagascae* Roem. & Schult. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Physalis pruinosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Physalis peruviana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Schizanthus pinnatus* Ruiz & Pav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Schizanthus wisetonensis*

Hort. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Solandra grandiflora* Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Solanum americanum* Mill and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Solanum anguivi* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Solanum ariculari* G. Forst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Solanum barbisetum* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Solanum capsicastrum* Link & Schau. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Solanum capsicoides* Mart. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Solanum clavatum* Rusby and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Solanum convolvulus* Sendtner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Solanum elaeagnifolium* Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Solanum erianthum* D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Solanum giganteum* Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Solanum grandiflorum* Ruiz & Pavon and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Solanum hispidum* Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Solanum jasminoides* Paxt. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Solanum kurzii* Brace ex Prain and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Solanum macrocarpon* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Solanum macrophyllum* Dunal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Solanum marginatum* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Solanum mauritianum* Scop. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Solanum melongena* L. var. *melongena* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Solanum insanum* J.B.Fisch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Solanum lasiocarpum* Dunal

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Solanum pseudo-capsicum* L.var. *pseudo-capsicum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Solanum pseudo-capsicum* L. *difflorum* (Vell.) Bitter and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Solanum pubescens* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Solanum robustum* H. Wendl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Solanum seaforthianum* Andr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Solanum sisymbriifolium* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Solanum stramonifolium* Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Solanum torvum* Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Solanum trilobatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Solanum tuberosum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Solanum vagum* Heyne ex Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Solanum viarum* Dunal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Solanum violaceum* Ortega Subsp. *violaceum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Solanum violaceum* Ortega Subsp. *multiflorum* (C. B. Clarke) K. M. Matthew and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Solanum virginianum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Solanum wendlandii* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Solanum wrightii* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Streptosolon jamesonii* (Benth.) Miers and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Withania somnifera* (L.) Dunal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Adenosma indianum* (Lour.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Angelonia biflora* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Antirrhinum majus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Antirrhinum orontium* L. and



15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Antirrhinum purpureum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Artanema longifolia* (L.) Vatke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bacopa floribunda* (R.Br.) Wettst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bacopa hamiltoniana* (Benth.) Wettst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bacopa monnieri* (L.) Pennell and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Buchnera hispida* Buch.-Ham. ex D.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Calceolaria gracilis* Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Celsia arcturus* Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Centranthera indica* (L.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Centranthera tranquebarica* (Spreng.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cymbalaria muralis* Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Digitalis purpurea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dopatrium junceum* (Roxb.) Buch.-Ham. ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dopatrium lobelioides* (Retz.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dopatrium nudicaule* (Willd.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Glossostigma diandrum* (L.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hebe speciosa* (A.Cunn) Andersen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hebe andersonii* Cockayne and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Kickxia ramosissima* (Wall.) Janchen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Limnophila aromatica* (Lam.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Limnophila chinensis* (Osbeck) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Limnophila connata* (Buch.-Ham. ex D.Don) Handb.-Mazz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Limnophila heterophylla*

(Roxb.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Limnophila indica* (L.) Druce and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Limnophila polystachya* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Limnophila repens* (Benth.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Limnophila rugosa* (Roth) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lindenbergia indica* (L.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lindernia anagallis* (Burm.f.) Pennell and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lindernia antipoda* (L.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lindernia caespitosa* (Blume) Panigrahi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lindernia ciliata* (Colsm.) Pennell and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lindernia crustacea* (L.) F.v.Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lindernia hyssopioides* (L.) Haines and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lindernia minima* (Benth.) Mukerjee and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lindernia nummulariifolia* (D.Don) Wettst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lindernia oppositifolia* (Retz.) Mukerjee and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lindernia parviflora* (Roxb.) Haines and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lindernia procumbens* (Krock.) Philcox and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lindernia rotundifolia* (L.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lindernia ruellioides* (Colsm.) Pennell and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lindernia srilankana* Cramer & Philcox and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lindernia sessiliflora* (Benth.) Wettst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lindernia tenuifolia* (Colsm.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lindernia viscosa* (Hornem.) Boldingh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Maurandya barclaiana* Lindl.

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Maurandya erubescens* (D.Don) Gray and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Maurandya lophospermum* Bailey and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Maurandya semperflorens* Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mazus pumilus* (Burm.f.) Steenis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mecardonia procumbens* (Mill.) Small and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Micrargeria wightii* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Microcarpaea minima* (Koen.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Paulownia tomentosa* (Thunb.) Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pedicularis perrottetti* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pedicularis zeylanica* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Penstemon azureus* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Penstemon campanulatus* (Cav.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Peplidium maritimum* (L.f.) Asch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Russelia equisetiformis* Schlecht. & Cham. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Scoparia dulcis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sopubia delphiniifolia* (L.) G.Don var. *delphiniifolia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sopubia delphiniifolia* (L.) G.Don var. *parviflora* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sopubia stricta* G.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sopubia trifida* Buch.-Ham. ex D.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Stemodia viscosa* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Striga angustifolia* (D.Don) Saldanha and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Striga asiatica* (L.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Striga densiflora* (Benth.)

Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Striga gesnerioides* (Willd.) Vatke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Striga masuria* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sutera dissecta* (Del.) Walp. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Torenia bicolor* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Torenia cordifolia* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Torenia courtallensis* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Torenia fournieri* Linden ex Fourn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Torenia hirsuta* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Torenia travancorica* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Torenia vagans* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Verbascum chinense* (L.) Sant. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Verbascum thapsus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Verbascum virgatum* Stokes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Veronica arvensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Veronica javanica* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Veronica polita* Fries and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Veronica speciosa* R.Cunn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Veronica persica* Poir.. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aeginetia indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aeginetia pedunculata* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Christisonia bicolor* Gard. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Christisonia neilgherrica* Gard. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Christisonia saulierei* Dunn

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Christisonia subacaulis* Gard. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Christisonia tubulosa* (Wight) Benth. ex Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Orobancha cernua* Loefl. var. *nepalensis* Reut. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Utricularia aurea* Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Utricularia australis* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Utricularia bifida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Utricularia caerulea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Utricularia exoleta* R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Utricularia graminifolia* Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Utricularia hirta* Klein ex Link and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Utricularia minutissima* Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Utricularia nayarii* Jana. & Henry and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Utricularia polygaloides* Edgew. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Utricularia reticulata* J.E.Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Utricularia roseo-purpurea* Stapf ex Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices



on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Utricularia scandens* Benj. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Utricularia smithiana* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Utricularia stellaris* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Utricularia striatula* J.E. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Utricularia uliginosa* Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Utricularia wightiana* Taylor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aeschynanthus ceylanica* Gard. var. *punguis* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aeschynanthus perrottetii*

A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Didymocarpus fischeri* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Didymocarpus gambleanus* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Didymocarpus humboldtianus* Gard. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Didymocarpus innominatus* Burt and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Didymocarpus lyrata* Wight var. *lyrata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Didymocarpus lyrata* Wight var. *prostrata* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Didymocarpus meeboldii* W.W. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Didymocarpus missionis* Wall. ex R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Didymocarpus ovalifolia* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Didymocarpus repens* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Didymocarpus tomentosus* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Didymocarpus wightii* (Clarke) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Epithema carnosum* (G.Don) Benth. var. *hispida* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gesneria cardinalis* Lehm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Jerdonia indica* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rhynchoglossum notonianum* (Wall) Burt and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rhynchoglossum obliquum* Blume var. *parviflora* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rhynchochloa perfoliata* (Nees) Burt and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Arrabidaea magnifica* Sprague ex Steenis Bull and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bignonia megapota* Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Campsis radicans* (L.) Seem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Catalpa bignonioides* Walter and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Clytostoma callistegioides*

(Cham.) Baill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Clytostoma purpureum* (Lodd. ex Sweet) Rehder and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Parmentiera alata* Miers and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Crescentia cujeta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dolichandrone arcuata* (Wight) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dolichandrone atrovirens* (Heyne ex Roth) Sprague and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dolichandrone falcata* (Wall.ex DC.) Seem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Haplophragma adenophyllum* (DC.) Dop and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *JacarKalam mimosifolia* D.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Kigelia africana* (Lam.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Macfadynea unguis-cati* (L.) A. Gentry and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Markhamia stipulata* Seem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Millingtonia hortensis* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Nyctocalos cuspidata* (Blume) Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Oroxylum indicum* (L.) Benth. ex Kurz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pandorea jasminoides* (Lindl.) K. Schum. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Phaedranthus buccinatorius* (DC.) Miers and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Phyllanthus bojerianus* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pleonotoma jasminifolia* (H.B.K.) Miers and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Podranea ricasoliana* (Tranf.) Sprague and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pyrostegia venusta* (Ker-Gawl.) Presl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Radermachera xylocarpa* (Roxb.) K.Schum. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Spathodea campanulata* Beauv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Stereospermum colais*



(Buch.-Ham. ex Dillw.) Mabberley var. colais and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Stereospermum colais* (Buch.-Ham. ex Dillw.) Mabberley var. *angustifolium* (Haines) Chandrasekaran and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tabebuia rosea* (Bertol.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tabebuia arjentea* Britton and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tabebuia pallida* Miers and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tabebuia palmeri* Miers and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tecoma stans* (L.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tecomaria capensis* (Thunb.) Spach and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cobaea scandens* Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pedaliium murex* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sesamum alatum* Thonn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sesamum indicum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sesamum laciniatum* Klein ex Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sesamum prostratum* Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sesamum radiatum* Schumach. & Thonn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Martynia annua* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Acanthus ilicifolius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Acanthus mollis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Andrographis affinis* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Andrographis alata* (Vahl) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Andrographis atropurpurea* (Dennst.) A. Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Andrographis ceylanica* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Andrographis echinoides* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Andrographis elongata* (Vahl)

T. And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Andrographis explicata* (Clarke) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Andrographis lawsonii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Andrographis lineata* Wall. ex Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Andrographis lobelioides* Wight var. *lobelioides* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Andrographis lobelioides* Wight var. *composita* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Andrographis longipedunculata* (Sreemadh.) L.H. Cramer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Andrographis macrobotrys* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Andrographis neesiana* Wight var. *neesiana* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Andrographis neesiana* Wight var. *producta* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Andrographis neesiana* Wight var. *rotundifolia* Sreemadh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Andrographis ovata* (T. And. ex Bedd.) Benth. ex Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Andrographis paniculata* (Burm.f.) Wall. ex Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Andrographis rothii* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Andrographis serpyllifolia* (Rottl. ex Vahl) Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Andrographis stellulata* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Andrographis stenophylla* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Andrographis viscosula* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aphelandra deppeana* Schlecht. & Cham. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Asystasia chelonoides* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Asystasia crispata* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Asystasia dalzelliana* Sant. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Asystasia gangetica* (L.) T. And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Asystasia travancorica* Bedd.

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Barleria acuminata* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Barleria buxifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Barleria courtallica* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Barleria cristata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Barleria cuspidata* Heyne ex Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Barleria gibsonii* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Barleria involucrata* Nees var. *elata* (Dalz.) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Barleria longiflora* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Barleria montana* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Barleria mysorensis* Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Barleria nitida* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Barleria noctiflora* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Barleria paniculata* Wall. ex Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Barleria pilosa* Wall. ex Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Barleria prattensis* Sant. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Barleria prionitis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Barleria strigosa* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Barleria tomentosa* Roth var. *tomentosa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Barleria tomentosa* Roth var. *glandulosa* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Barleria vestita* T. And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Blepharis maderaspatensis* (L.) Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Blepharis repens* (Vahl) Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Clinacanthus nutans* (Burm.f.

) Lindau and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Crossandra infundibuliformis* (L.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dicliptera cuneata* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dicliptera foetida* (Forssk.) Blatter and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dicliptera verticillata* (Forssk.) Christensen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Diotacanthus albiflorus* (Bedd.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Diotacanthus grandis* (Bedd.) Benth. ex Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dipteracanthus beddomei* (C. B. Clarke) Santapau and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dipteracanthus patulus* (Jacq.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dipteracanthus prostratus* (Poir.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dyschoriste madurensis* (Burm.f.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dyschoriste nagchana* (Nees) Bennet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dyschoriste vagans* (Wight) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ecbolium ligustrinum* (Vahl) Vollesen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ecbolium viride* (Forssk.) Alston var. *viride* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ecbolium viride* (Forssk.) Alston var. *dentata* (Klein ex Link) Raizada and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ecbolium viride* (Forssk.) Alston var. *rotundifolia* (Nees) Raizada and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Elytraria acaulis* (L.f.) Lindau and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eranthemum capense* L. var. *capense* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eranthemum capense* L. var. *concanensis* (T.And.ex Clarke) Sant. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eranthemum nervosum* (Vahl) R.Br. ex Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eranthemum purpurascens* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eranthemum roseum* (Vahl) R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Graptophyllum hortense* Nees

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gymnostachyum canescens* (Nees) T. And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gymnostachyum ceylanicum* Arn. ex Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gymnostachyum latifolium* (Dalz.) T. And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Haplanthodes neilgherryensis* (Wight) Majumdar and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Haplanthodes verticillatus* (Roxb.) Majumdar and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hemigraphis latebrosa* (Heyne ex Roth) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hygrophila balsamica* (L.f.) Rafin and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hygrophila heinei* Sreemadh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hygrophila quadrivalvis* (Buch.-Ham.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hygrophila salicifolia* (Vahl) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hygrophila schulli* (Hamilt.) M.R.Almeida & S.M. Almeida and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Jacobinia carnea* (Lindl.) G. Nicholson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Justicia adhatoda* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Justicia beddomei* (Clarke) Bennet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Justicia betonica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,



stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Justicia diffusa* Willd. var. *diffusa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Justicia diffusa* Willd. var. *hedyotidifolia* (Nees) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Justicia diffusa* Willd. var. *orbiculata* (Wall. ex T.And.) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Justicia gendarussa* Burm.f and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Justicia glabra* Koen.ex Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Justicia glauca* Rottl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Justicia japonica* Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Justicia latispica* (Clarke)

Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Justicia neesii* Ramam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Justicia nilgherrensis* (Nees) Wall. ex T. And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Justicia procumbens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Justicia prostrata* (Roxb. ex Clarke) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Justicia salsoloides* T. And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Justicia santapau* Bennet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Justicia simplex* D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Justicia tranquebariensis* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Justicia trinervia* Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Justicia vahlii* Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Justicia wynaadensis* (Nees) Heyne ex T.And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lepidagathis barberi* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lepidagathis cristata* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lepidagathis cuspidata* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lepidagathis diffusa* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lepidagathis fasciculata* (Retz.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lepidagathis incurva* Buch.-Ham. ex D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lepidagathis mitis* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lepidagathis pungens* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lepidagathis scariosa* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lepidagathis spinosa* Wight ex Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lepidagathis subarmata* (Clarke) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Leptostachya wallichii* Nees

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Meyenia hawtayneana* (Wall.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Monothecium aristatum* (Wall. ex Nees) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Neuracanthus neesianus* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Peristrophe montana* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Peristrophe paniculata* (Forssk.) Brummitt and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Petalidium barlerioides* (Roth) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Phaulopsis imbricata* (Forssk.) Sweet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pseuderanthemum malabaricum* (Clarke) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rhinacanthus nasutus* (L.) Kurz var. *nasutus* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rhinacanthus nasutus* (L.) Kurz var. *montana* (Clarke) Kumari and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ruellia colorata* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ruellia tuberosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rungia apiculata* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rungia crenata* T.And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rungia laeta* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rungia latior* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rungia parviflora* (Retz.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rungia pectinata* (L.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rungia repens* (L.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rungia sisparensis* T. And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rungia wightiana* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sanchezia nobilis* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sanchezia parvibracteata*



Sprague & Hutchinson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Santapaua madurensis* Balakr. & Subram. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Staurogyne glauca* (Nees) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Staurogyne zeylanica* (Nees) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Stenosiphonium confertum* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Stenosiphonium cordifolium* (Vahl) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Stenosiphonium parviflorum* T.And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Stenosiphonium russellianum* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Stenosiphonium wightii* Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Strobilanthes asperimus* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Strobilanthes amabilis* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Strobilanthes anamallai* J. R. I. Wood and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Strobilanthes andersonii* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Strobilanthes barbatus* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Strobilanthes bolampattiana* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Strobilanthes ciliatus* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Strobilanthes consanguineus* (Nees) T. Anders. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Strobilanthes cuspidatus* (Benth.) Anders. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Strobilanthes decurrens* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Strobilanthes foliosus* (Wight) T. Anderson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Strobilanthes gracilis* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Strobilanthes heyneanus* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Strobilanthes hamiltoniana* (Steud.) Bosser & Heine and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Strobilanthes heteromallus* T.

Anderson ex Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Strobilanthes homotropus* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Strobilanthes humilis* (Nees) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Strobilanthes isophylla* (Nees) T. Anderson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Strobilanthes ixiocephala* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Strobilanthes kunthianum* (Nees) Anders. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Strobilanthes lanatus* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Strobilanthes lawsonii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Strobilanthes lupulinus* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Strobilanthes luridus* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Strobilanthes matthewiana* R. W. Scotland and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Strobilanthes micranthes* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Strobilanthes microstachya* Benth. ex Hohen. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Strobilanthes neoasper* Venu & P. Daniel and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Strobilanthes neilgherrensis* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Strobilanthes papillosus* T. Anderson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Strobilanthes perrottetianus* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Strobilanthes pulneyensis* C. B. Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Strobilanthes rubicundus* (Nees) T. Anderson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Strobilanthes sessilis* Nees var. *sessilis* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Strobilanthes sessilis* Nees var. *sessiloides* (Wight) Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Strobilanthes sexennis* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Strobilanthes tristis* (Wight) T. Anderson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Strobilanthes urceolaris*

Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Strobilanthes violaceus* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Strobilanthes walkeri* Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Strobilanthes wightianus* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Strobilanthes walkeri* Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Strobilanthes wightianus* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Strobilanthes zenkerianus* (Nees) T. Anderson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Thunbergia alata* Boj. ex Sims and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Thunbergia bicolor* (Wight) Lindau and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Thunbergia erecta* (Benth.) T. And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Thunbergia fragrans* Roxb. var. *fragrans* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Thunbergia fragrans* Roxb. var. *vestita* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Thunbergia grandiflora* (Roxb. ex Rottl.) Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Thunbergia mysorensis* (Wight) T. And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Thunbergia tomentosa* Wall. ex Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aloysia triphylla* (L'Herit.) Britton and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bouchea hyderabadense* Walp. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Callicarpa arborea* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Callicarpa tomentosa* (L.) Murr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Citharexylum fruticosum* L. forma *suberratum* (Sw.) Moldenke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Clerodendrum aculeatum* Griseb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Clerodendrum cordatum* D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Clerodendrum indicum* (L.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Clerodendrum inerme* (L.)

Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Clerodendrum infortunatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Clerodendrum neriifolium* Wall.ex Schauer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Clerodendrum paniculatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Clerodendrum philippinum* Schauer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Chionachne koenigii* (SPRENG.) THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Chionanthus macrophylla* BL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Chionanthus mala-elengi* (DENNST.) GREEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Chondrus crispus* LYNGBYE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Chloranthus elatior* LINK NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Chloranthus glaber* (THUNB.) MAKINO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Chloranthus inconspicuus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Chloranthus officinalis* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Chloris barbata* SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Chloris virgata* SW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Chlorophora excelsa* BENTH. & HOOK. F. NULL and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Chlorophytum arundinaceum* BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Chlorophytum attenuatum* BAKER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Chlorophytum laxum* R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Chlorophytum tuberosum* BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Chloroxylon dupada* BUCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Chloroxylon swietenia* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Chondrus crispus* STACKH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Chonemorpha fragrans*

(MOON) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Chonemorpha macrophylla* (ROXB.) G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Chorchorus trilocularis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Christella arida* (DON) HOLT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Christella contiguum* (ROSENT) HOLTTUM F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Christella crinipes* HOOK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Christella parasitica* (L.) LEV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Christella subpubescens* (BL.) HOLTTUM NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Chromolaena odorata* (L.) R.M. KING & H. ROBINSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Chrozophora plicata* A.JUSS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Chrozophora prostrata* DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Chrozophora rottleri* (GEIS.) A.JUSS. EX SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Chrozophora tinctoria* A.JUSS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Chrysanthellum americanum* (L.) VATKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Chrysanthellum indicum* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Chrysanthemum cinerariifolium* (TREV.) VIS. NULL and 15 wasteland weeds based Green Spray with Vedic



Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Chrysanthemum coccineum* WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Chrysanthemum coronarium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Chrysanthemum indicum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Chrysanthemum purethroides* (KAR. & KIR.) FEDT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Chrysanthemum roxburghii* DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Chrysobalanus icaco* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Chrysophyllum cainito* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Chrysophyllum roxburghii*

DON. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Chrysopogon aciculatus TRIN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Chrysopogon fulvus (SPRENG.) CHIOV. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Chukrasia tabularis A.JUSS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Cibotium barometz LINK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Cicca acida MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Cicca disticha L.. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Cicer arietinum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cicer microphyllum* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cichorium endivia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cichorium intybus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cichorium noeanum* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cicuta virosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cimicifuga foetida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cimicifuga racemosa* NUTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cinchona calisaya* WEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cinchona calisaya* WEDD. *ledgeriana* HOWARD and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cinchona excelsa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cinchona ledgeriana* MOENS EX TRIMEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cinchona officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cinchona robusta* HOWARD NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cinchona succirubra* PAV. EX KLOTZSCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cinnamomum aromaticum* NEES NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cinnamomum bejolghota*

(BUCH.-HAM.) SWEET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Cinnamomum camphora (L.) PRESL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Cinnamomum cassia BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Cinnamomum cecidodaphne MEISSN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Cinnamomum glanduliferum MEISSN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Cinnamomum glaucescens (NEES) HAND-MEZZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Cinnamomum impressinervium MEISSN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Cinnamomum iners REINW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cinnamomum javanicum* BLUME NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cinnamomum macrocarpum* HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cinnamomum malabathrum* BATKA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cinnamomum obtusifolium* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cinnamomum parthenoxylon* MEISSN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cinnamomum pauciflorum* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cinnamomum sulphuratum* NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cinnamomum tamala* NEES & EBERM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cinnamomum travancoricum* GAMB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cinnamomum verum* PRESL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cinnamomum wightii* C.F.W.MEISSN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cinnamomum zeylanicum* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cipadessa baccifera* (ROTH.) MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Circaea alpina* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Circaea cordata* ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cirrhopetalum sutepense*



(ROLFE) SEIDENF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cirsium argyracanthum* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cirsium arvense* (L.) SCOP and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cirsium sinense* CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cirsium verutum* (DON) SPR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cirsium wallichii* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cissampelos pareira* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cissus acida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cissus adnata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cissus discolor* BLUME NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cissus javanica* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cissus lanceolata* MALME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cissus latifolia* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cissus pallida* (WIGHT & ARN.) PLANCHON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cissus pedata* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cissus quadrangularis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cissus repKalam* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cissus repens* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cissus setosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cissus trilobata* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cissus vitiginea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cistanche tubulosa* WGT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cistus creticus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Citharexylum subserratum*

SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Citrullus colocynthis (L.) SCHRADER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Citrullus lanatus (THUNB.) MATSUMURA & NAKAI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Citrullus lanatus (THUNB.) MATSUMURA & NAKAI fistulosus (STOCKS) CHAKRAVARTHY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Citrullus vulgaris SCHRAD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Citrullus vulgaris SCHRAD. fistulosus STOCKS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Citrus acida PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Citrus aurantifolia (CHRISTM.) SWINGLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Citrus aurantium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Citrus aurantium* L. *bergamia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Citrus bergamia* RISSO. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Citrus bigaradia* LOISEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Citrus decumana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Citrus grandis* (L.) OSBECK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Citrus hystrix* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Citrus jambhiri* LUSH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Citrus karna RAFIN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Citrus latipes (SWINGLE) TANAKA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Citrus limetta RISSO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Citrus limon (L.) BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Citrus limonum WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Citrus macroptera Montr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Citrus madurensis LOUR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Citrus maxima MERILL and

15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Citrus medica L. medica and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Citrus medica L. limetta and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Citrus medica L. limonum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Citrus medica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Citrus paradisi MACF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Citrus pyxidata (LINN.) FR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Citrus reticulata BLANCO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Citrus sinensis* (L.) OSBECK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cladonia alpestris* (L.) RABH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Claoxylon indicum* HASSK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Claoxylon polot* (Burm.f.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Clausena dentata* (WILLD.) ROEM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Clausena excavata* BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Clausena heptaphylla* WT. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Clausena lansium* (LOUR.) SKEELS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Clausena pentaphylla* (ROXB.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Clausena wampi* BLANCO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Clausena willdenowii* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Claviceps purpurea* (FR.) TUL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Claxylon indicum* (BL.) HASSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cleidion nitidum* KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cleisostoma tenuifolium* (L.) GARAY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cleisostoma williamsonii*

(RCHB.F.) GARAY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cleistanthus collinus* (ROXB.) BENTH. & HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Clematis barbellata* EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Clematis b Buchananiana* DC. *vitifolia* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Clematis connata* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Clematis gouriana* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Clematis grata* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Clematis graveolens* LINDL. IN JOURN. HORT. SOC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Clematis hedysarifolia* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Clematis montana* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Clematis napaulensis* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Clematis orientalis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Clematis smilacifolia* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Clematis triloba* HEYNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Clematis wightiana* WALL. EX WT. & ARN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cleome brachycarpa* VAHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cleome burmanni* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cleome chelidonii* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cleome felina* L. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cleome gynandra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cleome heptaphylla* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cleome icosandra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cleome monophylla* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cleome pentaphylla* L. and

15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cleome vahliana* FAR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cleome viscosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Clerodendrum colebrookianum* WALP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Clerodendrum indicum* (L.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Clerodendrum inerme* (L.) GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Clerodendrum infortunatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Clerodendrum kaempferi* (JACQ.) SIEB. EX STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Clerodendrum multiflorum* (Burm.f.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Clerodendrum nutans* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Clerodendrum paniculatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Clerodendrum philippinum* SCHAU. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Clerodendrum phlomidis* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Clerodendrum serratum* (L.) MOON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Clerodendrum siphonanthus* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Clerodendrum splendens* G. DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on



coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Clerodendrum viscosum* H.W. MOLDENKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Clerodendrum wallichii* MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Clinogyne dichotoma* SALISB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Clinogyne grandis* BENTH. HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Clinopodium umbrosum* (BIEB.) KOCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Clinopodium vulgare* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Clitoria mariana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Clitoria ternatea* L. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Coccinia cordifolia* COGN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Coccinia glauca* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Coccinia grandis* (L.) VOIGT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Coccinia indica* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Coccoloba uvifera* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cocculus cordifolius* (WILLD.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cocculus hirsutus* (L.) DIELS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cocculus laurifolius* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cocculus leaeba* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cocculus macrocarpus* W. & A. PRODR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cocculus pendulus* (JR. & G. FORST) DIELS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cocculus suberosus* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cocculus villosus* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cochlearia armoracia* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cochlearia cochlearioides* (ROTH) SANTAPAU & MAHESHWARI and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cochlospermum gossypium* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cochlospermum religiosum* (L.) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cocos nucifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cocos nucifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cocos schizophylla* MART. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Codiaeum variegatum* (L.) BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Codonacanthus pauciflorus* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Codonopsis clematidea*

(SCHR.) CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Codonopsis ovata* BTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Coelodepas calycinum* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Coelogyne cristata* LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Coelogyne ovalis* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Coelogyne punctulata* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Coelogyne stricta* (DON) SCHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Coffea arabica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Coffea bengalensis* HEYNE EX ROEM. & SCHULT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Coffea travancorensis* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Coix gigantea* KOENIG EX ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Coix lachryma* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Coix lacryma-jobi* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cola nitida* (VENT.) SCHOTT & ENDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Colchicum autumnale* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Colchicum luteum* BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Colchicum variegatum* BIVONA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Coldenia procumbens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Colebrookea oppositifolia* SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Coleus ambonicus* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Coleus aromaticus* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Coleus barbatus* (ANDR.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Coleus forskohlii* (POIR.) BRIQ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Coleus osmirrhizon*



W.ELLIOT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Coleus rotundifolius (POIR.) A. CHEV. & PERROT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Coleus scutellarioides (L.) BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Coleus vettiveroides K.C. JACOB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Coleus zeylanicus (BENTH.) CRAMEV and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Colocasia antiquorum SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Colocasia esculenta (L.) SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Colocasia macrorrhiza SCHOTT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Colocasia virosa* KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Colophospermum mopane* KIRK EX LEON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Colubrina asiatica* (L.) BRONG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Colutea arborescens* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Colutea nepalensis* SIMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Combretum acuminatum* (ROXB.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Combretum decandrum* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Combretum extensum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Combretum latifolium* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Combretum nanum* DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Combretum pilosum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Combretum roxburghii* SPR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Commelina benghalensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Commelina communis* EUGELM. EX KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Commelina diffusa* BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Commelina longifolia* LAM.

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Commelina nudiflora* (L.) BRENAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Commelina obliqua* BUCH.-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Commelina paludosa* BI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Commelina salcifolia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Commelina suffruticosa* BI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Commicarpus chinensis* (L.) HEIMERL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Commicarpus helenae* (J.A.SCHULTES) MEIKLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Commicarpus verticillatus* STANDLEY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Commiphora abyssinica* ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Commiphora agallocha* ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Commiphora berryi* (ARN.) ENGLR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Commiphora caudata* (WIGHT & ARN.) ENGLER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Commiphora molmol* ENGL. EX. TSCHIRAH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Commiphora mukul* (HOOK. EX. STOCKS) ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Commiphora myrrha* ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Commiphora opobalsamum* (L.) ENGL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Commiphora playfairii* HOOK. F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Commiphora roxburghii* ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Commiphora schimperi* ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Commiphora stocksiana* ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Commiphora wightii* (A.) BHKALAMRI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Conium maculatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Connarus monocarpus* L. and

15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Conocarpus latifolia* ROXB. EX. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Conocephalus suaveolens* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Consolida ajacis* (L.) SCHUR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Consolida ambigua* (L.) BALL. & HEYWOOD NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Consolida regalis* S.F. GRAY NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Convallaria majalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Convolvulus arvensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Convolvulus auricomus* (A. RICH.) BHKALAMRI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Convolvulus gemellus* BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Convolvulus grandiflorus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Convolvulus malabaricus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Convolvulus microphyllus* SIEB.EX SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Convolvulus nil* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Convolvulus paniculatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Convolvulus pluricaulis* CHOIS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Convolvulus prostratus* FORSSK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Convolvulus scammonia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Convolvulus speciosus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Convolvulus spinosus* BURM. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Convolvulus turpethum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Conyza bonariensis* (L.) CRONQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Conyza cinerea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Conyza japonica* (THUNB.)

LESS. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Conyza stricta* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Copernicia cerifera* MART. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Coptis teeta* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Corallocarpus epigaea* HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Corallocarpus epigaeus* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Corbichonia decumbens* EXELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Corchorus acutangulus* AUCT.NON FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Corchorus aestuans* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Corchorus antichorus* ROEUSCH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Corchorus capsularis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Corchorus depressus* STOCKS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Corchorus fascicularis* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Corchorus olitorius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Corchorus trilocularis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Corchorus urticifolius* WIGHT & ARM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cordia dichotoma* FORST. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cordia gharaf* (FORSK.) EHRENB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cordia grandis* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cordia latifolia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cordia macleodii* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cordia monoica* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cordia myxa* SENU CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cordia obliqua* WILLD.

wallichii (G.DON) CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Cordia obliqua WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Cordia rothii ROEM.& SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Cordia sebestena L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Cordia vestita HOOK.F. & TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Cordia wallichii G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Cordyceps sinensis (BERK.)SAAC and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Cordyline fruticosa GOEPPERT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cordyline terminalis* (L.) KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Coriandrum sativum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Coriaria nepalensis* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Coronilla picta* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Coronopus didymus* (L.) SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cordia depressa* (DON) NORM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Corydalis adiantifolia* HK.F. & T. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Corydalis flabellata* EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,



stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Corydalis govaniana* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Corydalis meifolia* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Corydalis ramosa* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Corydalis rutifolia* (SMITH) DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Corydalis vaginans* ROYLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Corylus avellana* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Corylus columna* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Corylus jacquemonti*

DECNE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Corymbis veratrifolia* RCHB.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Corymborkis veratrifolia* (REINW.) BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Corypha umbraculifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Coscinium fenestratum* (GAERTN.) COLEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cosmostigma racemosa* WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Costus arabicus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Costus speciosus* (KOEN. EX RETZ.) SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cotinus coggygria* SCOP. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cotinus racemiflora* (DESF.) C. KOCH NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cotoneaster bacillaris* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cotoneaster buxifolia* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cotoneaster microphylla* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cotoneaster microphyllus* WALL. EX LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cotoneaster nummularia* FISCH. & MEY. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cotula anthemoides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cotula aurea* Loefl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cousinia thomsonii* CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Crambe cordifolia* STEVEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Crassocephalum crepidioides* (BTH.) MOORE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Crataegus laevigata* (POIR.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Crataegus oxyacantha* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Crataegus songarica* KOCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Crataeva adansonii* DC. and

15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Crataeva magna (LOUR.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Crataeva marmelos L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Crataeva nurvala SENSU KANJ. & DAS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Crataeva religiosa FORST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Crataeva tapia and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Cratoxylum cochinchinense (LOUR.) BLUME NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Cratoxylum neriifolium KURZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cremanthodium arnicoides* DC. GOOD *trigida* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cremanthodium decaisnei* Cl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cremanthodium plantagineum* MAX. *maximowiczii* GOOD and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cremastra appendiculata* (D.DON) MAKINO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cremastra wallichiana* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Crepidium acuminatum* (D.DON) SZLAC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Crepis flexuosa* (DC) BETH. & HK.F. EX Cl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Crepis japonica* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Crescentia cujete* VELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cressa cretica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Crinum amoenum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Crinum asiaticum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Crinum defixum* KER.-GAWL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Crinum latifolium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Crinum powellii* HORT. album HORT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Crinum pratense* HERB. and



15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Crinum revolutum* HERB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Crinum viviparum* (LAM.) HEMADRI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Crocus sativus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Crossandra infundobuliformis* (L.) NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Crossandra undulaefolia* SALISB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Crotalaria alata* BUCH.-HAM. EX D. DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Crotalaria albida* HEYNE EX ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Crotalaria anagyroides* H.B. & K. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Crotalaria angulosa* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Crotalaria benghalensis* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Crotalaria bialata* SCHR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Crotalaria biflora* LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Crotalaria burhia* BUCH-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Crotalaria calycina* SHR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Crotalaria juncea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Crotalaria laburnifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Crotalaria linifolia* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Crotalaria medicaginea* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Crotalaria mucronata* DESV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Crotalaria mysorensis* ROTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Crotalaria pallida* DRY. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Crotalaria paniculata* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Crotalaria prostrata* ROTTL.

EX WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Crotalaria pulchra* ANDR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Crotalaria quinquefolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Crotalaria ramosissima* ROXB. FL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Crotalaria retusa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Crotalaria saltiana* ANDR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Crotalaria sericea* RETZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Crotalaria spectabilis* ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Crotalaria striata* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Crotalaria trifoliatum* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Crotalaria verrucosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Croton argyratus* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Croton aromaticus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Croton bonplandianum* BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Croton caudatus* GEISEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Croton joufra* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Croton malabaricus* BEDD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Croton oblongifolius* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Croton plicatum* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Croton polyandrum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Croton reticulatus* HEYNE. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Croton roxburghii* BALAK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Croton sebiferum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Croton sparsiflorus*

MORONG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Croton tiglium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Croton zeylanicus* MUELL.-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cryptocarya wightiana* THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cryptocoryne spiralis* FISCH. EX WYDLER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cryptolepis buchananii* ROEMER & SCHULTES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cryptolepis elegans* WALL. EX G. DON. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cryptolepis grandiflora* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cryptostegia grandiflora* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ctenitis apiciflora* (WALL. & METT) CHING.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ctenolepis cerasiformis* NAUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ctenolepis garcinii* BENTH. & HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cubeba officinalis* RAFIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cucubalus baccifer* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cucumis acutangulus* DESCOURT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cucumis agrestis* NAUD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cucumis anguinus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cucumis callosus* (ROTTL.) COGN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cucumis colocynthis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cucumis hardwickii* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cucumis lagenarius* DUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cucumis madraspatanus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cucumis melo* L. *utilissimus* DUTHIE & FULLER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cucumis melo* L. *momordica*

DUTHIE & FULLER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cucumis melo* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cucumis momordica* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cucumis myriocarpus* NAUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cucumis prophetarum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cucumis pseudo-colocynthis* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cucumis pubescens* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cucumis sativus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cucumis trigonus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cucumis utilisissimus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cucurbita citrullus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cucurbita lagenaria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cucurbita maxima* DUCHESNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cucurbita moschata* (LAM.) DUCHESNE EX POIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cucurbita pepo* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cudrania javanensis* TREC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cullenia exarillata* ROBYNS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cuminum cyminum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cupressus sempervirens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Curanga amara* JUSS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Curanga fel-terrae* MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Curculigo capitulata* (LOUR) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Curculigo crassifolia* GEARTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Curculigo orchioides*

GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Curculigo prainiana (DEB.) BENNET & RAIZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Curculigo recurvata DRYAND. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Curcuma amada ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Curcuma angustifolia ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Curcuma aromatica SALISB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Curcuma caesia ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Curcuma domestica (MEDIK) VALH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Curcuma inodora* BLAT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Curcuma leucorhiza* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Curcuma longa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Curcuma montana* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Curcuma pseudomontana* GRAHAM NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Curcuma rubescens* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Curcuma zedoaria* (CHRIST.) ROSCOE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Curcuma zerumbet* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,



stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cuscuta capitata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cuscuta chinensis* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cuscuta europaea* BOVE & ENGELM. *indica* ENGELM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cuscuta hyalina* ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cuscuta reflexa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cyamopsis psoralioides* (LAM). DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cyamopsis tetragonoloba* (L.) TAUB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cyamopsis tetragonoloba*

(L.) TAUB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cyanotis axillaris* (L.) SWEET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cyanotis concanensis* HASSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cyanotis cristata* (L.) DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cyanotis papilionaceae* (L.) SCHULT. & SCHULT. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cyanotis tuberosa* (ROXB.) SCHULT. AND SCHULT.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cyathea albo-setacea* (BEDD.) COPEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cyathea gigantea* (WALL. EX HOOK.) HOLTT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cyathea spinulosa* WALL. EX HK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cyathocline purpurea* (DON) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cyathostemma micranthum* J.SINCLAIR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cyathula prostrata* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cyathula tomentosa* MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cyathus limbatus* TULSANE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cyathus stercoreus* (SCHW.) NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cycas beddomei* DYER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cycas circinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cycas revoluta* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cycas rumphii* MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cyclamen europaeum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cyclamen persicum* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cyclea arnotii* MIERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cyclea bicristata* GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cyclea burmanni* (DC.)

HOOK.F. TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cyclea fissicalyx* DUNN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cyclea peltata* (LAM.) HOOK. F. & THOMSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cyclosorus dentatus* (FORSK.) CHING NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cyclosorus gongylodes* (SCH.) LINK NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cyclosorus parasiticus* (L.) FOREWELL NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cydonia oblonga* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cydonia vulgaris* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cylista scariosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cymbalaria muralis* G.M. SCHREB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cymbidium aloifolium* (L.) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cymbidium aloifolium* (L.) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cymbidium grandiflorum* RCHB.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cymbidium hookerianum* RCHB.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cymbidium pendulum* (ROXB.) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cymbopogon caesius* STAPH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cymbopogon citratus* (DC.) STAPF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cymbopogon coloratus* STAPF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cymbopogon flexuosus* WATS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cymbopogon jwarancusa* (JONES) SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cymbopogon jwarancusa* (JONES) SCHULT. *olivieri* (BOISS.) SOENARKO. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cymbopogon martini* (ROXB.) WATS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cymbopogon nardus* (L.) RENDLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cymbopogon schoenanthus*



(L.) SPRENG and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cynanchum arnottianum* WIGHT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cynanchum extensum* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cynanchum heydei* HOOK.F.CYNAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cynanchum vincetoxicum* (L.) PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cynanthus lobatus* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cynara scolymus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cynodon dactylon* (L.) PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cynodon linearis* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cynoglossum denticulatum* A. DC. *zeylanicum* HORNEM. CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cynoglossum glochidiatum* WALL. EX BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cynoglossum lanceolatum* FORSSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cynoglossum micranthum* DESF. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cynoglossum wallichii* G. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cynoglossum zeylanicum* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cynometra cauliflora* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cynometra iripa* KOSTEL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cynometra mimosoides* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cynometra ramiflora* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cynometra ramiflora* Linn. *bijuga* (Span.) Prain and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cynosurus coracanus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cyperus alopecuroides* ROTTL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cyperus amabilis* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cyperus articulatus* L. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cyperus brevifolius* (ROTTB.) HASSK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cyperus bulbosus* VAHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cyperus compactus* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cyperus compressus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cyperus corymbosus* ROTTLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cyperus cyperoides* (LINN.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cyperus denticulatus* SCHRAD EX SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cyperus diffusus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cyperus distans* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cyperus esculentus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cyperus exaltatus* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cyperus haspan* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cyperus inundatus* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cyperus iria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cyperus jemicus* HEYNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cyperus juncifolius* ROTTLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cyperus kyllingia* ENDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cyperus laevigatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cyperus longus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cyperus malaccensis* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cyperus michelianus* (L.) LINK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cyperus nutans* VAHL. *eleusinoides* (KUNTH) HAINES NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cyperus pangorei* ROTTB.

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cyperus pedunculatus* (R.BR.) KERN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cyperus pertenuis* BOJ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cyperus pilosus* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cyperus platyphyllus* ROEM. & SCHULT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cyperus platystylis* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cyperus rohitia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cyperus rotundus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cyperus scariosus* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cyperus stoloniferus* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cyperus triceps* (ROTTB.) ENDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cyperus tuberosus* ROTTB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cyperus undulatus* KUKENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cyphostemma setosum* (ROXB.) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cyrtomium caryotideum* (WALL.) PRESL NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cyrtomium falcatum* (L. F.) BERNH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cyrtophyllum peregrinum* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cythocline purpurea* (DON.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cytisus scoparius* (L.) LINK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dactylis glomerata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dactyloctenium aegyptium* BEAUV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dactyloctenium indicum* BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dactylorhiza hatagirea* (DON.) SOO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Daedalacanthus roseus* T.

ANDERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Daemia cordata* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Daemia extensa* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Daemonorops draco* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dahlia rosea* CAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dalbergia arborea* HEYNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dalbergia candenatensis* (DENNST.) PRAIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dalbergia emarginata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dalbergia horrida* (DENNST.) MABB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dalbergia lanceolaria* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dalbergia latifolia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dalbergia oogeinensis* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dalbergia paniculata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dalbergia pinnata* PRAIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dalbergia sissooides* GRAHAM EX. WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dalbergia sissoo* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dalbergia spinosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dalbergia stipulacea* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dalbergia sympathetica* NIMMO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dalbergia tamarindifolia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dalbergia volubilis* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dalbergia spinosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dalechampia indica* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dalhousiea bracteata*

BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Daphne cannabina WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Daphne oleo SCHRAB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Daphne oleoides SCHREB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Daphne papyracea WILLD. EX STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Daphniphyllum himalayense MUELL.- ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Daphniphyllum neilgherrense ROSENTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Datisca cannabina L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Datura alba* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Datura fastuosa* L. *alba* (NEES) C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Datura fastuosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Datura innoxia* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Datura metel* L. *alba* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Datura metel* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Datura nilhummatu* DUN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Datura stramonium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,



stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Datura tatula* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Daucus carota* L. sativa DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Daucus carota* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Davallia tenuifolia* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Davallia trichomanoides* Bl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Debregeasia longifolia* (BURM.F.) WEDD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Decalepis hamiltonii* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Decaspermum fruticosum*

FORST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Deeringia amaranthoides* (LAMK.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Delima scandens* (L.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Delonix elata* (L.) GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Delonix regia* (L.) GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Delphaenium denudatum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Delphaenium elatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Delphinium altissimum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Delphinium bruonianum* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Delphinium caeruleum* JACQ. EX CAMB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Delphinium cashmirianum* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Delphinium denudatum* WALL. EX HOOK. F. & THOMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Delphinium elatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Delphinium glaciale* HOOK.F. & THOMSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Delphinium kashmirianum* ROYLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Delphinium kohatense* (BRUHL.) MUNZ and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Delphinium paciflorum* ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Delphinium roylei* MUNZ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Delphinium saniculifolium* AUCT NON BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Delphinium semibarbatum* BLENERT EX BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Delphinium speciosum* JANKA NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Delphinium vestitum* WALL. EX ROYLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Delphinium viscosum* HK. & TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Delphinium zalil* AITCH &

HEMSL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Dendrobium aduncum LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Dendrobium aggregatum - JENKINSII K. & P. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Dendrobium amoenum WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Dendrobium chrysanthum LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Dendrobium coerulescens LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Dendrobium crumenatum SW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Dendrobium crumentum SW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dendrobium densiflorum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dendrobium jenkinsii* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dendrobium macraei* AUCT. NON LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dendrobium moschatum* (BUCH.-HAM.) SW and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dendrobium nobile* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dendrobium ovatum* (L.) KRAENZL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dendrobium paxtonii* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dendrocalamus hamiltonii* NEES EX ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dendrocalamus strictus* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dendrocnide sinuata* (BL.) CHEW and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dendrophthoe elastica* (DESR.) DANSER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dendrophthoe falcata* (L.F) ETTING. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dendrophthoe pentandra* (L.) MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dentella repens* (L.) J.R. & G. FORSTER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Derris elliptica* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Derris ferruginea* (ROXB.)



BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Derris indica (LAM.) BENNET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Derris malaccensis PRAIN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Derris robusta BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Derris scandens (ROXB.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Derris trifoliata LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Derris uliginosa BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Descurainia sophia (L.) WEBB. EX PRANTL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Desmanthus cinereus* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Desmanthus virgatus* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Desmochaeta atropurpurea* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Desmodium biarticulatum* (L.) F.V.MUELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Desmodium dichotomum* (WILLD.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Desmodium elegans* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Desmodium gangeticum* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Desmodium gyrans* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Desmodium gyroides* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Desmodium heterocarpon - strigosum* VAN MEEWUEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Desmodium heterocarpon* (LINN.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Desmodium heterophyllum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Desmodium lasiocarpum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Desmodium latifolium* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Desmodium laxiflorum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Desmodium microphyllum*

(THUNB.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Desmodium motorium (HOUTT.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Desmodium oojeinense (ROXB.) OHASHI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Desmodium polycarpum DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Desmodium pseudotriquetrum DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Desmodium pulchellum BENTH.EX. BAKER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Desmodium retroflexum DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Desmodium styracifolium (OSB.) MERR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Desmodium tiliaefolium* G. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Desmodium triangulare* (RETZ.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Desmodium triflorum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Desmodium triquetrum* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Desmodium umbellatum* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Desmodium velutinum* (WILLD.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Desmos chinensis* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Desmos cochinchinensis* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Desmos dumosa* (ROXB.) SAFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Desmos longiflorus* (ROXB.) SAFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Desmostachya bipinnata* STAPF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Desmotrichum fimbriatum* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Deutzia scabra* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dianthus anatolicus* BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dianthus caryophyllus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dianthus chinensis* L. NULL

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dicaelospermum ritchiei* Cl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dicentra chrysantha* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dicentra thalictrifolia* HF.& T. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dichanthium caricosum* (L.) A. CAMUS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dichanthium pertusum* CLYTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dichopsis ellipticum* BENTH & HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dichroa febrifuga* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dichrocephala bicolor* (ROTH) SCHLECHT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dichrocephala integrifolia* (L.F.) KTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dichrocephala latifolia* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dichrostachys cinerea* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dicliptera bupleuroides* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dicliptera cuneata* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dicliptera micranthus* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dicliptera roxburghiana* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dicliptera verticillata* (FORSK.) CHRISTENS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dicoma tomentosa* CASS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dicranopteris linearis* (BURM.F.) UNDERW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dictamnus albus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Didymocarpus aromaticus* WALL. EX D. DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Didymocarpus pedicellata* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dieffenbachia seguine* (L.) SCHOTT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dienia muscifera* LINDL.

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Digera arvensis* FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Digera muricata* (L.) MART. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Digitalis lanata* EHRH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Digitalis purpurea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dillenia aurea* SIM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dillenia bracteata* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dillenia indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dillenia pentagyna* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dimocarpus longan* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dimorphocalyx glabellus* THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dinebra arabica* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dinebra retroflexa* (VAHL) PANZER retroflexa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dinocloa Kalammanica* KURZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dionysia diapensiaefolia* BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dioscorea aculeata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dioscorea alata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dioscorea belophylla* VOIGT EX HAINES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dioscorea bulbifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dioscorea composita* HEMSL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dioscorea crispata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dioscorea daemona* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dioscorea deltoidea* WALL. EX KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dioscorea esculanta* (LOUR.)

BURKILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dioscorea glabra* AUCT. NON ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dioscorea globosa* ROXB. ET. PRAIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dioscorea hamiltonii* HK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dioscorea hirsuta* DENNST. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dioscorea hispida* DENNST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dioscorea oppositifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dioscorea pentaphylla* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dioscorea prazeri* PRAIN & BURKILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dioscorea puber* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dioscorea purpurea* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dioscorea rubella* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dioscorea sativa* AUCT. NON L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dioscorea tomentosa* KOEN. EX SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dioscorea triphylla* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dioscorea wallichii* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,



stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Diospyros bourdillonii* BRANDIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Diospyros buxifolia* (BLUME) HIERN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Diospyros candolleana* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Diospyros chloroxylon* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Diospyros cordifolia* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Diospyros ebenum* KOENIG and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Diospyros embryopteris* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Diospyros exsculpta* BUCH.-

HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Diospyros ferrea* (WILLD.) BATCH. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Diospyros glutinosa* KOENIG and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Diospyros insignis* THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Diospyros kaki* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Diospyros lancaefolia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Diospyros lotus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Diospyros malabarica* (DESR.) KOSTEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Diospyros melanoxylon* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Diospyros montana* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Diospyros oocarpa* THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Diospyros paniculata* DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Diospyros peregrina* (GAERTN.) GURKE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Diospyros quaesita* THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Diospyros racemosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Diospyros sylvatica* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Diospyros tomentosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Diospyros toposia* BUCH.-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dipcadi erythraeum* WEBB & BERTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Diplazium esculentum* (RETZ.) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Diplazium stoliczkae* BEDD. F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Diplocisia glaucescens* (BL.) DIELS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Diplocyclos palmatus* (L.) JAFFREY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Diploknema butyraceae*

(ROXB.) H.J. LAMK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Diplospora singularis* KORTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Diplospora sphaerocarpa* HOOK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dipsacus fullonum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dipsacus inermis* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dipsacus mitis* D. DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dipteracanthus patulus* (JACQ.) NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dipteracanthus prostratus* (POIR.) NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dipteracanthus suffruticosus* (ROXB.) VOIGT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dipterocarpus alatus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dipterocarpus bourdillonii* BRANDIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dipterocarpus gracilis* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dipterocarpus indicus* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dipterocarpus laevis* HAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dipterocarpus pilosus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dipterocarpus tuberculatus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dipterocarpus turbinatus* GAERTN. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dischidia rafflesiana* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Disporum cantoniense* (LOUR.)MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Distemon indicum* WEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dittelasma raraka* (DC.) HOOK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dodonaea angustifolia* (L.F.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dodonaea burmanniana* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dodonaea viscosa* (L.) JACQ.



and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dodonaea viscosa* JACQ. *angustifolia* (L.F.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dolichandrone arcuata* C.B.CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dolichandrone atrovirens* (HEYNE EX. ROTH) SPRAGUE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dolichandrone falcata* SEEMANN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dolichandrone spathacea* (L.F.) K.SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dolichandrone stipulata* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dolichos biflorus* SENSU AUCT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dolichos bulbosus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dolichos catiang* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dolichos catjang* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dolichos cylindricus* DESV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dolichos falcatus* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dolichos gladiatus* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dolichos lablab* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dolichos lablab* L. *typicus* Prain and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dolichos pruriens* (L.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dolichos sinensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dolichos trilobus* (L.) AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dolichos uniflorus* LAMK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dolomiaea macrocephala* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dombeya cayeuxii* HORT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Donax connaeformis* (FORST.) SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dopatrium junceum* HAM.

NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dopatrium lobelioides* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dopatrium nudicaule* HAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dorema ammoniacum* D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dorema aureum* STOCKS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Doronicum falconeri* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Doronicum hookeri* C.B. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Doronicum pardalianches* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Doronicum roylei* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dorstenia indica* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dosma bracteatum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Douepia tortuosa* CAMB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Draba muralis* (L.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Draba setosa* ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dracaena angustifolia* (MEDIC.) ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dracaena cinnabari* BALF NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dracaena petiolata* HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dracaena terminalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dracaena terniflora* ROXB. FL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dracocephalum heterophyllum* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dracocephalum moldavica* LINN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dracocephalum royleanum* ROYLE. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dracocephalum stamineum* KAR. & KIR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dracontium polyphyllum* L.

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dregea volubilis* (L.F.) BENTH. EX.HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Drimia indica* (ROXB.) J.P. JESSOP and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Drimys winteri* FORST. CHAR. GEN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Drosera burmannii* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Drosera indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Drosera lunata* HAM. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Drosera peltata* SM.WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Drymaria cordata* (L.) WILLD. EX R. & S. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Drymaria cordata* WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Drymaria diandra* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Drymoglossum carnosum* (WALL.) SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Drynaria quercifolia* (L.) J. SMITH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dryobalanops aromatica* GAERTN. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dryopteris barbigera* (MOORE) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dryopteris blanfordii* (HOPE) C. CHR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dryopteris cochleata* (DON) CHR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dryopteris filix-mas* (L.) SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dryopteris marginata* (WALL.) CHR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dryopteris odontoloma* (MOORE) C. CHR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dryopteris schimperiana* (HOCHST.) C. CHR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dryopteris sparsa* (DON)KTZE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Drypetes confertiflora* (HOOK. F.) PAX & HOFFM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Drypetes macrophylla*

(BLUME) PAX & HOFFM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Drypetes roxburghii* (WALL.) HURUSAWA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Drypetes zeylanica* (MUELL.-ARG.) HURUSAWA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Duboisia myoporoides* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Duchesnea indica* (ANDR.) FOCKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Duranta repens* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Durio zibethinus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dyschoriste madurensis* (BURM.F.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dysophylla auricularia* (L.) BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dysophylla rugosa* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dysophylla stelata* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dysophylla stellata* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dysoxylum alliarum* (BUCH.-HAM.) BALAK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dysoxylum binectariferum* HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dysoxylum hamiltonii* HIERN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dysoxylum malabaricum* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dysoxylum procerum* HIERN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ebermaiera glutinosa* CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ecbolium linneanum* KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ecbolium viride* (FORSK.) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ecbolium virids* (FORSSK.) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Echeveria glauca* BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Echinacea angustifolia* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Echinochloa colona* LINK.

frumentacea BLATTER & MCCANN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Echinochloa crusgalli (L.) P. BEAUV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Echinochloa frumentacea LINK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Echinochloa stagnina (RETZ.) BEAUV. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Echinops cornigerous DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Echinops echinatus ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Echioglossum williamsonii (RCHB.F.) SZLAC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Echites dichotoma ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eclipta alba* HASSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eclipta erecta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eclipta parviflora* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eclipta prostrata* (L.) L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Edgeworthia gardneri* (WALL.) MEISSN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Edgeworthia tomentosa* NAKAI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Edwardsia griffithii* (STOCKS) PHILIP and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ehretia acuminata* BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,



stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ehretia aspera* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ehretia buxifolia* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ehretia canarensis* MIQ. EX CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ehretia laevis* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ehretia laevis* ROXB. pubescens and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ehretia microphylla* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ehretia obtusifolia* HOCHST. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eichhornia crassipes* SOLMS

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Codariocalyx motorius* (Houtt.) H. Ohashi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Crotalaria acicularis* Buch.-Ham. ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Crotalaria agatiflora* Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Crotalaria alata* Buch.-Ham & Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Crotalaria albida* Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Crotalaria anagyroides* H.B.K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Crotalaria angulata* Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Crotalaria barbata* Graham ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Crotalaria berteroana* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Crotalaria bidiei* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Crotalaria bifaria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Crotalaria bourneae* Fyson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Crotalaria calycina* Schrank and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Crotalaria candicans* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Crotalaria clarkei* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Crotalaria clavata* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Crotalaria conferta* Fyson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Crotalaria digitata* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Crotalaria dubia* Graham ex benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Crotalaria epunctata* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Crotalaria evolvuloides* Wight ex Wight & Arn. var. *evolvuloides* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Crotalaria evolvuloides* Wight ex Wight & Arn. var. *acutifolia* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Crotalaria formosa* Graham

ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Crotalaria fysonii* Dunn var. *fysonii* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Crotalaria fysonii* Dunn var. *glabra* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Crotalaria globosa* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Crotalaria grahamiana* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Crotalaria hebecarpa* (DC.) Rudd and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Crotalaria heyneana* Grahma ex Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Crotalaria hirta* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Crotalaria humifusa* Graham ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Crotalaria juncea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Crotalaria laburnifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Crotalaria laevigata* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Crotalaria beddomeana* Thoth. & A. A. Ansari and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Crotalaria spectabilis* Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Crotalaria linifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Crotalaria longipes* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Crotalaria lunulata* Heyne ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Crotalaria madurensis* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Crotalaria medicaginea* Lam. var. *medicaginea* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Crotalaria medicaginea* Lam. var. *neglecta* (Wight & Arn.) Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Crotalaria multiflora* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Crotalaria mysorensis* Roth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Crotalaria nana* Burn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Crotalaria notonii* Wight &



Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Crotalaria obtecta* Graham ex Wight & Arn. var. *obecta* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Crotalaria obtecta* Graham ex Wight & Arn. var. *glabrescens* (Benth.) Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Crotalaria orixensis* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Crotalaria ovalifolia* Wall. ex Fyson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Crotalaria pallida* Dryand. var. *pallida* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Crotalaria pallida* Dryand. var. *obovata* (G.Don) Polhill and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Crotalaria paniculata* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Crotalaria peduncularis* Graham ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Crotalaria priestleyoides* Benth ex Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Crotalaria prostrata* Rottl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Crotalaria pulchra* Andr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Crotalaria pusilla* Neyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Crotalaria quinquefolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Crotalaria ramosissima* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Crotalaria retusa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Crotalaria rigida* Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Crotalaria salicifolia* Heyne ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Crotalaria scabra* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Crotalaria scabrella* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Crotalaria semperflorens* Vent. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Crotalaria shevaroyensis* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Crotalaria speciosa* Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Crotalaria subperfoliata*

Wight ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Crotalaria tecta* Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Crotalaria trifoliatum* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Crotalaria triquetra* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Crotalaria umbellata* Wight ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Crotalaria verrucosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Crotalaria walkeri* Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Crotalaria wightiana* Graham ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Crotalaria willdenowiana* DC. subsp. *willdenowiana* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Crotalaria willdenowiana* DC. subsp. *glabrifoliolata* Ellis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cyamopsis tetragonoloba* (L.) Taub. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cytisus canariensis* Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cytisus hirsutus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cytisus monspessulanus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cytisus multiflorus* Sweet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cytisus proliferus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cytisus scoparius* (L.) Link and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cytisus supinus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dalbergia congesta* Graham ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dalbergia coromandeliana* Prain and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dalbergia gardneriana* Benth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dalbergia horrida* (Dennst.) Mabberley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dalbergia lanceolaria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dalbergia latifolia* Roxb. and

15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dalbergia malabarica* Prain and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dalbergia melanoxylon* Guill. & Perr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dalbergia paniculata* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dalbergia pinnata* (Lour.) prain var. *acaciaefolia* (Dalz.) Thoth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dalbergia pseudo-siso* Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dalbergia rubiginosa* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dalbergia sissooides* Graham ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dalbergia sissoo* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dalbergia spinosa* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dalbergia tinneveli* Thoth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dalbergia volubilis* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Derris benthamii* (Thw.) Thw. var. *benthamii* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Derris benthamii* (Thw.) Thw. var. *wightii* (Baker) Thoth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Derris brevipes* (Benth) Baker var. *brevipes* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Derris brevipes* (Benth) Baker var. *coriacea* Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Derris canarensis* (Dalz.) Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Derris scandens* (Roxb.) Benth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Derris thothathrii* Bennett and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Derris trifoliata* Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Desmodium alysicarpoides* Van Meeuwen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Desmodium barbatum* (L.) Benth. subsp. *sauiiereri* (Schind.) Ohashi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Desmodium dichotomum* (Willd.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Desmodium dolabriforme*

Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Desmodium ferrugineum* Wall ex Thw. subsp. *ferrugineum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Desmodium ferrugineum* Wall ex Thw. subsp. *wynaadense* (Bedd. ex Gamble) Ohashi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Desmodium gangeticum* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Desmodium heterocarpon* (L.) DC. var. *heterocarpon* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Desmodium heterocarpon* (L.) DC. var. *strigosum* Van Meeuwen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Desmodium heterophyllum* (Willd.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Desmodium laxiflorum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Desmodium laxum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Desmodium microphyllum* (Thunb.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Desmodium oojeinense* (Roxb) Ohashi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Desmodium pryonii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Desmodium pulchellum* (L.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Desmodium repandum* (Vahl) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Desmodium styracifolium* (Osbeck) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Desmodium tortuosum* (Sw.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Desmodium triangulare* (Retz.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Desmodium triflorum* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Desmodium triquetrum* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Desmodium velutinum* (Willd.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Desmodium zonatum* Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dicerma biarticulatum* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dolichos trilobus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dumasia villosa* DC. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dunbaria ferruginea* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dunbaria heynei* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eleiotis monophylla* (Burm.f.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Erythrina crista-galli* L and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Erythrina stricta* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Erythrina suberosa* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Erythrina subumbrans* (Hassk.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Erythrina variegata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Flemingia grahamiana* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Flemingia lineata* (L.) Roxb. Ex Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Flemingia macrophylla* (Willd.) Prain ex Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Flemingia nilgheriensis* (Baker) Wight ex Cooke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Flemingia Semialata* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Flemingia stricta* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Flemingia strobilifera* (L.) R. Br. ex Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on



coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Flemingia tuberosa* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Flemingia wallichii* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Flemingia wightiana* Grahams ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Galactia longifolia* Benth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Galactia tenuiflora* (Klein ex Willd.) Wight & Arn var. *lucida* Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Galactia tenuiflora* (Klein ex Willd.) Wight & Arn var. *villosa* (Wight & Arn.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>. Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Geissaspis cristata* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gliricidia sepium* (Jacq.) Kunth ex Walp. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Glycine max* (L.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hardenbergia comptoniana* (Link) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Indigofera aspalathoides* Vahl ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Indigofera astragalina* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Indigofera barberi* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Indigofera caerulea* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Indigofera cassioides* Rottl. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Indigofera colutea* (Buem. F.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Indigofera constricta* (Thwaites) Trimen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Indigofera cordifolia* Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Indigofera glabra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Indigofera glandulosa* Roxb. ex Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Indigofera hirsuta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Indigofera hochstetteri* Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Indigofera karnatakana*

Sanjappa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Indigofera karuppiana* Pallithanam and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Indigofera linifolia* (L.f.) Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Indigofera linnaei* Ali and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Indigofera longiracemosa* Boiv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Indigofera mysorensis* Rottl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Indigofera nummularifolia* (L.) Skina ex Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Indigofera oblongifolia* Forsk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Indigofera parviflora* Heyne ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Indigofera pedicellata* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Indigofera prostrata* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Indigofera spicata* Forsk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Indigofera stachyodes* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Indigofera tinctoria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Indigofera tirunelvelica* Sanjappa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Indigofera trifoliata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Indigofera trita* L.f. var. *trita* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Indigofera trita* L. f. var. *maffeii* (Chiov.) Ali and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Indigofera trita* L. f. var. *marginulata* Graham ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Indigofera uniflora* Buch. - Ham. ex Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Indigofera vicioides* Jaub. & Spach and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Indigofera wightii* Graham ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Indigofera zollingeriana* Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lablab purpureus* (L.) Sweet

var. *purpureus* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lablab purpureus* (L.) Sweet var. *lignosus* (Prain) Kumari and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Laburnum anagyroides* (L.) Medicus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lathyrus aphaca* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lathyrus latifolius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lathyrus odoratus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lathyrus sativus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lens culinaris* Medicus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Leptodesmia congesta* (Wight) Benth. ex Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lespedeza cuneata* (Dum. Cours.) G. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lonchocarpus violaceus* Oskin and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lupinus angustifolius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lupinus luteus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lupinus pilosus* Murray and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Macroptilium atropurpureum* (DC.) Urban and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Macroptilium lathyroides* (L.) Urban var. *semierectum* (L.) Urban and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Macrotyloma ciliatum* (Willd.) Verdc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Macrotyloma uniflorum* (Lam.) Verdc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Medicago sativa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Melilotus alba* Desv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Millettia racemosa* (Wight & Arn.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Millettia rubiginosa* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Millettia splendens* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mucuna atropurpurea* DC.

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mucuna gigantea* (Willd.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mucuna monosperma* DC. ex Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mucuna pruriens* (L.) DC. var. *pruriens* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mucuna pruriens* (L.) DC. var. *hirsuta* (Wight & Arn.) Wilmot - Dear and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mundulea sericea* (Willd.) A. Cheval and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Neonotonia wightii* (Graham ex Wight & Arn.) Lackey var. *wightii* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Neonotonia wightii* (Wight & Arn.) Lackey var. *coimbatorensis* (Ajita Sen) Karthik. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ormocarpum cochinchinense* (Lour.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ormosia travancorica* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ougeinia oojeinensis* (Roxb.) Hochr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Paracalyx scariosa* (Roxb.) Ali and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Parochetus communis* Buch. - Ham. ex D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Phaseolus coccineus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Phaseolus lunatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Phaseolus vulgaris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Phyllodium pulchellum* (L.) Desv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pisum sativum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pongamia pinnata* (L.) Pierre and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pseudarthria viscida* (L.) Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Psophocarpus tetragonolobus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Psoralea corylifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Psoralea pinnata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pterocarpus marsupium*

Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pterocarpus santalinus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pueraria triloba* (Lour.) Makino and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pueraria tuberosa* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pycnospora lutescens* (Poir.) Schind. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rhynchosia albiflora* (Sims) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rhynchosia aurea* (Willd.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rhynchosia cana* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rhynchosia capitata* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rhynchosia densiflora* (Roth) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rhynchosia filipes* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rhynchosia heynei* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rhynchosia jacobii* Chandrabose & Shetty and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rhynchosia minima* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rhynchosia nummularia* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rhynchosia rothii* Benth ex Aitch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on



coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rhynchosia rufescens* (Willd.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rhynchosia suaveolens* (L.f.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rhynchosia velutina* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rhynchosia viscosa* (Roth) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Robinia pseudo-acacia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rothia indica* (L.) Druce and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sesbania bispinosa* (Jacq.) W. F. Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sesbania grandiflora* (L.)

Poir. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sesbania procumbens* (Roxb.) Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sesbania sesban* (L.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sesbania speciosa* Taub. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Shutteria involucrata* (Wall.) Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Smithia bigemina* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Smithia blKalam* Wall. ex Wight & Arn. var. *blKalam* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Smithia blKalam* Wall. ex Wight & Arn. var. *racemosa* (Heyne ex Wight & Arn.) Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Smithia capitata* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Smithia conferta* Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Smithia gracilis* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Smithia hirsuta* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Smithia sensitiva* Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Smithia setulosa* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sophora glauca* Lesh.ex DC. Ann. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sophora interrupta* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sophora wightii* Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Spartium junceum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Stylosanthes fruticosa* (Retz.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Stylosanthes sunaica* Taub. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tephrosia barberi* Drumm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tephrosia calophylla* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tephrosia candida* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tephrosia canarensis* Drumm.

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tephrosia fusca* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tephrosia hookeriana* Wight & Arn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tephrosia maxima* Pres. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tephrosia pulcherrima* (Wight ex Baker) Drumm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tephrosia pumila* (Lam.) Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tephrosia purpurea* (L.) Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tephrosia spinosa* (L.f.) Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tephrosia strigosa* (Dalz.) Sant. & Mahesh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tephrosia tinctoria* Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tephrosia vegellii* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tephrosia villosa* (L.) Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Teramnus labialis* (L.F.) Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Teramnus mollis* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Trifolium alexandrium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Trifolium cernuum* Brot. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Trifolium dubium* Sibth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Trifolium incarnatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Trifolium pratense* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Trifolium repens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Trifolium subterraneum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Trigonella foenum-graecum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ulex europaeus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Uraria alopecuroides* Wight



and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Uraria lagopodioides* (L.) Desv. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Uraria rufescens* (DC.) Schind. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vicia faba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vicia hirsuta* (L.) S. F. Gray and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vicia sativa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vicia villosa* Roth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vigna aconitifolia* (Jacq.) Marechal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vigna adenantha* (G. F. W. Meyer) Marechal, Mascherpa & Stainier and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vigna bourneae* Ganble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vigna dalzelliana* (Kuntze) Verdc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vigna grahamiana* (Wight & Arn.) Verdc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vigna hosei* (Craib) Backer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vigna khKalamensis* (Sant.) Ragh. & Wadhwa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vigna mungo* (L.) Hepper and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vigna radiata* (L.) Wilczek var. *radiata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vigna radiata* (L.) Wilczek var. *sublobata* (Roxb.) Verdc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vigna subramaniana* (Raizada) Raizada and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vigna trilobata* (L.) Verdc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vigna umbellata* (Thunb.) Ohwi & Ohahsi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vigna unguiculata* (L.) Walp. subsp. *cylindrica* (L.) Eselt. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vigna vexillata* (L.) A. Rich. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vigna wightii* Benth. ex Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Virgilia oroboides* (Berg.)

Salter and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Wisteria sinensis* (Sims) Sweet. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Zornia diphylla* (L.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Zornia gibbosa* Span. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Acrocarpus fraxinifolius* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Amherstia nobilis* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bauhinia acuminata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bauhinia malabarica* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bauhinia phenicea* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bauhinia purpurea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bauhinia racemosa* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bauhinia tomentosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bauhinia vahlii* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bauhinia variegata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Brownea grandiceps* Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Brownea macrophylla* Linden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Caesalpinia bonduc* (L.) Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Caesalpinia coriaria* (Jacq.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Caesalpinia cucullata* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Caesalpinia decapetala* (Roth) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Caesalpinia mimosoides* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Caesalpinia pulcherrima* (L.) Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Caesalpinia sappan* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cassia fistula* L. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cassia grandis* L. f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cassia javanica* L. var. *javanica* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cassia javanica* L. var. *nodosa* Buch. - Ham. ex Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cassia javanica* L. var. *renigera* Wall. ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cassia montana* Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cassia roxburghii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cassia siamea* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cassia spectabilis* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ceratonia siliqua* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Chamaecrista absus* (L.) H. Irwin & Barneby and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Chamaecrista auricoma* (Graham ex Benth.) Singh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Chamaecrista kleinii* (Wight & Arn.) K. M. Matthew and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Chamaecrista lechenaultiana* (DC.) O. Deg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Chamaecrista mimosoides* (L.) Green and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Chamaecrista nigricans* (Vahl) Greene and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Chamaecrista pumilla* (Lam.) K. Larsen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cynometra cauliflora* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cynometra travancorica* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Delonix elata* (L.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Delonix regia* (Boj. ex Hook) Rafin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hardwickia binata* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Humboldtia bourdillonii* Prian and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Humboldtia brunonis* Wall.

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Humboldtia decurrens* Bedd. ex Oskin and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Humboldtia unijuga* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Humboldtia vahliana* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Kingiodendron pinnatum* (Roxb. ex DC.) Harms and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Parkinsonia aculeata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Peltophorum africanum* Sond. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Peltophorum pterocarpum* (DC.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pterolobium hexapetalum* (Roth.) Sant. & Wagh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Saraca asoca* (Roxb.) Wilde and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Saraca thaipingensis* Cantley ex. Prain. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Schizolobium parahybum* (Vell.) S. F. Blake and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Senna alata* (L.) Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Senna alexandrina* Gars. ex Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Senna auriculata* (L.) Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Senna didymobotrya* (Fresn.) Irwin & Barneby and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Senna hirsuta* (L.) Irwin & Barneby and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Senna intermedia* (Sharma et al. ) Singh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Senna italica* Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Senna multiglandulosa* (Jacq.) Irwin & Barneby and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Senna occidentalis* (L.) Link and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Senna pallida* (Wall) Irwin & Barneby and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Senna septumtrionalis* (Viv.) Irwin & Barneby and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Senna sophora* (L.) Roxb. and

15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Senna surattensis* (Burm.f) Irwin & Barneby and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Senna timoriensis* (DC.) Irwin & Barneby and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Senna tora* (L.) Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tamarindus indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Acacia armata* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Acacia auriculiformis* A. Cunn ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Acacia baileyana* F. v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Acacia caesia* (L.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Acacia catechu* (L.f.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Acacia chundra* (Roxb. ex Rottl.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Acacia confusa* Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Acacia cultriformis* A. Cunn. ex G. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Acacia concurrens* Pedley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Acacia dealbata* Link and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Acacia decora* Reichb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,



stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Acacia decurrens* (Wendl.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Acacia eburnea* (L.f.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Acacia elata* Cunn. Ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Acacia farnesiana* (L.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Acacia ferruginea* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Acacia grahamii* Vajravelu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Acacia hohenackeri* Craib and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Acacia homalophylla* A.

Cunn. ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Acacia holosericea* A.Cunn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Acacia horrida* (L.f.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Acacia leucophloea* (Roxb.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Acacia longifolia* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Acacia maidenii* F. v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Acacia mearnsii* Wilde and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Acacia melanoxylon* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Acacia myrtifolia* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Acacia neriifolia* A. Cunn. ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Acacia nilotica* (L.) Willd. ex Del. subsp. *indica* (Benth) Brenan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Acacia pennata* (L.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Acacia planifrons* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Acacia podalyriifolia* A. Cunn ex G. Don. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Acacia polyacantha* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Acacia pruinescens* Kurz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Acacia pruinosa* A. Cunn ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Acacia pulchella* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Acacia pycnantha* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Acacia retinodes* Schlecht. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Acacia saligna* (Labill.) H. L. Wendl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Acacia sinuata* (Lour.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Acacia tomentosa* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Acacia torta* (Roxb.) Craib

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Acacia verticillata* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Acacia wightii* Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Adenantha pavonina* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Albizia amara* (Roxb.) Boivin and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Albizia chinensis* (Osbeck.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Albizia lathamii* Hole and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Albizia lebbeck* (L.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Albizia odoratissima* (L.f.) Benth. var. *odoratissima* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Albizia odoratissima* (L.f.) Benth var. *mollis* Benth ex Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Albizia procera* (Roxb.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Albizia Kalamn* (Jacq.) F.v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Albizia thompsonii* Brandis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Archidendron clypearia* (Jack) Nilson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Archidendron monadelphum* (Roxb.)Nielsen var. *monadelphum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Archidendron monadelphum* (Roxb.)Nielsen var. *gracile* (Bedd.) Sanj. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Calliandra brevipes* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Calliandra calothyrsus* Meisn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Calliandra haematocephala* Hassk and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Calliandra inmeris* (L.) Druce and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cathormion umbellatum* (Wall) Kosterm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Desmanthus virgatus* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dichrostachys cinerea* (L.) Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dichrostachys muelleri*



Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dichrostachys santapau* Sebastine & Raman and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Entada pursaetha* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Enterolobium cyclocarpum* Griseb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Haematoxylum campechianum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Leucaena leucocephala* (L.) Gills and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mimosa intsia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mimosa hamata* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mimosa pudica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Neptunia prostrata* (Lam.) Baill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Neptunia plena* (Willd.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Neptunia triquetra* (Willd.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Paraserianthes falcataria* (L.) I.C. Nielsen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Paraserianthes lophantha* (Willd.) I.C. Nielsen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Parkia biglandulosa* Wight Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pithecellobium dulce* (Roxb.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Prosopis cineraria* (L.) Druce and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Prosopis juliflora* (Sw.) Dc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Alchemilla indica* Gard. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Chaenomeles speciosa* (Sweet) Nakai and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cotoneaster bacillaris* Wall ex Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cotoneaster buxifolia* Wall ex Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cotoneaster microphyllus* Wall ex Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cotoneaster transiens* G.

Klotz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eriobotrya japonica* (Thunb.) Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Fragaria chiloensis* (L.) Duchesne and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Fragaria nilgerrensis* Schlecht. ex Gay and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Fragaria vesca* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Kerria japonica* (L.) Dc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Malus baccata* (L.) Borkh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Malus sylvestris* (L.) Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Photinia integrifolia* Lindl. var. *sublanceolata* Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Photinia serratifolia* (Desf.) Kalkman var. *serratifolia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Photinia serratifolia* (Desf.) Kalkman var. *tomentosa* (Gamble) Vivek. & Shetty and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Potentilla indica* (Andr.) Wolf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Potentilla leschenaultiana* Ser. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Potentilla sundaica* (Blume) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Prinsepia utilis* Royle and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Prunus armeniaca* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Prunus avium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Prunus cerasoides* D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Prunus ceylanica* (Wight) Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Prunus domestica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Prunus laurocerasus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Prunus persica* (L.) Batsch and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Prunus salicina* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Prunus serrulata* Lindl. and

15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pyrus communis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Quillaja saponaria* Molina and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rosa banksiae* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rosa brunonii* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rosa x centifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rosa x damascena* Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rosa gigantea* Collett ex Crop. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rosa indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rosa laevigata* Michx. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rosa leschenaultiana* Red. & Thory ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rosa multiflora* Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rubus ellipticus* Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rubus fairholmianus* Gard. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rubus glomeratus* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rubus idaeus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rubus indicus* Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rubus micropetalus* Gard. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rubus niveus* Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rubus racemosus* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rubus rugosus* Smith var. *rugosus* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rubus rugosus* Smith var. *thwaitesii* Focke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Spiraea canescens* D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Spiraea cantoniensis* Lour.

var. cantoniensis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Spiraea cantoniensis* Lour var. *florepleno* Maxim. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Spiraea japonica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Spiraea nipponica* Maxim. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Atuna indica* (Bedd.) Kosterm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Atuna travancorica* (Bedd.) Kosterm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Chrysobalanus icaco* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Saxifraga stolonifera* Meerb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vahlia dichotoma* (Murr.) Bullock and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vahlia digyna* (Retz.) Bullock and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Parnassia mysorensis* Heyne ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Parnassia wightiana* Wall ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Deutzia scabra* Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hydrangea macrophylla* (Thunb.) Ser. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Philadelphus coronarius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Escallonia rubra* (Ruiz & Pav.) Pers. var. *macrantha* Hook. & Arn. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Escallonia montevidensis* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aeonium arboreum* (L.) Webb & Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bryophyllum fedtschenkoi* (Raym.-Hamet & H.Perrier) C.Y.Cheng and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Crassula multicava* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Crassula quadrifida* Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Kalanchoe bhidei* Cooke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Kalanchoe grandiflora* Wall. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Kalanchoe lanceolata* (Forsk.)

Pers. var. lanceolata and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Kalanchoe lanceolata* (Forsk.) Pers. var. *glabra* (Clarke) Srinivasan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Kalanchoe lanceolata* (Forsk.) Pers. var. *glandulosa* (Hochst. ex A. Rich.) Cufod. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Kalanchoe olivacea* Dalz. & Gibs. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Kalanchoe pinnata* (Lam.) Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Kalanchoe schweinfurthii* Penzig and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Kalanchoe tubiflora* Hamet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rochea coccinea* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sedum mexicanum* Britton and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tillaea pentandra* Royle ex Edgew and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Drosera burmannii* Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Drosera indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Drosera peltata* Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Exbucklandia populnea* (R.Br. Ex Griffith) R. W. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Liquidambar styraciflua* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Laurembergia coccinea* (Blume) Kan. var. *coccinea* and 15 wasteland weeds based Green Spray with Vedic Agronomical



practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Laurembergia coccinea* (Blume) Kan. var. *zeylanica* (Arn. ex Clarke) Meyden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Myriophyllum oliganthum* (Wight & Arn.) F. v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Callitriche stagnalis* Scop. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bruguiera cylindrica* (L.) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bruguiera gymnorrhiza* (L.) Savigny and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Carallia brachiata* (Lour.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cassipourea ceylanica* (Gard.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ceriops decandra* (Griff.)

Ding Hou and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cerriops tagal* (Perr.) Robins and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Kandelia candel* (L.) Druce and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rhizophora x annamalayana* Kathir. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rhizophora apiculata* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rhizophora mucronata* Poir. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Anogeissus acuminata* (Roxb. ex DC.) Guill. & Perr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Anogeissus latifolia* (Roxb. Ex DC.) Wall ex Guill. & Perr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Calycopteris floribunda* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Combretum albidum* G. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Combretum coccineum* (Sonner.) Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Combretum nanum* Willd. Buch. - Ham. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lumnitzera racemosa* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Quisqualis indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Quisqualis malabarica* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Terminalia bellirica* (Gaertn.) Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Terminalia catappa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Terminalia chebula* Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Terminalia cuneata* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Terminalia elliptica* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Terminalia gella* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Terminalia pallida* Brandis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Terminalia paniculata* Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Terminalia travancorensis*

Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Acca sellowiana* (Berg) Burret and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Agonis flexuosa* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Angophora costata* (Gaertn.) Britt. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Angophora intermedia* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Angophora lanceolata* Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Angophora subvelutina* F. v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Baeckea virgata* (Forst.) Andr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Callistemon brachyandrus* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Callistemon citrinus* (Curtis) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Callistemon polandii* Bailey and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Callistemon rigidus* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Callistemon salignus* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Callistemon viminalis* (Gaertn.) Don ex Loudon and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eucalyptus alpina* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eucalyptus amygdalina* Labill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eucalyptus blakelyi* Maiden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eucalyptus bosistoana* F. v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eucalyptus botryoides* Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eucalyptus bridgesiana* R. T. Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eucalyptus calophylla* R. Br. ex Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eucalyptus camaldulensis* Dehnh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eucalyptus cephalocarpa* Blakely and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eucalyptus citriodora* Hook.



and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eucalyptus cladocalyx* F. v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eucalyptus crebra* F. v. Muell and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eucalyptus cypellocarpa* L.A.S. Johnson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eucalyptus elata* Dehnh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eucalyptus diversicolor* F. v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eucalyptus eugenoides* Sieb. ex Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eucalyptus ficifolia* F. v. Muell and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eucalyptus globulus* Labill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eucalyptus grandis* W.Hill ex Maiden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eucalyptus hemiphloia* F. v. Muell and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eucalyptus leucadendron* Reinz. ex DeVriese and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eucalyptus leucoxydon* F. v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eucalyptus longifolia* Link & Otto and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eucalyptus macarthurii* Deane & Maiden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eucalyptus maculata* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eucalyptus megacornuta* C. A. Gardener and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eucalyptus microcorys* F. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eucalyptus melliodora* A. Cunn ex Schau. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eucalyptus nitida* Hook. f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eucalyptus nova-anglica* Deane & Maiden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eucalyptus obliqua* L. Her. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eucalyptus ovata* Labill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eucalyptus paniculata* Sm.

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eucalyptus pauciflora* Sieb ex Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eucalyptus pipertia* Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eucalyptus polyanthemus* Schauers and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eucalyptus ptychocarpa* F. v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eucalyptus punctata* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eucalyptus radiata* Sieb. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eucalyptus regnans* F. v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eucalyptus resinifera* Sm and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eucalyptus robusta* Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eucalyptus rossii* R. T. Baker & H. G. Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eucalyptus saligna* Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eucalyptus siderophloia* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eucalyptus sideroxylon* A. Cunn.ex.Woolls and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eucalyptus staigeriana* F. v. Muell. ex Bailey and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eucalyptus tereticornis* Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eucalyptus torelliana* F. v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eucalyptus viminalis* Labill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eugenia bracteata* (Willd.) Roxb ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eugenia calcadensis* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eugenia continifolia* Jacq. subsp. *codyensis* (Munro ex Wight) Ashton and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eugenia discifera* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eugenia floccosa* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eugenia indica* (Wight)

Chithra and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eugenia mabaeoides* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eugenia manickamia* Murugan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eugenia rottleriana* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eugenia singampattiana* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eugenia thwaitesii* Duthie and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eugenia uniflora* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Leptospermum flavescens* Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Leptospermum scoparium* Forst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Leptospermum stellatum* Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lophostemon confertus* (R.Br.) Peter G. Wilson & J.T. Waterh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Melaleuca armillaris* Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Melaleuca hypericifolia* Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Melaleuca leucadendron* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Melaleuca nesophylla* F.v. Muell and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Melaleuca quinquenervia* S. T. Blake and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Melaleuca styphelioides* Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Meteoromyrtus wynaadensis* (Bedd.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Myrtus communis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pimenta dioica* (L.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Psidium cattleianum* Sabine and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Psidium guajava* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rhodomyrtus tomentosa* (Ait.) Hassk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Syncarpia glomerulifera*

(Sm.) Nied. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Syncarpia laurifolia* Tenore and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Syzygium alternifolium* (Wight) Walp. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Syzygium aqueum* (Burm. F.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Syzygium aromaticum* (L.) Merr. & Perry and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Syzygium beddomei* (Duthie) Chithra and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Syzygium benthamianum* (Wight ex Duthie) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Syzygium bourdillonii* (Gamble) Rathakr. & Nair and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Syzygium calophyllifolium* Walp. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Syzygium caryophyllatum* (L.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Syzygium chandrasekharanii* Chandrabose & Chandr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Syzygium courtallense* (Gamble) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Syzygium cumini* (L.) Skeels and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Syzygium densiflorum* Wall ex. Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Syzygium fergusonii* (Trimen) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Syzygium gambleanum* Rathakr. & Chithra and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Syzygium gardneri* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Syzygium hemisphericum* (Wight) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Syzygium jambos* (L.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Syzygium laetum* (Buch. - Ham.) Gandhi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Syzygium lanceolatum* (Lam.) Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Syzygium malabaricum* (Bedd.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Syzygium malaccensis* (L.) Merr. & Perry and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Syzygium megacarpum*

(Craib) Rathakr. & Nair and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Syzygium mundagam* (Bourd.) Chithra and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Syzygium munronii* (Wight) Chandr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Syzygium myhendrae* (Bedd. ex Brandis) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Syzygium rama - varmae* (Bourd.) Chithra and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Syzygium revolutum* (Wight) Walp. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Syzygium rubicundum* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Syzygium scoparium* Wallich and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Syzygium spathulatum* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Syzygium sriganesanii* Ravikumar & Lakshmanan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Syzygium tamilnadensis* Rathakr. & Chithra and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Syzygium travancoricum* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Syzygium venosum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Syzygium zeylanicum* (L.) DC. var. *zeylanicum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Syzygium zeylanicum* (L.) DC. var. *ellipticum* Henry, Chandrabose and Nair and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Syzygium zeylanicum* (L.) DC. var. *lineare* (Duthie) Alston and 15 wasteland weeds based Green Spray with Vedic



Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Syzygium zeylanicum* (L.) DC. var. *megamalayanum* K. Ravik. & Lakshmanan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Couroupita guianensis* Aubl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gustavia superba* Berg and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Barringtonia acutangula* (L.) Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Barringtonia asiatica* (L.) Kurz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Barringtonia racemosa* (L.) Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Careya arborea* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Kendrickia walkeri* (Wight)

Hook. f. ex Triana and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Medinilla beddomei* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Medinilla fuchsioides* Gard. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Medinilla malabarica* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Melastoma malabathricum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Memecylon angustifolium* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Memecylon bremeri* Viswanathan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Memecylon depressum* Benth ex Triana and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Memecylon edule* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Memecylon flavescens* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Memecylon gracile* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Memecylon gracillimum* Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Memecylon grande* Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Memecylon heyneanum* Benth ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Memecylon kollimalayana* Viswanathan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Memecylon lawsonii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Memecylon leucanthemum* Thwaites and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Memecylon lushingtonii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Memecylon manickamii* C. Murugan V. Sundaresan & G.J. Jothi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Memecylon molestum* (Clarke) Cogn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Memecylon mundanthuraianum* Viswanathan & ManikKalamn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Memecylon randerianum* S.M. & M.R. Almeida and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Memecylon rivulare* Bremer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Memecylon rostratum*

Thwaites and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Memecylon sisparens* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Memecylon subcordatum* Cogn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Memecylon subramanii* Henry and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Memecylon talbotianum* Brandis & Lakshmanan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Memecylon tirunelvelicum* Murugan Manickam & Sundaresan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Memecylon umbellatum* Burm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Memecylon varians* Thwaites and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Osbeckia aspera* (L.) Blume var. *aspera* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Osbeckia aspera* (L.) Blume var. *travancorica* (Bedd. ex gamble) Hansen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Osbeckia aspera* (L.) Blume var. *wightiana* (Benth ex Wight & Arn.) Trimen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Osbeckia brachystemon* Naud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Osbeckia buxifolia* Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Osbeckia gracilis* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Osbeckia leschenaultiana* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Osbeckia muralis* Naud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Osbeckia reticulata* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Osbeckia rubicunda* Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Osbeckia parvifolia* Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Osbeckia stellata* Buch. Ham. ex Ker-Gawl. var. *hispidissima* (Wight) Hansen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Osbeckia stellata* Buch. Ham. ex Ker-Gawl. var. *rostrata* (D. Don) Hansen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Osbeckia tirunelvelica* Manickam & Murugan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Osbeckia virgata* D. Don ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Osbeckia wynaadensis* Clarke



and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Osbeckia zeylanica* L f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sonerila brunonis* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sonerila clarkei* Cogn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sonerila devicolamensis* Nayar and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sonerila elegans* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sonerila grandiflora* R. Br. ex Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sonerila inaequalis* Murugan et Manickam and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sonerila kanyakumariana* Gopalan & Henry and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sonerila longipetiolata* Josephine Manickam Murugan Sundaresan & Jothi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sonerila parameswaranii* Ravikumar & Lakshmanan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sonerila pulneyensis* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sonerila rheedii* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sonerila rotundifolia* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sonerila sadasivanii* Nayar and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sonerila speciosa* Zenk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sonerila tenera* Royle and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sonerila tinneveli* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sonerila travancorica* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sonerila versicolor* Wight var. *versicolor* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sonerila versicolor* Wight var. *axillaris* (Wight) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sonerila wallichii* Benn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sonerila zeylanica* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tibouchina urvilleana* (DC.)

Cogn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ammania baccifera* L. subsp. *baccifera* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ammania baccifera* L. subsp. *aegyptiaca* (Willd.) Koehne and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ammania multiflora* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ammania octandra* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cuphea hyssopifolia* Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cuphea ignea* A. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cuphea platycentra* Lemaire and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lagerstroemia indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lagerstroemia microcarpa* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lagerstroemia parviflora* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lagerstroemia reginae* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lawsonia inermis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Nesaea brevipes* Koehne and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Nesaea prostrata* (Ham. ex Dillwyn) Suresh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pemphis acidula* Forst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rotala densiflora* (Roth ex Roem. & Schultes) Koehne and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rotala fimbriata* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rotala illecebroides* (Arn. ex Clarke) Koehne and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rotala indica* (Willd.) Koehne and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rotala macracalam* Koehne and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rotala rosea* (Roiret.) C. Cook and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rotala rotundifolia* (Buch. Ham. Ex D. Don) Koehne and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rotala verticillaris* L. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sonneratia apetala* Buch. - Ham. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Punica granatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Circaea alpina* L. subsp. *imaicola* (Asch. & Magn.) Kitamura and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Fuchsia arborescens* Sims and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Fuchsia boliviana* Carr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Fuchsia magellanica* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ludwigia adscendens* (L.) Hara and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ludwigia hyssopifolia* (G. Don) Exell and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ludwigia octovalvis* (Jacq.) Raven subsp. *sessiliflora* (Mich.) Raven and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ludwigia perennis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ludwigia peruviana* (L.) Hara and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ludwigia prostrata* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Oenothera biennis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Oenothera glazioviana* Mich. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Oenothera nocturna* Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Oenothera odorata* Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Oenothera rosea* Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Oenothera stricta* Ledeb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Oenothera tetraptera* Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Trapa natans* L. var. *bispinosa* (Roxb.) Makino and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Turnera subulata* Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Turnera ulmifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Adenia hondala* (Gaertn.)

Wilde and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Adenia wightiana* (Wall. ex Wight & Arn.) Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Passiflora alba* Link & Otto and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Passiflora antioquiensis* Karsten and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Passiflora caerulea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Passiflora edulis* Sims and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Passiflora foetida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Passiflora holoserica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Passiflora laurifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Passiflora leschenaultii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Passiflora ligularis* Juss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Passiflora mollissima* (H. B. K.) Bailey and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Passiflora quadrangularis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Passiflora suberosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Passiflora subpeltata* Ortega and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Carica papaya* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Benincasa hispida* (Thunb.) Cogn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Citrullus colocynthis* (L.) Schrader and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Citrullus lanatus* (Thunb.) Matsumura & Nakai and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Coccinia grandis* (L.) Voigt and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Corallocarpus epigaeus* (Rottl. & Willd.) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ctenolepis garcinii* (Burm.f.) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cucumis melo* L. var. *melo* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cucumis melo* L. var.

utilissimus (Roxb.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cucumis prophetarum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cucumis sativus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cucumis trigonus* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cucurbita maxima* Duchesne ex Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cucurbita moschata* (Duchesne ex Lam.) Duchesne ex Poir. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cucurbita pepo* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Diplocyclos palmatus* (L.) Jeffrey and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gymnopetalum wightii* Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gynostemma pentaphyllum* (Thunb.) Makino and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Kedrostis courtallensis* (Arn.) Jeffrey and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Kedrostis foetidissima* (Jacq.) Cogn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lagenaria siceraria* (Molina) Standley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Luffa acutangula* (L.) Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Luffa cylindrica* (L.) M.Roem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Momordica charantia* L. var. *charantia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on



coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Momordica charantia* L. var. *muricata* (Willd.) Chakravarty and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Momordica cymbalaria* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Momordica dioica* Roxb. ex Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Momordica subangulata* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mukia leiosperma* (Wight & Arn.) Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mukia maderaspatana* (L.) M. Roem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sechium edule* (Jacq.) Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Solena amplexicaulis* (Lam.)

Gandhi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Solena angulata* (Chakravarty) Babu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Trichosanthes anaimalaiensis* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Trichosanthes cucumerina* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Trichosanthes lobata* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Trichosanthes nervifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Trichosanthes tricuspidata* Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Zehneria maysorensis* (Wight & Arn.) Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Zehneria scabra* (L.f.) Sond. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Zehneria thwaitesii* (Schweinf.) Jeffrey and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Begonia albo-coccinea* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Begonia aliciae* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Begonia anamalayana* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Begonia cordifolia* (Wight) Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Begonia floccifera* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Begonia integrifolia* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Begonia malabarica* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Begonia subpeltata* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tetrameles nudiflora* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cereus pterogonus* Lem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cylindropuntia ramosissima* (Engler) Knuth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Epiphyllum oxypetalum* (DC.) Haw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hylocereus undatus* (Haw.) Britton & Rosc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Nopalea cochenillifera* (L.)

Salm-Dyck and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Opuntia elatior* Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Opuntia ficus - indica* (L.) Miller and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Opuntia stricta* (Haw.) Haw. var. *dillenii* (Ker Gawl.) L. D. Benson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Opuntia vulgaris* Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pereskia aculeata* Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lampranthus spectabilis* (Haw.) N. E. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sesuvium portulacastrum* (L.) L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Trianthema portulacastrum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Trianthema triquetra* Rottl. var. *triquetra* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Trianthema salsoloides* Oliv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Zaleya decandra* (L.) Burm.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Corbichonia decumbens* (Forsk.) Exell and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gisekia pharnaceoides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Glinus lotoides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Glinus oppositifolius* (L.) A. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mollugo cerviana* (L.) Ser. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mollugo disticha* Ser. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mollugo nudicaulis* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mollugo pentaphylla* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mollugo stricta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Anethum graveolens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Apium graveolens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bupleurum distichophyllum*



Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bupleurum plantaginifolium* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bupleurum wightii* Mukh. var. *wightii* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bupleurum wightii* Mukh. var. *ramosissimum* (Wight & Arn.) Chandrabose and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Carum nothum* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Centella asiatica* (L.) Urban and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Coriandrum sativum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cuminum cyminum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Daucus carota* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Foeniculum vulgare* Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Heracleum aquilegifolium* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Heracleum candolleianum* (Wight & Arn.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Heracleum ceylanicum* Gard. ex Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Heracleum courtallense* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Heracleum hookerianum* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Heracleum rigens* Wall ex DC. var. *rigens* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Heracleum rigens* Wall ex DC. var. *elongatum* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Heracleum rigens* Wall ex DC. var. *multiradiatum* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Heracleum sprengelianum* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hydrocotyle conferta* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hydrocotyle javanica* Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hydrocotyle sibthorpioides* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pastinaca sativa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Petroselinum crispum* (Mill.)

Nyman ex auct.non. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Peucedanum anamallayense* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pimpinella candolleana* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pimpinella heyneana* (Wall ex DC.) Kurz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pimpinella leschenaultii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pimpinella pulneyensis* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pimpinella wallichiana* (Miq.) Gandhi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sanicula elata* Buch. - Ham. ex D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Trachyspermum ammi* (L.) Sprague and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Trachyspermum roxburghianum* (DC.) Craib and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vanasushava pedata* (Wight) Mukh. & Constance and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aralia malabarica* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hedera australiana* F. v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hedera helix* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Polyscias acuminata* (Wight) Seem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Polyscias fruticosa* (L.) Harms and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pentapanax leschenaultii* (DC.) Seem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Schefflera capitata* (Wight & Arn.) Harms and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Schefflera clarkiana* Craib. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Schefflera maduraiensis* Ravikumar & Lakshmanan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Schefflera racemosa* (Wight) Harms and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Schefflera rostrata* (Wight) Harms var. *rostrata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Schefflera rostrata* (Wight) Harms var. *micrantha* (Clarke) Mahesh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Schefflera roxburghii* Gamble

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Schefflera stellata* (Gaertn.) Harms and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Schefflera venulosa* (Wight & Arn.) Harms var. *venulosa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Schefflera venulosa* (Wight & Arn.) Harms var. *obliquinervia* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Schefflera wallichiana* (Wight & Arn.) Harms and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tetrapanax papyrifer* (Hook.) Koch and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cornus capitata* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mastixia arborea* (Wight) Bedd. subsp. *arborea* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mastixia arborea* (Wight) Bedd. subsp. *meziana* (Wang.) Matthew and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Alangium salvifolium* (L.f.) Wang. subsp. *salvifolium* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Alangium salvifolium* (L.f.) Wang. subsp. *hexapetalum* (Lam.) Wang and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Diervilla florida* Sieb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lonicera caprifolium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lonicera etrusca* Santi. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lonicera japonica* Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lonicera leschenaultii* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lonicera ligustrina* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lonicera periclymenum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lonicera sempervirens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Viburnum cylindricum* Buch. - Ham. ex D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Viburnum erubescens* Wall. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Viburnum hebanthum* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Viburnum punctatum* Buch. - Ham. ex D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sambucus nigra* L. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Acranthera anamallica* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Acranthera grandiflora* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aidia gardneri* (Thw.) Tirvengadam and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Agrostemma courtallense* Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Agrostemma verticillatum* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Benkara malabarica* (Lam.) Tirvengadam and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Byrsophyllum tetrandrum* (Bedd.) Hook.f. ex Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Canthium angustifolium* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Canthium ficiforme* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Canthium neilgherrense* Wight var. *neilgherrense* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Canthium neilgherrense* Wight var. *chartacea* (Gamble) Swamin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Canthium coromandelicum* (Burm. F.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Canthium rheedii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Canthium travancoricum* (Bedd.) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Catesbaea spinosa* Linn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Catunaregam spinosa* (Thunb.) Tirvengadam and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ceriscoides turgida* (Roxb.) Tirvengadam and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Chassalia curviflora* (Wall. ex Kurz) Thw. var. *ophioxylodes* (Wall.) Deb & Krishna and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cinchona calisaya* Wedd. var. *calisaya* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cinchona calisaya* Wedd. var. *ledgeriana* How. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cinchona officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cinchona succirubra* Pav. ex Klotzsch and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Coffea arabica* L. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Coffea canephora* Pierre ex A. Froehner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Coffea liberica* Bull. ex Hiern var. *dewevrei* (De Wild. & T. Durand) Leburn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Coffea travancorensis* Wall. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Deccania pubescens* (Roth) Tirvengadam var. *pubescens* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Deccania pubescens* (Roth) Tirvengadam var. *candolleana* (Wight & Arn.) Tirvengadam and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dentella repens* (L.) Forst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dentella serpyllifolia* Wall. ex Craib and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Fergusonia tetracocca* (Thw.) Baill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Galium asperifolium* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Galium rotundifolium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gardenia angusta* (L.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gardenia gummifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gardenia latifolia* Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gardenia resinifera* Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Geophila repens* (L.) I.M. Johnston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on



coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Guettarda speciosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Haldina cordifolia* (Roxb.) Ridsdale and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hamelia patens* Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hedyotis affinis* Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hedyotis albo-nervia* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hedyotis anamalayana* (Gamble) R. Rao & Hemadri and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hedyotis articularis* R.Br. ex Wight & Arn. subsp. *articularis* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hedyotis articularis* R.Br. ex

Wight & Arn. subsp. santapau (Shetty & Vivek.) Deb & Dutta and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hedyotis aspera* Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hedyotis auricularia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hedyotis barberi* (Gamble) Henry & Subram. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hedyotis beddomei* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hedyotis biflora* (L.) Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hedyotis brachiata* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hedyotis buxifolia* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hedyotis caerulea* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hedyotis corymbosa* (L.) Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hedyotis devicolamensis* Deb & Dutta and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hedyotis diffusa* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hedyotis erecta* Manilal & Sivar. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hedyotis eualata* (Gamble) Henry & Subram. var. *eualata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hedyotis eualata* (Gamble) Henry & Subram. var. *agastyamalayana* Henry & Subram. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hedyotis gamblei* Henry & Subram. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hedyotis gracilis* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hedyotis graminifolia* L.f. var. *graminifolia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hedyotis graminifolia* L.f. var. *shuteri* (Hook. f.) Deb & Dutta and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hedyotis herbacea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hedyotis hirsutissima* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hedyotis lessertiana* Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hedyotis nitida* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hedyotis ovatifolia* Cav. and

15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hedyotis pruinosa* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hedyotis pterita* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hedyotis puberula* (G.Don) Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hedyotis pumila* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hedyotis purpurascens* Hook.f. var. *purpurascens* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hedyotis purpurascens* Hook.f. var. *pallida* (Gamble) Mohanan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hedyotis ramarowii* (Gamble) R.Rao & Hemadri var. *ramarowii* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hedyotis ramarowii* (Gamble) R. Rao & Hemadri var. *kannikattica* Sundaresan, Manickam, G.J. Jothi & Murugan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hedyotis shettyi* Ravikumar & Lakshmanan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hedyotis sisparensis* Gage and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hedyotis leschenaultiana* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hedyotis swertioides* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hedyotis travancorica* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hedyotis villosostipulata* (Gamble) R. Rao & Hemadri and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hedyotis viscida* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hydrophylax maritima* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hymenodictyon obovatum* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hymenodictyon orixense* (Roxb.) Mabberley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ixora brachiata* Roxb. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ixora coccinea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ixora cuneifolia* Roxb. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ixora elongata* Heyne ex G.Don. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ixora finlaysoniana* Wall. ex



G. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ixora johnsoni* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ixora leucantha* Heyne ex G. Don. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ixora malabarica* (Dennst.) Mabblerley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ixora monticola* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ixora nigricans* R.Br. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ixora notoniana* Wall.ex G. Don. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ixora pavetta* Andr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Knoxia sumatrensis* (Retz.) DC. var. *sumatrensis* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Knoxia sumatrensis* (Retz.) DC. var. *glaberrima* Bhattacharjee & Deb and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Knoxia sumatrensis* (Retz.) DC. var. *hookeriana* Bhattacharjee & Deb and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Knoxia sumatrensis* (Retz.) DC. var. *linearis* (Gamble) Bhattacharjee & Deb and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Knoxia wightiana* Wall. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lasianthus acuminatus* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lasianthus blumeanus* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lasianthus capitulatus* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lasianthus ciliatus* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lasianthus cinereus* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lasianthus dichotomous* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lasianthus jackianus* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lasianthus oblongifolius* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lasianthus parvifolius* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lasianthus rostratus* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lasianthus strigillosus*

Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lasianthus truncatus* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lasianthus venulosus* (Wight & Arn.) Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Luculia grandifolia* Ghose and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Luculia gratissima* Sweet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Luculia pinceana* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mitracarpus villosus* (Sw.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mitragyna parvifolia* (Roxb.) Korth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mitragyna tubulosa* (Arn.) Hav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Morinda citrifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Morinda pubescens* J.E. Smith var. *pubescens* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Morinda pubescens* J.E. Smith var. *tomentosa* Rathna Kumari & Naras. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Morinda pubescens* J.E. Smith var. *stenophylla* (Spreng.) Kumari and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Morinda reticulata* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Morinda umbellata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mussaenda belilla* Buch.-Ham. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mussaenda frondosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mussaenda glabrata* (Hook.f.) Hutchinson ex Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mussaenda hirsutissima* (Hook.f.) Hutchinson ex Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mussaenda tomentosa* Wight ex Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mycetia acuminata* (Wight) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Neanotis decipiens* (Hook.f.) W.H. Lewis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Neanotis hutchinsonii* Deb & R. Dutta and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Neanotis indica* (DC.) W.H.

Lewis var. indica and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Neanotis indica (DC.) W.H. Lewis var. affinis (Wall. ex Wight & Arn.) W.H. Lewis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Neanotis indica (DC.) W.H. Lewis var. deltoidea (Wall. ex Wight & Arn.) W.H. Lewis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Neanotis monosperma (Wall. ex Wight & Arn.) W.H. Lewis var. monosperma and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Neanotis monosperma (Wall. ex Wight & Arn.) W.H. Lewis var. tirunelvelica Henry & Chandrabose and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Neanotis nummularia (Arn.) W.H. Lewis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Neanotis rheedei (Wall. ex Wight & Arn.) W.H. Lewis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Neanotis richardiana (Arn.) W.H. Lewis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Neanotis tubulosa* (G.Don) Mabblerley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Neanotis wightiana* (Wall. ex Wight & Arn.) W.H. Lewis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Neolamarekia cadamba* (Roxb.) Bosser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Neonauclea purpurea* (Roxb.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Neurocalyx calycinus* (R.Br. ex Benn.) Robins. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Nostolachma crassifolia* (Gamble) Deb & Lahiri and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ochreinauclea missionis* (Wall. ex G.Don) Ridsdale and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Octotropis travancorica* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ophiorrhiza barberi* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ophiorrhiza brunonis* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ophiorrhiza eriantha* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ophiorrhiza grandiflora* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ophiorrhiza hirsutula* Wight ex Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ophiorrhiza incarnata* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ophiorrhiza mungos* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ophiorrhiza pectinata* Arn.

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ophiorrhiza pykarensis* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ophiorrhiza roxburghiana* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ophiorrhiza rugosa* Wall. var. *argentea* (Hook.f.) Deb & Mondal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ophiorrhiza rugosa* Wall. var. *merguensis* (Hook.f.) Deb & Mondal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ophiorrhiza rugosa* Wall. var. *prostrata* (D.Don.) Deb & Mondal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ophiorrhiza tirunelvelica* Henry & Subram. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Oxyceros rugulosus* (Thw.) Tirvengadam and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pavetta blKalam* Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pavetta breviflora* DC. var. *breviflora* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pavetta breviflora* DC. var. *ciliolata* Gamble ex Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pavetta breviflora* DC. var. *glaberrima* Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pavetta breviflora* DC. var. *pubescens* Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pavetta breviflora* DC. var. *subcoriacea* Gamble. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pavetta brunonis* Wall. ex G. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pavetta calophylla* Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pavetta hispidula* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pavetta hoheneri* Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pavetta indica* L. var. *indica* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pavetta indica* L. var. *minor* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pavetta indica* L. var. *montana* Thw. ex Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pavetta laeta* Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pavetta oblanceolata* Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pavetta praeterita* Bremek.

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pavetta thomsonii* Bremek. var. *puberula* Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pavetta tomentosa* Roxb. ex J.E. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pavetta wightii* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pavetta zeylanica* (Hook.f.) Gamble var. *zeylanica* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pavetta zeylanica* (Hook.f.) Gamble var. *puberula* Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pentas lanceolata* (Forssk.) Deflers and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pentas zanzibarica* (Klotzsch) Vatke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pleiocraterium verticillare* (Wight & Arn.) Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Portlandia grandiflora* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pseudaiddia speciosa* (Bedd.) Tirv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Psilanthus wightianus* (Wight & Arn.) J. Leroy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Psychotria anamallayana* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Psychotria barberi* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Psychotria beddomei* Deb & Gang. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Psychotria bisulcata* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on



coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Psychotria connata* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Psychotria flavida* Talbot and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Psychotria fosbergii* Sohmer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Psychotria globicephala* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Psychotria johnsonii* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Psychotria macrocarpa* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Psychotria nigra* (Gaertn.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Psychotria nilgiriensis* Deb &

Gang. var. nilgiriensis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Psychotria nilgiriensis* Deb & Gang. var. *astephana* (Hook.f.) Deb & Gang. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Psychotria nudiflora* Wight & Arn. var. *nudiflora* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Psychotria nudiflora* Wight & Arn. var. *latifolia* Deb & Gang. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Psychotria octosulcata* Talbot and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Psychotria sarmentosa* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Psychotria subintegra* (Wight & Arn.) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Psychotria truncata* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Psydrax dicoccos* Gaertn. var. *dicoccos* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Psydrax dicoccos* Gaertn. var. *lanceolatus* (Arn.) Ridsd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Psydrax ficiformis* (Hook.f.) Bridson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Psydrax umbellata* (Wight) Bridson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Richardia brasiliensis* Gomes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Richardia scabra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rubia cordifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Saprosma corymbosum* (Bedd.) Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Saprosma foetens* (Wight) K. Schum. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Saprosma fragrans* (Bedd.) Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Saprosma glomeratum* (Gard.) Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Spermacoce articularis* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Spermacoce assurgens* Ruiz et Pavon and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Spermacoce hispida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Spermacoce latifolia* Aubl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Spermacoce mauritiana* Osea

Gideon ex Verdc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Spermacoce pusilla* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Spermacoce ramanii* Sivarajan & Nair and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Spermacoce ocymoides* Burm.f. var. *ocymoides* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Spermacoce ocymoides* Burm.f. var. *thekkumalensis* (Sivarajan & Joseph) Kumari and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tamilnadia ulginosa* (Retz.) Tirvengadam & Sastre and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tarenna alpestris* (Wight) Balakr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tarenna asiatica* (L.) Kuntze ex K. Schum. var. *asiatica* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tarenna asiatica* (L.) Kuntze ex K. Schum. var. *asiatica forma rigida* (Wight) Raju and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tarenna asiatica* (L.) Kuntze ex K. Schum. var. *montana* (Thw.) Raju and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tarenna canarica* (Bedd.) Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tarenna monosperma* (Wight & Arn.) Raju. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tarenna nilagirica* (Bedd.) Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tricalysia apiocarpa* (Dalz.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tricalysia sphaerocarpa* (Dalz.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Urophyllum ceylanicum* (Wight) Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Wendlandia angustifolia* Wight ex Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Wendlandia thyrsoides* (Schultes) Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Valeriana arnottiana* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Valeriana hookeriana* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Valeriana leschenaultii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Valeriana moonii* Arn.ex Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dipsacus leschenaultii* Coult. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Scabiosa atropurpurea* L. and



15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Acanthospermum hispidum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Achillea millefolium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Acroclinium roseum* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Adenon indicum* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Adenostemma lavenia* (L.) Kuntze var. *lavenia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Adenostemma lavenia* (L.) Kuntze var. *madurensis* (DC.) Panigrahi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Adenostemma lavenia* (L.) Kuntze var. *reticulatum* (DC.) Panigrahi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Adenostemma lavenia* (L.) Kuntze var. *rugosum* (DC.) Ram Lal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ageratina adenophora* (Spreng.) R.King & H. Robinson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ageratum conyzoides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ageratum houstonianum* Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Amberboa ramosa* (Roxb.) Jafri and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Anaphalis aristata* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Anaphalis beddomei* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Anaphalis bournei* Fyson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Anaphalis brevifolia* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Anaphalis busua* (Buch.-Ham.ex D.Don) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Anaphalis elliptica* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Anaphalis lawii* (Hook.f.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Anaphalis leptophylla* (DC.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Anaphalis marcescens* (Wight) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Anaphalis meeboldii* W.W. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Anaphalis neelgerryana* (Sch.

- Bip. ex DC.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Anaphalis notoniana* (DC.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Anaphalis subdecurrens* (DC.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Anaphalis travancorica* W.W.Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Anaphalis wightiana* (DC.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Arctotis venusta* Norl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Argyranthemum frutescens* Sch. Bip. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Artemisia nilagirica* (Clarke) Pamp. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Artemisia japonica* Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Artemisia pallens* Wall. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Artemisia sieversiana* Ehrh. ex Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aster indamellus* Grierson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aster laevis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aster cordifolius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aster rotundifolius* Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bidens biternata* (Lour.) Merr. & Sherff and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bidens pilosa* L. var. *pilosa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bidens pilosa* L. var. *minor* (Blume) Sherff and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bidens triplinervia* H.B.K. var. *macrantha* (Wedd.) Sherff and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Blainvillea acmella* (L.) Philipson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Blepharispermum petiolare* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Blepharispermum subsessile* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Blumea alata* (D.Don) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Blumea aurita* (L.f.) DC. and

15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Blumea barbata* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Blumea Nripatingeriana* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Blumea bifoliata* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Blumea clarkei* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Blumea eriantha* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Blumea fistulosa* (Roxb.) Kurz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Blumea hieracifolia* (D.Don) DC. var. *hieracifolia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Blumea hieracifolia* (D.Don) DC. var. *flexuosa* (Clarke) Randeria and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Blumea hieracifolia* (D.Don) DC. var. *hamiltonii* (DC.) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Blumea hieracifolia* (D.Don) DC. var. *macrostachya* (DC.) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Blumea lacera* (Burm.f.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Blumea lanceolaria* (Roxb.) Druce and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Blumea malcolmii* (Clarke) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Blumea membranacea* Wall. ex DC. var. *membranacea* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Blumea membranacea* Wall. ex DC. var. *jacquemontii* (Hook.f.) Randeria and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Blumea mollis* (D.Don) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Blumea obliqua* (L.) Druce and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Blumea oxyodonta* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Blumea virens* Wall. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Blumea flava* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bracteantha bracteata* (Vent.) Andr. & Haegi var. *bracteata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bracteantha bracteata* (Vent.) Andr. var. *albidum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Calendula officinalis* L. and

15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Callistephus chinensis* (L.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Carpesium cernuum* L. var. *nilagiricum* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Carthamus tinctorius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Centaurea cyanus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Centrantherum punctatum* Cass. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Centipeda minima* (L.) A. Braun & Asch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Chromolaena odorata* (L.) King & Robinson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Chrysanthemum anethifolium* Brouss. ex Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Chrysanthemum coronarium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Elaeagnus angustifolia* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Elaeagnus caudata* SCHLECHT. EX MOMIYAMA caudata and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Elaeagnus conferta* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Elaeagnus hortensis* M. BIEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Elaeagnus indica* SERV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Elaeagnus kologa* SCHLECHT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Elaeagnus latifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Elaeagnus parvifolia* WALL. EX ROYLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Elaeagnus pyriformis* HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Elaeagnus umbellata* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Elaeocarpus floribundus* BLUME NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Elaeocarpus ganitrus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Elaeocarpus lanceolatus* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Elaeocarpus munronii*

(WIGHT.) MAST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Elaeocarpus oblongus GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Elaeocarpus serratus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Elaeocarpus sphaericus (GAERTN.) K.SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Elaeocarpus tuberculatus ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Elaeodendron glaucum PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Elaeodendron roxburghii W. & A. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Elatostema lineolatum WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Elatostema platyphyllum* WEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Elatostema sessile* FORST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eleocharis dulcis* (BURM.F.) TRIN. EX HENSCHEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Elephantopus scaber* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Elettaria cardamomum* MATON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Elettaria cardamomum* MATON major THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Elettaria cardamomum* MATON minor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Elettaria cardamomum* MATON miniscula and 15 wasteland weeds based Green Spray with Vedic Agronomical



practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Elettaria repens* BAILOL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eleusine aegyptiaca* DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eleusine coracana* (L.) GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eleusine indica* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eleutherococcus senticosus* (RUPR. & MAXIM.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Elsholtzia blKalam* (BTH.) BTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Elsholtzia ciliata* (THUNB.) HYLAND. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Elsholtzia densa* BTH. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Elsholtzia pilosa* BTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Elsholtzia polystachya* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Elsholtzia strobilifera* BTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Elytraria acaulis* (L.F.) LINDAU and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Elytrophorus spicatus* (WILLD.) CAMUS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Embelia acutipetalum* (LAM.EX HASSK.) S.M.& M.R. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Embelia ribes* BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Embelia robusta* C.B.CLARK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Embelia subcoriacea* (CL.) MEZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Embelia tsjeriam-cottam* A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Emblica officinalis* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Embryopteris glutinifera* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Emilia javanica* (BURM. F.) C. B. ROBINSON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Emilia sonchifolia* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Engelhardia polystachya* RADLK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Engelhardtia roxburghiana* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Engelhardtia spicata* LESCHEN EX. BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Enhydra fluctuans* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Enhydra fluctuans* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eniada scandens* AUCT. NON BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Enicostemma axillare* (LAM.) RAYNAL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Enicostemma hyssopifolium* (WILLD.) VERDOORN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Enicostemma littorale*

BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Enicostemma verticillatum* (L.) ENGL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Entada phaseoloides* MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Entada pursaetha* DC. *pursaetha* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Entada rheedii* SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Entada scandens* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Enteropogon dolichostachyus* (LAGAS.) KENG EX LAZAR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Epaltes divaricata* (L.) CASS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ephedra equisetina* BUNGE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ephedra gerardiana* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ephedra intermedia* SCHR. & MEY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ephedra major* HOST NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ephedra nevadensis* WATS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ephedra peduncularis* BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ephedra saxatilis* STAPF sikkimensis STAPF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ephedra sinica* STAPF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ephedra vulgaris* HOOK.F. NON A.RICH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ephemerantha macraei* (LINDL.) HUNT & SUMMERH NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Epidendrum retusum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Epidendrum tenuifolium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Epilobium angustifolium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Epilobium hirsutum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Epilobium roseum* SCHREB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Epilobium royleanum*



HOUSSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Epimedium elatum* MORR. & DECNE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Epipactis latifolia* ALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Equisetum arvense* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Equisetum debile* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Equisetum diffusum* DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Equisetum ramosissimum* DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eragrostis amabilis* (L.) WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eragrostis ciliata* NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eragrostis cynosuroides* BEAUV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eragrostis gangetica* (ROXB.) STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eragrostis nutans* (RETZ.) NEES EX STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eragrostis tremula* HOCHST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eragrostis viscosa* TRIN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eranthemum bicolor* SCHRANK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eranthemum nervosum* (VAHL) R. BR. EX ROEM & SCHULTES and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eranthemum purpurascens* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eranthemum roseum* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Erechtites valerianaefolia* (WOLF.) DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eremostachys acanthocalyx* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eremostachys loasifolia* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eremostachys superba* ROYLE EX BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eremostachys vicaryi* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eremurus himalaicus* Baker

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eria calamifolia* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eria pannea* LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Erianthus arundinaceus* (RETZ.) JESWEIT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Erianthus munja* JESW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Erigeron alpinus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Erigeron asteroides* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Erigeron bellidioides* (DON) BTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Erigeron bonariensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Erigeron canadensis* TENORE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Erigeron floribundus* (H.B. & K.) SCH.-BIP. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Erigeron multiradiatus* (DC.) CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Erigeron sublyratus* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eriglossum rubiginosum* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eriobotrya japonica* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eriobotrya latifolia* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eriocaulon setaceum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eriocaulon sexangulare* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eriocaulon sieboldianum* S. & Z. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eriodendron anfractuosum* BC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Erioglossum rubiginosum* (ROXB.) BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eriolaena hookeriana* WT. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eriolaena quinquelocularis* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eriosema chinense* VOG. and

15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Eriosema himalaicum OHASHI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Eritrichium canum (BTH.) KITAMURA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Erodium cicutarium (L.) L'HERT EX AIT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Erodium moschatum L'HERIT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Erophila verna (L.) C.E. MEY. EX GARCKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Eruca sativa GARS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Eruca vesicaria (LINN.) CAV. sativa (mill.)thell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ervatamia coronaria* (JACQ.) STAPF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ervatamia dichotoma* (ROXB.) BLATTER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ervatamia heyneana* T.COOKIE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ervatamia orientalis* (R.BR.) TURR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ervatamia divaricata* (LINN.) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Erycibe paniculata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Erygium caeruleum* BEIB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Erygium coeruleum* BIEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eryngium biebersteinianum* NEVSKI EX BABROV. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eryngium billardieri* DELAR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eryngium caeruleum* BIEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eryngium foetidum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Erysimum altaicum* C.A. MEY. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Erysimum repandum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Erysimum sisymbrioides* C.A. MEY. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Erythraea roxburghii* G.DON

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Erythrina arborescens* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Erythrina corallodendron* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Erythrina fusca* LOUR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Erythrina indica* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Erythrina resupinata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Erythrina stricta* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Erythrina suberosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Erythrina variegata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Erythrina variegata* L. *orientalis* MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Erythronium indicum* ROTTL. EX SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Erythrolum scandens* BL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Erythroxylum coca* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Erythroxylum areolatum* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Erythroxylum lucidum* MOON. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Erythroxylum monogyneum* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Erythroxylum monogynum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Erythroxylum monogynum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Erythroxylum moonii* HOCHR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Erythroxylum retusum* BAUER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Erythroxylum retusum* BAUER. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ethulia conyzoides* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eucalyptus camaldulensis* DENST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eucalyptus citriodora* HK.

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eucalyptus globulus* LABILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eucalyptus resinifera* HORT. ARG. EX MAIDEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Euchresta horsfieldii* (LESCH.) BENNETT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Euchretia buxifolia* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eucomis undulata* AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eugenia aromatica* KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eugenia bracteata* (WILD.) ROXB. EX. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eugenia caryophyllaea* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eugenia hemispherica* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eugenia jambolana* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eugenia jambos* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eugenia malaccensis* BLANCO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eugenia munroii* MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eugenia occidentalis* BOURD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eugenia operculata* SENSU DUTHIE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on



coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eugenia racemosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eugenia spicata* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eugenia uniflora* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eulaliopsis binata* (RETZ.) C.E. HUBBARD and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eulophia Kalammanensis* REICHB.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eulophia campestris* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eulophia cullenii* (WIGHT) BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eulophia dabia* (D.DON)

HOCHR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Eulophia epidendraea (KOENIG) SCHLECHTER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Eulophia explanata LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Eulophia herbacea LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Eulophia nuda LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Eulophia pratensis LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Eulophia ramentacea WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Eulophia spectabilis (DENNST.) SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Euodia lanu-ankenda* (GAERTN.)MERR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Euonymus atropurpureus* JACQ.B.P. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Euonymus crenulatus* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Euonymus hamiltonianus* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Euonymus indicus* HEYNE EX. ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Euonymus javanicus* BL.BIJDR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Euonymus pendulus* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Euonymus serratifolius* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Euonymus theophrasti* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Euonymus tingens* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eupatorium adenophorum* SPRENG and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eupatorium ayapana* VENT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eupatorium birmanicum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eupatorium cannabinum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eupatorium glandulosum* SCH. BIP. EX BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eupatorium odoratum* L.

NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eupatorium perfoliatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eupatorium triplinerve* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Euphorbia acaulis* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Euphorbia antiquorum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Euphorbia atoto* G.FORSTER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Euphorbia barnhartii* CROIZAT, EUPHORB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Euphorbia bombaiensis* SANT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Euphorbia caducifolia* HAINES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Euphorbia chamaesyce* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Euphorbia cognata* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Euphorbia dracunculoides* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Euphorbia fusiformis* BUCHY.-HAM. EX D.DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Euphorbia granulata* FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Euphorbia helioscopia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Euphorbia hirta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Euphorbia hispida* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Euphorbia hypericifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Euphorbia inaequilatera* SOND. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Euphorbia laeta* HEVNE EX ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Euphorbia lathyris* LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Euphorbia ligularia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Euphorbia longan* STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Euphorbia longifolia* D. DON



and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Euphorbia microphylla* HEYNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Euphorbia milii* DESMOUL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Euphorbia neriifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Euphorbia nivulia* BUCH.-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Euphorbia onicrophylla* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Euphorbia orbiculata* H.B.K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Euphorbia pilosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Euphorbia pilulifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Euphorbia prostrata* AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Euphorbia pulcherrima* WILLD. EX KLOT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Euphorbia resinifera* BERQ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Euphorbia rosea* RETZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Euphorbia rothiana* SPR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Euphorbia royleana* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Euphorbia sanguinea* HOCHST. & STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Euphorbia splendens* BOI EX HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Euphorbia stracheyi* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Euphorbia thomsoniana* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Euphorbia thymifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Euphorbia tibetica* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Euphorbia tirucalli* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Euphorbia tortilis* ROTTLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Euphorbia trigona* HAW. and

15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Euphorbia turcomanica* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Euphorbia uniflora* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Euphorbia wallichii* HOOK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Euphorbia longana* LOUR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Euphrasia himalaica* WETTST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Euphrasia odontites* LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Euphrasia officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Euphrasia platyphylla* PENNEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eurya acuminata* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eurya japonica* AUCT. NON THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eurya nitida* KOTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Euryale ferox* SALISB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Euryangium sumbul* KAUFFMAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eurycoma longifolia* JACK. ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Evodia fraxinifolia* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Evodia lunu-ankenda* MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Evodia meliaefolia* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Evodia roxburghiana* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Evodia rutaecarpa* HOOK.F. & TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Evodia trichotoma* (LOUR.) PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Evolvulus alsinoides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Evolvulus emarginatus* BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Evolvulus nummularius* L.

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Exacum bicolor* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Exacum lawii* C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Exacum pedunculatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Exacum tetragonum* ROXB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Excoecaria acerifolia* F. DIDR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Excoecaria agallocha* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Excoecaria crenulata* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Exogonium purga* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Fabiana imbricata* RUIZ & PAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Fagonia arabica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Fagonia bruguieri* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Fagonia cretica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Fagonia indica* L. *schweinfurthii* HADIDI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Fagopyrum cymosum* MEISSN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Fagopyrum dibotrys* (DON) HARA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Fagopyrum esculentum* MOENCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Fagopyrum tataricum* (L.) GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Fagraea ceilanica* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Fagraea imperialis* MIQ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Fagraea obovata* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Fagraea racemosa* JACK, ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Farsetia aegyptiaca* TURRA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Farsetia edgeworthii* HOOK.

F. & THOMS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Farsetia hamiltonii* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Farsetia jacquemontii* HOOK. F. & TH. *jacquemontii* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Farsetia jacquemontii* HOOK. F. TH. *edgeworthii* (HOOK. F. & TH.) JAFRI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Feronia elephantum* CORREA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Feronia limonia* (L.) SWINGLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ferula alliacea* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ferula assa-foetida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ferula foetida* REGEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ferula galbaniflua* BOISS. & BUHSE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ferula jaeschkeana* VATKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ferula narthex* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ferula orientalis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ferula persica* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ferula suaveolens* AITCH. & HEMSEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ferula sumbul* HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ferula thomsoni* C.B.CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Festuca indica* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Fibraurea chloroleuca* Miers and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Fibraurea tinctoria* LOUR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ficus altissima* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ficus amplissima* SMITH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ficus arnottiana* (MIQ.) MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ficus asperima* ROXB. and

15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ficus auriculata* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ficus bengalensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ficus benjamina* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ficus callosa* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ficus carica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ficus cunia* HAM. EX ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ficus dalhousiae* MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ficus drupacea* THUNB. pubescens (ROTH) CORNER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ficus elastica* ROXB. EX. HORNEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ficus exasperata* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ficus fistulosa* REINW. EX BI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ficus fulva* REINW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ficus gibbosa* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ficus glabella* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ficus glomerata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,



stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ficus heterophylla* L. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ficus hirta* VAHL NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ficus hispida* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ficus indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ficus infectoria* SENSU ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ficus lacor* BUCH.- HAM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ficus lacor* BUCH.- HAM. *infectoria* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ficus lacor* BUCH.- HAM.

lambertiana and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Ficus lacor BUCH.- HAM. wightiana and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Ficus lucescens BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Ficus microcarpa L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Ficus mollis VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Ficus oppositifolia ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Ficus palmata FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Ficus racemosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ficus religiosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ficus retusa* AUCT. NON L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ficus ribes* REINW. EX BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ficus rumphii* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ficus scandens* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ficus semicordata* BUCH. EX J. E. SMITH conglomerata (ROXB.) CORNER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ficus talboti* G.KING and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ficus tinctoria* FORST. F. parasitica parasitica (WILLD.) CORNER and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ficus tinctoria* FORST. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ficus tomentosa* ROXB. EX WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ficus tsiela* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ficus tsjakela* BURM .F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ficus virens* AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ficus wightiana* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Filago arvensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Filicium decipiens* (WIGHT

& ARN.) THW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Fimbristylis annua* (ALL.) ROOM & SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Fimbristylis argentea* (ROTTB.) VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Fimbristylis bisumbellata* (FORSK.) BUB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Fimbristylis diphylla* VAHL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Fimbristylis falcata* (VAHL) KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Fimbristylis junciformis* KUNTH ENUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Fimbristylis miliacea* L. & VAHL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Fimbristylis ovata* (BURM.F.) KERN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Fimbristylis polytrichoides* (RELZ.) R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Fimbristylis sietiniana* KUNTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Fioria vitifolia* (L.) MATTEI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Firmiana colorata* (ROXB.) R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Fissendocarpa linifolia* (VAHL) BENNET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Fissistigma polyanthum* MERR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Flacourtia cataphracta* ROXB. EX WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Flacourtia indica* (BURM.F.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Flacourtia jangomas* (LOUR.) RAEUSCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Flacourtia ramontchi* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Flacourtia sapida* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Flacourtia sepiaria* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Flagellaria indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Flaveria australasica* HOOK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Flemingia bracteata* (ROXB.)



WIGHT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Flemingia chappar* BUCH.-HAM. EX BTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Flemingia congesta* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Flemingia grahamiana* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Flemingia macrophylla* (WILLD.) O.KTZE. EX MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Flemingia nana* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Flemingia paniculata* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Flemingia procumbens* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Flemingia semialata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Flemingia stricta* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Flemingia strobilifera* (L.) R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Flemingia tuberosa* DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Flemingia wightiana* GRAHAM EX WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Fleurya interrupta* (L.) GAUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Flickingeria fugax* (RCHB.F.)SEODEMF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Flickingeria macraei* (LINDL.) BENNET and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Flickingeria nodosa* (DALZ.) SEIDENF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Floscopa scandens* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Fluegea leucopyrus* WIGHT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Flueggea leucopyrus* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Flueggea microcarpa* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Flueggea virosa* BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Foeniculum capillaceum* GILB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Foeniculum vulgare*

GAERTN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Foeniculum vulgare* GAERTN dulce and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Fomes officinalis* (VIII EX. FR.) LLOYD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Fortunella japonica* (THUNB.) SWINGLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Fragaria indica* ANDR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Fragaria nilgherrensis* SCHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Francoeria crispa* CASS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Frankenia pulverulenta* L and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Fraxinus excelsior* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Fraxinus floribunda* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Fraxinus hookeri* WENZ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Fraxinus ornus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Fritillaria cirrhosa* D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Fritillaria imperialis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Fritillaria roylei* HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Fucus distichus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Fucus nodosus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Fucus vesiculosus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Fumaria indica* PUGSLEY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Fumaria officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Fumaria parviflora* AUCTION. LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Fumaria vaillantii* LOISEL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Furcraea foetida* (L.) HAW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Fynura bicolour*

(WILLD.)DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Gaillonia aucheri JAUB. & SPACH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Galega purpurea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Galega spinosa L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Galeopsis tetrahit L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Galidium cartilagineum (L.) GAILL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Galinsoga parviflora CAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Galium acutum EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Galium aparine* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Galium asperifolium* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Galium elegans* BLOCKI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Galium mullugo* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Galium rotundifolium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Galium triflorum* MICHX. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Galium verum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ganophyllum falcatum* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Garcinia atroviridis* GRIFF. EX T. ANDER. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Garcinia cambogia* GAERTN. DESR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Garcinia cornea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Garcinia cowa* ROXB. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Garcinia dulcis* KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Garcinia echinocarpa* THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Garcinia gummi-gutta* (L.) ROBS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Garcinia hanburyi* HOOK.F.

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Garcinia heterandra WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Garcinia indica (DUP.) CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Garcinia kydia ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Garcinia mangostana L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Garcinia morella (GAERTN.) DESR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Garcinia pedunculata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Garcinia pictoria ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Garcinia purpurea* G.DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Garcinia rubro-echinata* KOSTERM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Garcinia spicata* (WIGHT & ARN.) HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Garcinia talbotii* RAIZADA EX SANTAPAU. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Garcinia tinctoria* (DC.) W.F. WIGHT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Garcinia travancorica* BEDDOME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Garcinia wightii* T.ANDERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Garcinia xanthochymus* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gardenia augusta* (L.) MERR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gardenia campanulata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gardenia dumetorum* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gardenia floribunda* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gardenia florida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gardenia gummifera* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gardenia incida* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gardenia jasminoides* ELLIS

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gardenia latifolia* AITON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gardenia lucida* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gardenia nummularioides* DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gardenia resinifera* ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gardenia turgida* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Garuga pinnata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gastrochilus longiflora* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gastrochilus pandurata* RIDLEY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gaultheria fragrantissima* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gaultheria nummularioides* D.DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gaultheria procumbens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gaultheria trichophylla* ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gelidium cartilagineum* GAILL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gelonium bifarium* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gelsemium elegans* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,



stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gelsemium semepervirens* AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gemphostemma ovatum* WALL. EX BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gendarussa vulgaris* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Geniosporum gracilo* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Geniosporum prostratum* (L.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Geniosporum tenuiflorum* (L.) MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gentiana algida* PALLAS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gentiana argentea* ROYLE

NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gentiana borealis* GRISEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gentiana carinata* GRISEB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gentiana chirayta* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gentiana decumbens* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gentiana desonasa* (ROTTB.) G. DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gentiana kurroo* ROYLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gentiana lutea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gentiana moorcroftiana* WALL. EX. G. DON. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gentiana olivieri* GRISEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gentiana quadrifaria* Bl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gentiana renella* FRIES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gentiana stipitata* EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gentiana tenella* FRIES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gentiana thianschanica* RUPR. EX KUSN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gentianella moorcroftiana* (WALL. EX GRISEB.) AIRY-SH and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gentianella pedunculata* (ROYLE) H. SM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gentianella tenella* (ROTTB.) BORNER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gentianopsis detonsa* (ROTTB.) MA. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Geodorum densiflorum* (LAM.) SCHLECHTER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Geodorum dilatatum* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Geophila herbacea* KTZE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Geophila reniformis* D. DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Geophila repens* (L.)

I.M.JOHNSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Geranium himalayense KLOT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Geranium lucidum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Geranium mascatense BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Geranium molle L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Geranium nepalense SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Geranium ocellatum CAMB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Geranium pratense L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Geranium pusillum* BURM.F.SPEC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Geranium rivulare* VILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Geranium robertianum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Geranium rotundifolium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Geranium sibiricum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Geranium wallichianum* DON EX SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gerbera gossypina* (ROYLE) BEAUV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gerbera lanuginosa* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gerbera piloselloides* (L.) CASS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Geum alatum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Geum elatum* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Geum roylei* WALL. EX BOLLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Geum urbanum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Giesekia pharnacoides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ginkgo biloba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Girardinia diversifolia*



(LINK) FRIES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Girardinia heterophylla* DECNE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Girardinia leschenaultiana* DECNE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Girardinia zeylanica* DECNE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Girardinia cuspidata* (BL.) PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Girardinia reticulata* THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Girardinia pharnaceoides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Girardinia rotteriformis* GRIFF. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gleditsia sinensis* LAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gleditsia triacanthos* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gleichenia longissima* BURM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Glinus dictamnoides* BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Glinus lotoides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Glinus oppositifolius* (L.) A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gliricidia maculata* (H.B. & K.) STEUD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Globba clarkei* BAKER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Globba marantina* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Globba multiflora* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Globba orixensis* ROXB. ASIAT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Globba pauciflora* KING EX BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Glochidion calocarpem* KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Glochidion calocarpum* KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Glochidion ellipticum* WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Glochidion heyneanum*

WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Glochidion hohenackeri* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Glochidion lanceolarium* VOIGT. NON DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Glochidion multiloculare* MUELL.-ARG. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Glochidion oblatum* HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Glochidion sumatrana* MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Glochidion tomentosum* DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Glochidion zeylanicum* A. JUSS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gloriosa superba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Glossocardia bosvallea* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Glossocardia linearifolia* CASS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Glossogyne bidens* (RETZ.) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Glossogyne pinnatifida* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Glossonema varians* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gluta travancorica* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Glycine labialis* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Glycine max* (L.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Glycine pentaphylla* DLAZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Glycine soja* SIEB. & ZUCC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Glycosmis arborea* (ROXB.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Glycosmis cochinchinensis* PIERRE EX ENGLER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Glycosmis macrocarpa* WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Glycosmis mauritiana* (LAMK.) TANAKA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Glycosmis mauritiana*

(LAMK.) TANAKA Kalammanensis (NARAY.) TANAKA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Glycosmis pentaphylla (RETZ.) DC and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Glycyrrhiza glabra L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Glycyrrhiza glabra L. violace and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Glycyrrhiza radix L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Glycyrrhiza uralensis FISCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Gmelina arborea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Gmelina asiatica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gmelina elliptica* SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gmelina parviflora* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gmelina philippensis* CHAMP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gnaphalium indicum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gnaphalium luteo-album* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gnaphalium polycaulon* PER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gnetum edule* (WILLD.) BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gnetum gnemon* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gnetum montanum* MARKGRAF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gnetum scandens* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gnetum ula* BRONGN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gnidia glauca* STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Goldfussia thomsonii* (NEES) BREMEK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gomphia angustifolia* VAHL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gomphia serrata* (GAERTN.) KANIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gomphostemma crinitum*

WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gomphostemma parviflora* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gomphostemma wallichii* PRAIN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gomphrena celosioides* MART. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gomphrena globosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gonatanthus pumilus* (DON) E. & KRAUSE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Goniothalamus sequipedalis* HK.F.& TH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Goniothalamus waynaadensis* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Goniothalamus wightii* HOOK.F. & THOMAS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gonostegia hirta* (BL.) MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gonystylus macrophyllus* (MIQ.) AIRY SHAW and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Goodyera repens* (L.) R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Goodyera schlectKalamliana* RCHB.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Goodyera secundiflora* (GRIFF.) LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gordonia obtusa* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gossypium acuminatum* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gossypium arboreum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gossypium barbadense* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gossypium herbaceum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gossypium hirsutum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gossypium indicum* TOD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gossypium obtusifolium* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gossypium purpurascens* POIR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gossypium religiosum*

WATT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gossypium stocksii* MAST. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gouania leptostachya* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gouania microcarpa* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gouania tiliaefolia* LAMK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gouania leptostachya* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gracilaria lichenoides* GERV. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Grangea maderaspatana* POIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Graptophyllum hortense* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Graptophyllum pictum* (L.) GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gratiola monniera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Grevillea robusta* A. CUNN. EX R. BR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Grewia abutilifolia* VENT. EX JUSS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Grewia asiatica* L. vestita MASTERS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Grewia asiatica* MAST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Grewia carpinifolia* JUSS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on



coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Grewia elastica* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Grewia helicterifolia* WALL. EX G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Grewia heterotricha* MASTERS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Grewia hirsuta* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Grewia microcos* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Grewia obtusa* WALL. EX GAMBLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Grewia oppositifolia* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Grewia optiva* DRUMMOND

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Grewia orbiculata* ROTTL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Grewia paniculata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Grewia polygama* MAST. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Grewia populifolia* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Grewia rhamnifolia* HEYNE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Grewia rothii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Grewia salvifolia* HEYNE. EX ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Grewia sapida* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Grewia scabrophylla* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Grewia sclerophylla* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Grewia subinaequalis* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Grewia tenax* (FORSK.) FIORI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Grewia tiliaefolia* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Grewia umbellata* AUCT.NON ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Grewia villosa* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Guaiacum officinale* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Guazuma tomentosa* H.B. & K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Guazuma ulmifolia* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Guettarda speciosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Guilandina bonducella* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Guizotia abyssinica* CASS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gymnadenia himalayica* SCHLTR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gymnadenia orchidis*

LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Gymnema aurantiaca WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Gymnema balsamicum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Gymnema hirsutum WT. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Gymnema khKalamlense SANTAPAU and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Gymnema lactiferum R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Gymnema latifolium WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Gymnema montanum (ROXB.) HOOK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gymnema spartium* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gymnema sylvestre* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gymnocladus assamicus* Kanjilal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gymnopetalum cochinchinensis* (LOUR.) KURZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gymnopetalum wightii* WT. & ARN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gymnosporia montana* (ROTH.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gymnosporia royleana* M.LAWS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gymnosporia spinosa* MERILL & ROLFE and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gymnostachyum febrifugum* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gynandropsis gynandra* BRIQUET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gynandropsis pentaphylla* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gynocardia odorata* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gynostemma pentaphyllum* (THUNB.) MAKINO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gynura angulosa* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gynura cusimbua* (D.DON) MOORE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gynura hispida* THW. NULL



and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gynura pseudo-china* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gyrocarpus americanus* JACQ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Habenaria commelinifolia* (ROXB.) LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Habenaria crinifera* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Habenaria diphylla* DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Habenaria edgeworthii* HOOK. F. EX COLLETT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Habenaria grandiflora* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Habenaria intermedia* DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Habenaria longicorniculata* GRAH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Habenaria orchidis* (LINDL.) HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Habenaria ovalifolia* WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Habenaria plantaginea* LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Habenaria rariflora* A.RICH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Habenaria rotundifolia* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Habenaria roxburghii* (PERS.) R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hackelochloa granularis* (L.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Haemanthus multiflorus* MARTYN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Haematoxylon campechianum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hagenia abyssynica* GMEL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Haldina cordifolia* (ROXB.) RIDSDALE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Halophila ovalis* (R.BR.) HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Haloxylon multiflorum* (MOQ.) BUNGE EX BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Haloxylon recurvum* BUNGE

EX BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Haloxylon salicornicum* BUNGE EX BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hamamelis virginiana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hamelia patens* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hamiltonia suaveolens* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Haplanthodes verticillata* (ROXB.) MAJUMDAR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Haplanthus tentaculatus* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Haplanthus verticillata* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hardwickia binata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hardwickia pinnata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Harpagophytum procumbens* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Harpullia arborea* (BLANCO) RADLK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hebanthe paniculata* MART. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hedeoma pulegioides* (L.) PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hedera helix* C.B.CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hedera nepalensis* C. KOCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hedgsonia macrocarpa* (Bl.) COGN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hedychium acuminatum* ROSCOE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hedychium coccineum* HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hedychium coronarium* KOENIG and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hedychium ellipticum* HAMILT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hedychium gardnerianum* SHEPPARD EX KER- GAWLER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hedychium glaucum* ROSC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hedychium gracile* ROXB.

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hedychium marginatum* C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hedychium spicatum* BUCH.-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hedychium wardii* C.E.C. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hedyotis articularis* R.BR. EX WIGHT & ARN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hedyotis auricularia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hedyotis auriculata* (LINN.). AURICULARIA ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hedyotis biflora* (L.) LAMK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hedyotis brachypoda* (DC.) SIVAR. ET AL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hedyotis capitellata* WALL. EX. G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hedyotis corymbosa* (L.) LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hedyotis costata* (ROXB.) KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hedyotis diffusa* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hedyotis glabra* R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hedyotis gracilis* WALL. O.GR. (WALL.) HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hedyotis herbacea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hedyotis hispida* (BENTH.) RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hedyotis lineata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hedyotis pinifolia* WALL. EX G. DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hedyotis pruinosa* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hedyotis puberula* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hedyotis pumila* L.F. O.PU(L.F.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hedyotis scandens* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hedyotis tenelliflora* BLUME

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hedyotis umbellata* (L.) LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hedyotis uncinella* HK. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hedyotis verticillata* (L.) LAMK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hedyotis vestita* R.BR. EX G. DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hedysarium sennoides* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hedysarum alhagi* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hedysarum gangeticum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hedysarum purpureum* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hedysarum sennoides* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hedysarum triflorum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hedysarum tuberosum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Helianthus annuus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Helianthus tuberosus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Helicanthes elastica* (DESR.) DANSER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Helicia excelsa* BLUME. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Helicia robusta* (ROXB.) R. BR. EX BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Helicteres isora* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Helicteres isora* L. *glabrescens* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Helicteres isora* L. *tomentosa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Heliophyllum indicum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Heliotropium bacciferum* FORSK. *tuberculosum* (BOISS.) KAZMI *bacciferum* NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Heliotropium brevifolium* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Heliotropium curassavicum*

L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Heliotropium eichwaldi STEUD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Heliotropium ellipticum LEDEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Heliotropium indicum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Heliotropium keralense SIV. & MANL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Heliotropium ophioglossum BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Heliotropium ovalifolium FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Heliotropium peruvianum L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Heliotropium rariflorum* STOCKS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Heliotropium strigosum* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Heliotropium subulatum* HOCHST. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Heliotropium supinum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Heliotropium tuberosum* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Heliotropium undulatum* VAHL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Heliotropium zeylanicum* HEYNE. EX C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Helixanthera wallichiana* (SCHULT.) DANSER and 15 wasteland weeds based Green Spray with Vedic Agronomical



practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Helleborus niger* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Helleborus viridis* BIEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Helminthostachys zeylanicus* (L.) HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Heltropium ophioglossum* STOCKS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hemarthria compressa* (L.F.) BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hemerocallis fulva* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hemidesmus indicus* (L.) SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hemidictyum ceterach* L. and

15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hemigraphis latebrosa* NESS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hemionitis arifolia* (BURM.) MOORE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Heracleum cachemiricum* C.B. CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Heracleum candicans* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Heracleum candolleianum* (WT. & ARN.) GAMBLE . and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Heracleum canescens* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Heracleum lanatum* MICHX. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Heracleum nepalense* D.DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Heracleum pinda* DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Heracleum pinnatum* C.B. CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Heracleum rigens* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Heracleum wallichii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Heritiera littoralis* AITON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Heritiera minor* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Heritiera papilio* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hermodactylus tuberosus* (L.) MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hernandia ovigera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hernandia peltata* MEISSN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Herniaria glabra* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Herniaria hirsuta* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Herniaria intermedia* (BOISS.) O. KUNTZE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Herpestis monniera* (L.) H.B. & K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hesperethusa alata* (W. & A.)

ALST and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hesperethusa crenulata* (ROXB.) M. ROEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hetaeria obliqua* Bl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Heterophragma quadriloculare* K.SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Heterophragma roxburghii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Heteropogon contortus* (L.) BEAUV. EX R. & S. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Heterostemma piperifolium* KING & GAMBLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Heterostemma tanjorensis* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hevea brasiliensis* (WILLD. EX. JUSS.) MUELL. - HRG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hewittia malabarica* (L.) SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Heylandia latebrosa* D.C. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Heynea sumatrana* MIG. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Heynea trijuga* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hibiscus abelmoschus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hibiscus aculeatus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hibiscus cancellatus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hibiscus canescens* HEYNE EX. WIGHT & ARNOLD and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hibiscus cannabinus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hibiscus esculentus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hibiscus ficulneus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hibiscus furcatus* ROXB. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hibiscus hirtus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hibiscus hispidissimus* GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hibiscus lampas* CAV. and



15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hibiscus lunariifolius* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hibiscus manihot* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hibiscus micranthus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hibiscus mutabilis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hibiscus obtusifolius* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hibiscus ovalifolius* (FORSK.) VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hibiscus platanifolius* (WILLD.) SWEET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hibiscus populneus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hibiscus rosa-sinensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hibiscus sabdariffa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hibiscus surattensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hibiscus syriacus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hibiscus tiliaceus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hibiscus trionum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hibiscus vitifolias* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hibiscus vitifolius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hieracium umbellatum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hieracium virosum* PALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hieracium vulgatum* (FR.) ALMQ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hippocratea indica* WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hippophae rhamnoides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hippophae rhamnoides* L. *saticifolia* (D.DON) SARVETTAZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hippophae salicifolia* DON.

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hippophae tibetana* SCHLECT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hiptage benghalensis* (L.) KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hiptage madagascariensis* GAERTN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hiptage madagascariensis* BAKER. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hiptage madagascariensis* (BI.) COGN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Holarrhena antidysenterica* (ROTH.) A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Holarrhena mitis* R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Holarrhena pubescens* (BUCH.-HAM.) WALLICH EX DO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Holboellia latifolia* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Holigarna arnottiana* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Holigarna ferruginea* MARCHAND and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Holigarna grahamii* (WGT.) KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Holigarna longifolia* BUCH.-HAM. EX ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Holigarna nigra* BOURD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Holmskioldia sanguinea* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Holoptelea integrifolia* (ROXB.) PLANCHON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Holostemma ada-kodien* SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Holostemma annulare* (ROXB.) K.SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Holostemma rheedianum* SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Holostemma rheedii* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Holosteum umbellatum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Homalomena aromatica* SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Homalomena rubescens*

KUNTH ENUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Homonoia retusa* (GRAH. EX WT.) MUELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Homonoia riparia* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hopea glabra* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hopea odorata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hopea parviflora* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hopea ponga* (DENNST.) MABB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hopea wightiana* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hoppea dichotoma* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hordeum vulgare* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hornstedtia costata* (ROXB.) K. SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Horsfieldia glabra* (BL.) WARB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Horsfieldia irya* (GAERTN.) WARB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Horsfieldia kingii* (HK.F.) WARB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Houttuynia cordata* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hovenia acerba* LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hoya carnos* R. BR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hoya globulosa* HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hoya multiflora* BLUME NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hoya ovalifolia* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hoya pendula* WGT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hoya viridiflora* R.BR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hoya wightii* HOOK. F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hugonia mystax* L. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Humboldtia unijuga* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Humboldtia vahliana* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Humulus lupulus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hunteria corymbosa* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hunteria legocii* SKINA NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hunteria zeylanica* (RETZ.) GARDNER EX THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Huperzia phlegmaria* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hura crepitans* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hybanthus enneaspermus* (L.F.) MUELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hyderangea macrophylla* (THUNB.) SER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hydnocarpus alpina* WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hydnocarpus anthelminthica* PIERRE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hydnocarpus castanea* HOOK. F. & THOMS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hydnocarpus inebrians* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hydnocarpus kurzii* (KING) WARB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hydnocarpus laurifolia* (DENNST.) STEUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hydnocarpus macrocarpa* (BEDD.) WARB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hydnocarpus octandra* THW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hydnocarpus pentandra* (BUCH.-HAM.) OKEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hydnocarpus venenata* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hydnocarpus wightiana* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hydnophytum Kalammanense* BECC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hydnophytum formicarum*

JACK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hydrangea arborescens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hydrangea aspera* BUCH.-HAM. EX D. DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hydrangea macrophylla* (THUNB.) SER. *stylosa* (HK.F. & TH.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hydrangea paniculata* SIEB. *grandiflora* SIEB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hydrastis canadensis* POIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hydrilla verticillata* (L.F.) ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hydrocharis dubia* (BL.) BACKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hydrocotyle asiatica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hydrocotyle javanica* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hydrocotyle javanica* THUNB. *PODUNTHA MOLKENBOER* EX C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hydrocotyle rotundifolia* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hydrocotyle sibthorpiodes* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hydrocotyle zeylanica* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hygrophila auriculata* (SCHUMACH.) HEINE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hygrophila erecta* (Burm.f.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,



stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hygrophila heinei* SREEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hygrophila phlomoides* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hygrophila polysperma* (ROXB.) AND. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hygrophila quadrivalvis* (BUCH.-HAM.) NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hygrophila ringens* (L.) R.BR. EX STEUDEL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hygrophila salicifolia* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hygrophila schulli* (HAM.) M.R. & S.M. ALMEIDA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hygrophila spinosa* T.

ANDER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hygroryza aristata* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hymenaea courbaril* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hymenaea hornemannianum* (HAYNE) D. DIETR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hymenocrater sessilifolius* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hymenodictyon excelsum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hymenodictyon obovatum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hymenodictyon orixense* (ROXB.) MABBERLEY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hyoscyamus albus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hyoscyamus muticus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hyoscyamus niger* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hyoscyamus pusillus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hyoscyamus reticulatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hyoscyamus squarrosus* GRIFF. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hypocoum leptocarpum* HOOK. F. & THOMS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hypocoum pendulum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hypocymum procumbens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hyperanthera moringa* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hypericum cernuum* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hypericum chinense* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hypericum elodeoides* CHOIS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hypericum humifusum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hypericum japonicum* THUNB. EX MURR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hypericum laxum* (BL.)

KOIDZUMI NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Hypericum monanthemum HK. F. & TH. EX DYER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Hypericum monogynum L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Hypericum mysurense HEYNE EX. WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Hypericum oblongifolium CHOISY. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Hypericum patulum THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Hypericum perforatum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Hypericum sampsoni HANCE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hypericum uralum* BACH.-HAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hypobathrum microcarpum* (Bl.) Bakh.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hypochaeris glabra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hypodematium crenatum* (FORSK.) KUHN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hypolepis punctata* (THUNB.) METT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hypolytrum nemorum* (VAHL) SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hypoxis aurea* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hypoxis orchioides* KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hyptis brevipes* POIT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hyptis capitata* JACQ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hyptis pectinata* POIT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hyptis suaveolens* POIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hyssopus officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hyssopus parviflora* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ichnocarpus frutescens* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ilex denticulata* WALL. EX.



WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Ilex godajam COLEBR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Ilex paraguariensis A.ST.HIL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Ilex wightiana WALL. EX. WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Illecebrum lanatum ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Illicium anisatum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Illicium griffithii HOOK.F. & TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Illicium religiosum S. & L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Illicium verum* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Illigera appendiculata* BLUME NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Illigera villosa* CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ilysanthes oppositifolia* (ROXB.) URB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ilysanthes reptans* (ROXB.) URB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Impatiens balsamina* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Impatiens brachycentra* KAR. & KIR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Impatiens chinensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Impatiens gigantea* EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Impatiens glandulifera* ROYLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Impatiens latifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Impatiens minor* (DC.) SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Impatiens roylei* WALP. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Impatiens scabrida* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Impatiens tilo* (DC.) SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Impatiens tripetala* ROXB.

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Imperata arundinacea* CYR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Imperata cylindrica* (L.) RAEUSCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Incarvillea emodi* (LINDL.) CHATTERJ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Indigofera angustifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Indigofera anil* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Indigofera argentea* BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Indigofera articulata* GONAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Indigofera aspalathoides* VAHL. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Indigofera astragalina* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Indigofera caerulea* ROXB. caerulea and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Indigofera cassioides* ROTTL. EX DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Indigofera ennaephylla* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Indigofera galegoides* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Indigofera gerardiana* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Indigofera glabra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Indigofera glandulosa* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Indigofera hebeptala* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Indigofera heterantha* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Indigofera hirsuta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Indigofera linifolia* RETZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Indigofera linnaei* ALI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Indigofera nil* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Indigofera nummulariifolia*

(L.) SKINA EX ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Indigofera oblongifolia* FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Indigofera paucifolia* DELILE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Indigofera pulchella* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Indigofera suffruticosa* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Indigofera sumatrana* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Indigofera tinctoria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Indigofera trifoliata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Indigofera trita* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Indigofera uniflora* HAM. EX ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Indoneesiella echicides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Indoneesiella echioides* (L.) SREEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Indoneesiella intermedia* SREEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Intsia bijuga* (Colebr.) O. Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Inula cappa* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Inula cuspidata* C.B. CL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Inula grandiflora* WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Inula grantioides* BOISS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Inula graveolens* DESF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Inula helenium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Inula obtusifolia* KERN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Inula racemosa* HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Inula royleana* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ionidium enneaspermum*

VENT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ionidium suffruticosum* GING. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Iphigenia indica* (L.) KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ipomoea alba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ipomoea aquatica* FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ipomoea asarifolia* (DESR.) ROEM. & SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ipomoea batatas* (L.) LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ipomoea biloba* FORSSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ipomoea bona-nox* HEYNE EX STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ipomoea burmanni* CHOISY NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ipomoea cairica* (L.) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ipomoea campanulata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ipomoea candicans* SWEET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ipomoea carnea* (MART. EX CHOISY) AUSTIN, *fistulosa* (MART. E CHOISY) AUSTIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ipomoea carnea* JACQ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ipomoea coccinea* L and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ipomoea coptica* (L.) ROTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ipomoea cymosa* ROEM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ipomoea dasysperma* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ipomoea digitata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ipomoea dissecta* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ipomoea eriocarpa* R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ipomoea fastigiata* (ROXB.) SWEET NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ipomoea fistulosa* MART EX

CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ipomoea glaberrima* BOJ. EX HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ipomoea grandiflora* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ipomoea hederacea* AUCT. NON JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ipomoea hederifolia* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ipomoea hispida* ROEM. & SCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ipomoea illustris* (CLARKE) PRAIN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ipomoea involucrata* BEAUV. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ipomoea marginata* (DESR.) VERDC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ipomoea mauritiana* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ipomoea maxima* G. DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ipomoea muricata* (L.) JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ipomoea nil* (L.) ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ipomoea obscura* KER.-GAWL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ipomoea paniculata* (L.) R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ipomoea pes-caprae* (L.) R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on



coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ipomoea pes-tigridis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ipomoea petaloidea* CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ipomoea purga* (WEND.) HEYNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ipomoea purpurea* (L.) ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ipomoea quamoclit* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ipomoea reniformis* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ipomoea reptans* (L.) POIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ipomoea sepiaria* ROXB. and

15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ipomoea indica* STAPF. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ipomoea staphylina* R, BR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ipomoea tridentata* (L.) ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ipomoea tuberosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ipomoea turbinata* LAG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ipomoea turpethum* (L.) R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ipomoea uniflora* ROEM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ipomoea violacea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ipomoea vitifolia* SWEET. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Iris decora* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Iris ensata* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Iris florentina* KUNZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Iris foetidissima* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Iris germanica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Iris kashmiriana* BAKER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Iris kemaonesis* D.DON EX ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Iris nepalensis* D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Iris songarica* SCHRENK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Iris versicolor* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Isachne globosa* KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ischaemum muticum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ischaemum pilosum* HACK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ischaemum rugosum*

SALISH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Isopyrum acuminata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Isopyrum anemonoides* KAR. & KIR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Isopyrum thalictroides* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Itea chinensis* HOOK. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ixora acuminata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ixora alba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ixora arborea* ROXB. EX J.E. SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ixora brunnescens* KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ixora coccinea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ixora cuneifolia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ixora grandiflora* Zoll. & Mor. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ixora nigricans* BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ixora notoniana* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ixora parviflora* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ixora pavetta* ANDR. BOT. REPOS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ixora polyantha* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ixora sub-sessilis* WALL. EX G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ixora undulata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *JacarKalam acutifolia* HUMB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Jacobinia tinctoria* HEMSL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Jaeschkea gentianoides* KURZ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Jaeschkea oligosperma* (GRISEB.) KNOBL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Janakia arayalpathra* JOSEPH



& CHANDRASHEKARAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Jasminum amplexicaule* BUCH.-HAM. EX G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Jasminum anastomozans* WALL. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Jasminum angustifolium* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Jasminum arborescens* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Jasminum auriculatum* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Jasminum azoricum* L. azoricum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Jasminum bignoniaceum* WALL. EX. G. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Jasminum calophyllum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Jasminum chrysanthemum* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Jasminum cuspidatum* ROTTL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Jasminum diversifolium* KOBUSKI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Jasminum flexile* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Jasminum grandiflorum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Jasminum humile* SENSU CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Jasminum malabaricum* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Jasminum multiflorum* (BURM.F.) ANDR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Jasminum nervosum* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Jasminum officinale* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Jasminum pubescens* (RETZ.) WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Jasminum ritchiei* CLARKE IN HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Jasminum rotterianum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Jasminum sambac* (L.) AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Jasminum sambac* AIT.

heyneana WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Jasminum scandens* VAHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Jasminum subhumila* W.W. SMITH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Jasminum trichotomum* HEYNE. EX ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Jasminum undulatum* KER-GAWLER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Jateorhiza palmata* (LAM.) MIERS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Jatropha curcas* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Jatropha glandulifera* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Jatropha glandulosa* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Jatropha glauca* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Jatropha gossypifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Jatropha montana* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Jatropha multifida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Jatropha nana* DALZ. & GIBS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Jatropha panduraefolia* ANDR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Joannesia princeps* VELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Juglans regia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Juglans regia* L. *kumaonia* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Juncellus inundatus* CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Juncus inflexus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Juncus lampocarpus* EHRH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Juncus prismatocarpus* R. BR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Juniperus communis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Juniperus excelsa* BIEB. and

15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Juniperus indica* BERTOL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Juniperus macropoda* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Juniperus polycarpus* C. KOCH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Juniperus recurva* BUCH.-HAM. EX D. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Juniperus wallichiana* HOOK.F. EX PARL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Jurinea dolomiaea* BOISS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Jurinea himalaica* STEWART NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Jurinea macrocephala* (ROYLE) CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Jurinea macrophylla* BTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Jussiaea repens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Jussiaea suffruticosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Jussiaea tenella* BURM. F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Justicia acaulis* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Justicia adhatoda* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Justicia beddomei* (CL.) BENNET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Justicia betonica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Justicia bicalyculata* VAHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Justicia bilvalvis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Justicia ecboium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Justicia gendarussa* BURM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Justicia madurensis* BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Justicia nasuta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Justicia paniculata* (VAHL)

CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Justicia picta* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Justicia procumbens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Justicia prostrata* (CL.) GAMBLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Justicia quinqueangularis* KOEN. EX. ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Justicia repens* DELESS. EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Justicia simplex* DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Justicia tranquebariensis* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Justicia vasculosa* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Kaempferia angustifolia* ROSC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Kaempferia galanga* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Kaempferia rotunda* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Kalanchoe integra* (MEDIK.) KUNTZE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Kalanchoe laciniata* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Kalanchoe pinnata* (LAM.) PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Kalanchoe rosea* C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Kalanchoe spathulata* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Kallstroemia pubescens* (DON) DANDY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Kametia caryophyllata* (ROXB.) NICOL. & SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Kandelia candel* (L.) DRUCE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Kandelia rheedei* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Kandelia rheedii* W.&A. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Kedrostis foetidissima* (JACQ.) COGN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Kedrostis rostrata* (ROTTL.)

COGN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Kickxia ramosissima* (WALL.) JANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Kigelia africana* (LAMK.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Kigelia pinnata* (JACQ.) DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Kingiodendron pinnatum* (ROXB. EX DC.) HARMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Kirganelia reticulata* BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Kleinhovia hospita* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Kleinia grandiflora* (WALL. EX DC.) RANI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Knema angustifolia* (ROXB.) WARB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Knema attenuata* (WALL.) WARB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Knema erratica* (HOOK.F. & TH.) SINCLAIR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Knema linifolia* (ROXB.) WARB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Knoxia brachycarpa* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Knoxia corymbosa* WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Knoxia roxburghii* (SPRENG.) M.A. RAU and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Knoxia sumatrensis* (RETZ.) DC. hookeriana BHATTACHARJEE & DEB and 15 wasteland weeds based Green Spray with



Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Kochia indica* WGT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Kochia scoparia* (L.) SCHRAD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Kochia sedoides* SCHRAD NEUES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Koelpinia linearis* PALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Kokoona zeylanica* THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Kopsia flavida* BLUME. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Kopsia fruticosa* A. DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Kurrimia bipartita* M.LAWS.

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Kydia calycina* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Kyllinga brevifolia* ROTTB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Kyllinga monocephala* ROTTB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Kyllinga nemoralis* HUTCH. & DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Kyllinga squamulata* VAHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Kyllinga triceps* ROTTB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lablab purpureus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lactuca dissecta* D.DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lactuca gracilis* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lactuca heyneana* D.C. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lactuca indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lactuca orientalis* (BOISS.) BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lactuca remotiflora* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lactuca runcinata* DC and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lactuca sativa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lactuca scariola* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lactuca serriola* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lactuca tatarica* C.A.REY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lactuca virosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lagascea mollis* CAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lagascea spinosissima* COV. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lagenandra ovata* (L.) THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lagenandra toxicaria* (L.)

THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lagenaria leucantha* RUSBY. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lagenaria siceraria* (MOLINA) STANDLEY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lagenaria vulgaris* SER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lagerstroemia flos-reginae* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lagerstroemia hirsuta* (LAM.) WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lagerstroemia indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lagerstroemia lanceolata* WALL. EX. WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lagerstroemia microcarpa* W. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lagerstroemia parir-flosh* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lagerstroemia parviflora* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lagerstroemia reginae* PL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lagerstroemia speciosa* (L.) PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Laggera alata* (D.DON) SCH.-BIP. EX OLIVE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Laggera aurita* (WILD.) SCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Laggera crispata* (VAHL) HEP. & WD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Laggera flava* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Laggera pterodonta* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lagotis cashmeriana* (ROYLE) RUPR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lagotis glauca* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lallemantia royleana* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lamarkia aurea* MOENCH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Laminaria saccharina* LAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lamium album* DESF. and 15



wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lamium amplexicaule* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lamprachaenium microcephalum* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lancea tibetica* HK. F. & T. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Lannea coromandelica* (HOUTT.) MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lannea grandis* (DENNST.) ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lansium domesticum* JACK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lantana aculeata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lantana camara* L. *aculeata* (L.) MOLDENKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lantana camara* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lantana indica* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Laportea crenulata* GANDICH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Laportea interrupta* (L.) CHEW and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Larrea tridentata* (SESSE & MOC.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lasia aculeata* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lasia heterophylla* SCHOTT MELET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lasia spinosa* THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lasianthus Kalammanicus* HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lasiosiphon eriocephalus* (MEISNER) DECNE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lasiurus hirsutus* (FORSK.) BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lastrea filix-mas* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lathraea squamaria* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lathyrus altaicus* LED. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lathyrus aphaca* L. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lathyrus inconspicuus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lathyrus luteus* BAKER. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lathyrus odoratus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lathyrus pratensis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lathyrus sativus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lathyrus sphaericus* RETZ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Launaea acaulis* (ROXB.) BABCOCK EX KERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Launaea aspleniifolia* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Launaea capitata* (SPRENG.) DANDY. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Launaea chondrilloides* HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Launaea fallax* (JAUB. & SPACH.) O. KUNTZE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Launaea glomerata* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Launaea nudicaulis* HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Launaea pinnatifida* CASS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Launaea procumbens* (ROXB.) RAMAYYA & RAJAGOPA NULL and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Launaea remotiflora* (DC.) STEBBINS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Launaea resedifolia* (LINN.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Launaea sarmentosa* (WILLD.) ALST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Launea acaulis* (ROXB.) KERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Launea procumbens* (ROXB.) RAM. & RAJ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Launea sarmentosa* ALSTON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Impatiens chandrasekharanii* Chandrabose and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Impatiens chinensis* L. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Impatiens clavicornu* Turez. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Impatiens cordata* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Impatiens crenata* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Impatiens cuspidata* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Impatiens dasysperma* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Impatiens debilis* Turez. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Impatiens denisonii* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Impatiens discolor* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Impatiens diversifolia* Wall ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Impatiens elegans* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Impatiens floribunda* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Impatiens fruticosa* Lesch. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Impatiens gardneriana* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Impatiens goughii* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Impatiens grandis* Heyne and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Impatiens hensloviana* Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Impatiens herbicola* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Impatiens hookeriana* Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Impatiens inconspicua* Benth ex. Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Impatiens jerdoniae* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Impatiens laticornis* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Impatiens latifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Impatiens lawsonii* Hook. and

15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Impatiens lenta* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Impatiens leptura* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Impatiens leschenaultii* (DC.) Wall. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Impatiens levingei* Gamble ex Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Impatiens ligulata* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Impatiens maculata* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Impatiens minor* (DC.) Bennet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Impatiens modesta* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Impatiens munronii* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Impatiens neo-barnesii* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Impatiens nilgirica* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Impatiens oppositifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Impatiens orchioides* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Impatiens parasitica* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Impatiens parvifolia* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Impatiens phoenicea* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Impatiens rufescens* Benth. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Impatiens scabriuscula* Heyne ex Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Impatiens scapiflora* Heyne ex Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Impatiens tangachee* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Impatiens tenella* Heyne ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Impatiens tomentosa* Heyne ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Impatiens travancorica* Bedd.

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Impatiens trichocarpa* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Impatiens umbellata* Heyne ex Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Impatiens uncinata* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Impatiens verticillata* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Impatiens viridiflora* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Impatiens viscida* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Impatiens viscosa* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Impatiens wightiana* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Acronychia pedunculata* (L.) Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aegle marmelos* (L.) Correa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Atalantia monophylla* (L.) Correa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Atalantia racemosa* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Atalantia wightii* Tanaka and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Boenninghausenia albiflora* (Hook.) Reichb. ex Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Chloroxylon swietenia* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,



stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Choisya ternata* Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Citrus aurantifolia* (Christm.) Swingle and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Citrus aurantium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Citrus limon* (L.) Burm.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Citrus maxima* (Burm.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Citrus medica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Citrus nobilis* Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Citrus reticulata* Blanco and

15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Citrus sinensis* (L.) Osbeck. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Clausena austro-indica* B. C. Stone and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Clausena dentata* (Willd.) M. Roem and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Clausena indica* (Dalz.) Oskin and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Clausena lansium* (Lour.) Skeels and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Euodia fraxinifolia* (D. Don.) Hook. f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Euodia lunu-ankenda* (Gaertn.) Merr. var. *lunu-ankenda* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Euodia lunu-ankenda* (Gaertn.) Merr. var. *tirunelvelica* Henry & Chandr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Fortunalla japonica* (Thunb.) Swingle and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Glycosmis angustifolia* Lindl.ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Glycosmis cyanocarpa* (Blume) Spreng. var. *cymosa* Kurz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Glycosmis macrocarpa* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Glycosmis mauritiana* (Lam.) Tanaka and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Glycosmis pentaphylla* (Retz.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Glycosmis tirunelveliensis* Murugan & Manickam and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Limonia acidissima* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Luvunga eleutherandra* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Melicope indica* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Melicope lunu-ankenda* (Gaertn.) T. G. Hartley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Murraya koenigii* (L.) Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Murraya paniculata* (L.) Jack and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Naringi crenulata* (Roxb.) Nicolson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pamburus missionis* (Wight)

Swingle and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Paramignya beddomei* Tanaka and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Paramignya monophylla* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pleiospermium alatum* (Wall ex. Wight & Arn.) Swingle and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ruta chalepensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tetradium fraxinifolia* (Hook.) T. G. Hartley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Toddalia asiatica* (L.) Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Triphasia trifolia* (Burm. f.) P. Wilson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vepris bilocularis* (Wight & Arn.) Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Zanthoxylum armatum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Zanthoxylum ovalifolium* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Zanthoxylum rhetsa* (Roxb.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Zanthoxylum limonellia* (Dennst.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ailanthus excelsa* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ailanthus triphysa* (Dennst.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Quassia amara* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Suriana maritima* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gomphia serrata* (Gaertn.) Kanis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ochna integerrima* (Lour.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ochna jabotapita* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ochna lanceolata* Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ochna obtusata* DC. var. *obtusata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ochna gamblei* King ex Brandis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Boswellia serrata* Roxb. ex



Coleb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bursera penicillata* (Sesse & Moc. ex DC.) Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Canarium strictum* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Canarium vulgare* Leenh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Commiphora berryi* (Arn.) Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Commiphora caudata* (Wight & Arn.) Engler var. *caudata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Commiphora caudata* (Wight & Arn.) Engler var. *pubescens* (Wight & Arn.) K.M. Matthew and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Garuga floribunda* Decne var. *gamblei* (King ex W. W. Sm.) Kalkman and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Garuga pinnata* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aglaia apiocarpa* (Thw.) Hiern and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aglaia barberi* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aglaia bourdillonii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aglaia domestica* (Correa) Pellegrin Lecomte and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aglaia elaeagnoidea* (Juss.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aglaia edulis* (Roxb.) Wall and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aglaia lawii* (Wight) Saldanha and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aglaia tomentosa* Teijsm. & Binn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aglaia odorata* Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aglaia simplicifolia* (Bedd.) Harms and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aphanamixis polystachya* (Wall.) Parker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Azadirachta indica* A. Juss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Chukrasia tabularis* A. Juss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cipadessa baccifera* (Roth) Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dysoxylum binectariferum*

(Roxb.) Hook. f. ex Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dysoxylum ficiforme* (Wight) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dysoxylum malabaricum* Bedd. ex Hiern and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Melia azedarach* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Naregamia alata* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Reinwardtiodendron anamallayanum* (Bedd.) Saldahnha and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sandoricum koetjape* (Burm.f.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Soymida febrifuga* (Roxb.) A. Juss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Swietenia macrophylla* King and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Swietenia mahagoni* (L.) Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Toona ciliata* M. Roem. var. *ciliata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Toona ciliata* M. Roem. var. *pilistila* (C. DC.) Nair & Kumari and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Trichilia connaroides* (Wight & Arn.) Bentvelzen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Turraea villosa* Benn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Walsura trifolia* (A. Juss.) Harms and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Xylocarpus granatum* Koen. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dichapetalum gelonioides* (Roxb.) Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Anacolosia densiflora* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Oxalis scandens* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Oxalis imbricata* Roxb. var. *imbricata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Oxalis imbricata* Roxb. var. *nigrescens* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Strobilanthus ceylanicus* Gard. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ximenia americana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cassia rheedia* Gmel. and

15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Opilia amentacea* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Apodytes dimidiata* E. Meyer ex Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gomphandra coriacea* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gomphandra tetrandra* (Wall ex. Roxb.) Sleumer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Miquelia dentata* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Nothapodytes nimmoniana* (Graham) Mabberley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pyrenacantha volubilis* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sarcostigma kleinii* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Erythrolum populifolium* (Arn.) Mast. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ilex aquifolium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ilex denticulata* Wall ex Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ilex gardneriana* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ilex malabarica* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ilex opaca* Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ilex walkeri* Wight & Gard. ex Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ilex wightiana* Wall ex. Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bhesa indica* (Bedd.) Ding and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cassine glauca* (Rottb.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cassine paniculata* (Wight & Arn.) Loeb.-Callen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Celastrus paniculatus* Willd. var. *paniculatus* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Celastrus paniculatus* Willd. subsp. *dependens* (Wall.) Ding Hou and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Celastrus paniculatus* Willd. subsp. *aggregatus* K.T.Mathew and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Euonymus angulatus* Wight

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Euonymus barberi* C. Murugan & V. S. Manickam and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Euonymus crenulatus* Wall ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Euonymus dichotomous* Heyne ex Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Euonymus indicus* Heyne ex Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Euonymus japonicus* Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Euonymus kanyakumariensis* Murugan & Manickam and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Euonymus paniculatus* Wight ex Lawson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Euonymus serratifolius* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Glyptopetalum grandiflorum* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Glyptopetalum lawsonii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Glyptopetalum zeylanicum* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Loeseneriella bourdillonii* (Gamble) Raju and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Loeseneriella obtusifolia* (Roxb.) A. C. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lophopetalum wightianum* Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Maytenus emarginata* (Willd.) Ding Hou and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Maytenus heyneana* (Roth) Raju & Babu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Maytenus ovatus* (Wall ex Wight & Arn.) Loes. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Maytenus rufa* (Wall.) Hara and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Maytenus wallichiana* (Wight & Arn.) Raju & Babu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Microtropis microcarpa* Wight var. *microcarpa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Microtropis microcarpa* Wight var. *densiflora* Merr. & Freem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Microtropis latifolia* Wight ex Lawson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Microtropis ovalifolia* Wight

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Microtropis ramiflora* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Microtropis stocksii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Microtropis wallichiana* Wight ex Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pleurostylia opposita* (Wall.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Reissantia grahamii* (Wight) Ding Hou and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Reissantia indica* (Willd.) Halle and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Salacia beddomei* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Salacia chinensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Salacia fruticosa* Heyne ex Lawson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Salacia macrosperma* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Salacia oblonga* Wall. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Alphitonia excelsa* Reiss ex Endlicher and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Colletia cruciata* Gill. & Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Colletia ferox* Gill. & Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Colubrina asiatica* (L.) Brongn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on



coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gouania microcarpa* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hovenia acerba* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Maesopsis eminii* Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Noltea africana* (L.) Reichb. ex Harv. & Sond.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pomaderris apetala* Labill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pomaderris lanigera* Sims and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rhamnus cathartica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rhamnus dahuricus* Pall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rhamnus virgatus* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rhamnus wightii* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sageretia hamosa* Brongn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sageretia parviflora* (Klein) G. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Scutia myrtina* (Burm. f.) Kurz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ventilago denticulata* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ventilago gamblei* Suesseng and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ventilago goughii* Gamble

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ventilago madraspatana* Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ziziphus glabrata* Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ziziphus horrida* Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ziziphus incurva* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ziziphus mauritiana* Lam. var. *mauritiana* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ziziphus mauritiana* Lam. var. *fruticosa* (Haines) Sebastine & Balakr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ziziphus nummularia* (Burm.f.) Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ziziphus oenoplia* (L.) Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ziziphus rugosa* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ziziphus xylopyrus* (Retz.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ampelocissus araneosa* (Dalz. & Gibs.) Planch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ampelocissus divaricata* (Wall ex Lawson) Planch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ampelocissus indica* (L.) Planch and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ampelocissus latifolia* (Roxb.) Planch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ampelocissus tomentosa* (Heyne ex Roth) Planch. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ampelocissus wightiana* Shetty & Singhand 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cayratia anemonifolia* (Zipp. Ex Miq.) Suesseng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cayratia auriculata* (Roxb.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cayratia japonica* (Thunb.) Gagnep. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cayratia mollissima* (Wall.) Gagnep. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cayratia pedata* (Lam.) Juss. ex Gagnep. var. *pedata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cayratia pedata* (Lam.) Juss. ex Gagnep. var. *glabra* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cayratia roxburghii* (Wight &

Arn.) Gagnep. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cayratia tenuifolia* (Wight & Arn.) Gagnep. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cayratia trifolia* (L.) Domin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cissus arnottiana* B.V.Shetty & P.Singh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cissus adnata* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cissus discolor* Blume. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cissus latifolia* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cissus glyptocarpa* (Thw.) Planch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cissus heyneana* (Wall. ex Lawson) Planch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cissus quadrangularis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cissus repKalam* Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cissus repens* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cissus vitiginea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cyphostemma setosum* (Roxb.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Parthenocissus neilgherriensis* (Wight) Planch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Parthenocissus semicordata* (Wall.) Planchon var. *roylei* (King) Raizada & Saxina and 15 wasteland weeds based Green



Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tetrastigma gamblei* Shetty & Singh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tetrastigma leucostaphylum* (Dennst.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tetrastigma nilagiricum* (Miq.) Shetty and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tetrastigma sulcatum* (Lawson) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vitis vinifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Leea asiatica* (L.) Ridsdale and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Leea guineensis* G. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Leea indica* (Burm. F. ) Merr.

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Leea macrophylla* Roxb. ex Hornem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Allophylus cobbe* (L.) Raeusch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cardiospermum canescens* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cardiospermum halicacabum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dimocarpus longan* Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dodonaea viscosa* (L.) Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Filicium decipiens* (Wight & Arn.) Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Harpullia arborea* (Blanco) Radlk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lepisanthes erecta* (Thw.) Leenh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lepisanthes senegalensis* (Juss. ex Poir.) Leenh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lepisanthes tetraphylla* (Vahl.) Radlk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Litchi chinensis* Sonner. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Otonephelium stipulaceum* (Bedd.) Radlk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sapindus emarginatus* Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sapindus trifoliata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Schleichera oleosa* (Lour.) Oken and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aesculus indica* (Cambess.) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Acer caesium* Wall. ex Brandis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Acer oblongum* Wall. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Acer pseudo-platanus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Melianthus major* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Turpinia malabarica* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Turpinia cochinchinensis*

(Lour.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Meliosma pinnata* (Roxb.) Maxim. subsp. *barbulata* (Cufod.) Beus. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Meliosma simplicifolia* (Roxb.) Walp. subsp. *simplicifolia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Meliosma simplicifolia* (Roxb.) Walp. subsp. *pungens* (Wall ex Wight & Arn.) Beus. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sabia limoniacea* Wall. ex Hook. F. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Anacardium occidentale* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Buchanania axillaris* (Desr.) Ramam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Buchanania lanzan* Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gluta travancorica* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Holigarna arnottiana* Hook. f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Holigarna beddomei* Hook. f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Holigarna ferruginea* Marchand and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Holigarna grahamii* (Wight) Kurz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Holigarna nigra* Bourd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Lannea coromandelica* (Houtt.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mangifera indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Nothopegia aureo-fulva* Bedd. ex Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Nothopegia beddomei* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Nothopegia colebrookeana* (Wight) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Nothopegia heyneana* (Hook. f.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Nothopegia racemosa* (Dalz.) Ramam. var. *racemosa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Nothopegia racemosa* (Dalz.) Ramam. var. *angustifolia* (Gamble) Chithra and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Nothopegia travancorica* Bedd ex Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Nothopegia vajravelui*



Ravikumar & Lakshmanan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rhus mysorensis* G. Don. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rhus paniculata* Wall. ex Hook. f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rhus tomentosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Schinus molle* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Schinus terebinthifolius* Raddi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Semecarpus anacardium* L. var. *anacardium* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Semecarpus anacardium* L. var. *cuneifolia* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Semecarpus auriculata* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Semecarpus travancorica* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Spondias indica* (Wight & Arn.) Airy Shaw & Forman and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Spondias pinnata* (L.f.) Kurz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Corynocarpus laevigata* Forst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Moringa concanensis* Nimmo ex Gibbs. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Moringa pterygosperma* Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Connarus monocarpus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Connarus sclerocarpus* (Wight & Arn.) Schellenb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Connarus wightii* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ellipanthus tomentosus* Kurz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rourea minor* (Gaertn.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Abrus fruticulosus* Wall. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Abrus precatorius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Abrus pulchellus* Wall ex Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aeschynomene americana* L.

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aeschynomene aspera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aeschynomene indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Alysicarpus beddomei* Schind. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Alysicarpus bupleurifolius* (L.) DC. var. *bupleurifolius* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Alysicarpus bupleurifolius* (L.) Dc. var. *gracilis* (Edgew.) Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Alysicarpus bupleurifolius* (L.) Dc. var. *hybridus* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Alysicarpus heterophyllus* (Benth. ex Baker) Jefri & Ali and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Alysicarpus longifolius* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Alysicarpus monilifer* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Alysicarpus ovalifolius* (Schumac) J. Leon. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Alysicarpus racemosus* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Alysicarpus roxburghianus* Thoth. & Pramanik and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Alysicarpus glumaceus* (Vahl) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Alysicarpus scariosus* Rottler. ex. Spring) Grah. ex Thw. var. *scariosus* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Alysicarpus scariosus* (Rottler. ex. Spring) Grah. ex Thw. var. *pilifer* (Prain) Pramanik & Thoth. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Alysicarpus vaginalis* (L.) DC. var. *vaginalis* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Alysicarpus vaginalis* (L.) DC. var. *stocksii* Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Arachis hypogaea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Butea acuminata* (Benth.) Kurz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Butea monosperma* (Lam.) Taub. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Butea parviflora* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Butea purpurea* (Benth. ex Baker) Blatter and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cajanus albicans* (Wight &

Arn) Maesen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cajanus goensis* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cajanus lineata* (Wight & Arn) van der. Maesen. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cajanus cajan* (L.) Millsp. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cajanus rugosus* (Wight & Arn) Maesen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cajanus scarabaeoides* (L.) Thouars and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cajanus trinervius* (DC.) van der. Maesen. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Calopogonium mucunoides* Desv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Calpurnia aurea* (Ait.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Canavalia cathartica* Thouars and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Canavalia gladiata* (Jacq.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Canavalia maritima* (Aubl.) Thouars and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Canavalia mollis* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Canavalia virosus* (Roxb.) Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Castanospermum australe* A. Cunn. & Fraser ex Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Centrosema pubescens* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Chorizema ilicifolium* Labill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Christia obcordata* (Poir.) Bakh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Christia vespertilionis* (L.f.) Bakh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cicer arietinum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Clanthus puniceus* Soland ex. Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Clitoria ternatea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Laurentia longiflora* (L.) PETERMANN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Laurus cassia* BURM.F. and

15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Laurus cinnamomum* (L.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Laurus nobilis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lavandula bipinnata* KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lavandula burmanni* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lavandula carnosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lavandula stoechas* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lavandula vera* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lavatera kashmiriana* CAMB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lawsonia alba* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lawsonia inermis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lawsonia spinosa* L.. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lechea verticillata* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Leea aequata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Leea alata* EDGEW and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Leea arguata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Leea asiatica* (L.) RIDSDALE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Leea aspera* EDGE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Leea bracteata* CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Leea compactiflora* KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Leea crispa* V. ROYEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Leea guineensis* G. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Leea hirta* ROXB EX HORNEIM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Leea indica* MERILL and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Leea macrophylla* ROXB. EX HORN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Leea robusta* ROXB. HORT. BENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Leea sambucina* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lemanea australis* ATKINS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lemmaphyllum carnosum* (J. SM.) PRESL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lemna globosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lemna obcordata* BOJ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lemna perpusilla* TORREY NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lens culinaris* MEDIC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lens esculenta* MOENCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Leonotis nepetaefolia* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Leontopodium jacotianum* BEAUVERD NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Leonurus cardiaca* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Leonurus hamiltoniana* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Leonurus incurva* DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,



stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Leonurus japonicus* HOUTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Leonurus sibiricus* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Leonurus stelligera* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lepeocercis serrata* TRIM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lepianthes umbellata* (L.) RAF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lepidagathis cristata* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lepidagathis hamiltoniana* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lepidagathis incurva* DON

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lepidagathis pungens* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lepidagathis scariosa* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lepidagathis trinervia* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lepidagathis trinervis* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lepidium apetalum* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lepidium capitatum* HOOK. F. & THOMS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lepidium cartilagineum* (J. MAY.) THELL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lepidium draba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lepidium iberis* L. alba and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lepidium iberis* POLL . and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lepidium latifolium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lepidium perfoliatum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lepidium ruderae* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lepidium sativum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lepidium virginicum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lepionorus sylvestris* BL. BIJDR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lepionurus sylvestris* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lepisanthes Kalammanica* KING and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lepisanthes rubiginosa* (ROXB.) LEENH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lepisanthes tetraphylla* (VAHL) RADLK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Leptadenia pyrotechnica* DCNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Leptadenia reticulata* (RETZ.) WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Leptadenia spartium* WIGHT

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Leptochilus decurrens* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Leptochloa malabarica* (L.) VELDKAMP and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Leptodermis lanceolatus* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Leptonychia heteroclita* (ROXB.) KURZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lespedeza sericea* MIQ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lettsomia aggregata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lettsomia atropurpurea* C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lettsomia elliptica* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lettsomia mysorensis* CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lettsomia nervosa* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lettsomia setosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Leucaena glauca* (L.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Leucas aspera* (WILLD.) SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Leucas capitata* DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Leucas cephalotes* (ROTH.) SPR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Leucas ciliata* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Leucas flaccida* R.BR. *scaberula* (HOOK.F.) SRINIVASAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Leucas indica* (L.) R.BR. EX VATKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Leucas lanata* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Leucas lavandulifolia* J.E. SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Leucas linifolia* SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Leucas martinicensis* (JACQ.) R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Leucas mollissima* WALL.



EX BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Leucas plukenetii* (ROTH) SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Leucas stelligera* WALL. EX BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Leucas stricta* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Leucas urticaefolia* R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Leucas zeylanica* (L.) R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Leuconotis eugenifolia* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Leucosceptrum canum* SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Leucostegia immersa* (HK.) PRESL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Leucostegia nodosa* BEDD.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Leueas rosmarnifolia* CIRUTUMPAI benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Levisticum officinale* W.D.J. KOCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Licuala spinosa* WURMB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ligularia amplexicaule* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ligularia jacquemontiana* (DECNE) RAU and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ligusticum elatum* C.B. CL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ligustrum indicum* (LOUR.) MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ligustrum lucidum* (LOUR.) MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ligustrum nicum* (LOUR.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ligustrum perrottetii* A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ligustrum robustum* BLUME. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lilium candidum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lilium giganteum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lilium martagon* L. NULL

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lilium neilgherrense* LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lilium polyphyllum* DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lilium wallichianum* SCHULT. & SCHULT. F and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Limnanthemum cristatum* GRISEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Limnanthemum indicum* GRISEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Limnanthemum nymphaeoides* LINK FL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Limnophila aromatica* (L.) MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Limnophila gratioloides* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Limnophila gratiissima* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Limnophila indica* (L.) DRUCE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Limnophila polystachya* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Limnophila racemosa* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Limnophila roxburghii* G. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Limnophila rugosa* (ROTH) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Limnophila sessiliflora* (VAHL) BI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Limnophyton obtusifolium* (L.) MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Limodrum spatulatum* WLLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Limonia acidissima* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Limonia alata* W. & A. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Limonia crenulata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Limonium cabulicum* (BOISS.) O. KUNTZE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Linaria cirrhosa* H.K. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Linaria minor* DESF. NULL

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Linaria ramosissima* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lindlofia longiflora* (BENTH.) BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lindenbergia indica* (L.) KTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lindenbergia muraria* (ROXB.) P.BRUCHE. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lindenbergia urticaefolia* LEHM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lindera caudata* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lindera neesiana* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lindera pulcherrima* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lindernia anagallis* (BURM.F.) PENNELL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lindernia antipoda* (L.) ALSTON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lindernia caespitosa* (BL.) PANIGRAHI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lindernia ciliata* (COLESM.) PENNELL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lindernia cordifolia* (COLSM.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lindernia crustacea* (L.) F. V. MUELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lindernia hyssopioides* (L.) HAINES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lindernia oppositifolia* (RETZ.) MUKH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lindernia procumbens* (KROCK.) BORBAS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lindernia pyxidaria* ALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lindernia rotundifolia* (L.) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lindernia ruellioides* (COLSM) PENNEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lindsaea cultrata* (WILLD.) SW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Linociera malabarica* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Linociera ramiflora* (ROXB.)

WALL. EX G. DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Linum perenne L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Linum strictum LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Linum usitatissimum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Liparis nervosa (THUNB.) LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Liparis parviflora LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Lippia alba N.E. BR. EX BRITTON & WILS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Lippia geminata H.B.K. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lippia javanica* (BURM.F.) SPR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lippia nodiflora* MICH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Liquidambar orientalis* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Liquidambar styraciflua* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Liquistum indicum* (LOUR.) NERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Liriodendron tulipifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Litchi chinensis* SONN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lithocarpus pachyphyllus* (KURZ) REHDER. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lithospermum arvense* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lithospermum officinale* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Litsea chinensis* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Litsea citrata* BL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Litsea coriacea* (HEYNE EX. MEISNER) HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Litsea cubeba* (LOUR.) PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Litsea glutimosa* (LOUR.) C.B. ROBINSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Litsea glutinosa* (LOUR.)

ROBINSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Litsea lancifolia HOOK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Litsea monopetala (ROXB.) PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Litsea polyantha JUSS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Litsea quinqueflora (DENNST.) SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Litsea sebifera PERS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Litsea stocksii HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Litsea umbrosa NEES NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Litsea zeylanica* C. & T. NESS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lobelia alsinoides* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lobelia chinensis* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lobelia cordigera* CAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lobelia excelsa* LESCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lobelia inflata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lobelia leschenaultiana* (PRESL) SKOTTSB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lobelia nicotianaefolia* ROTH. EX. R. & S. and 15 wasteland weeds based Green Spray with Vedic Agronomical



practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lobelia pyramidalis* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lobularia maritima* DESV. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lochnera pusilla* K.SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lochnera rosea* REICHB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lodoicea maldivica* (POIR.) PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lodoicea seychellarum* LABILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Loeseneriella obtusifolia* (ROXB.) A.C.SMITH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lomatogonium carinthiacum*

(WULF.) BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lonicera glauca* HK. F. & T. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lonicera japonica* THUNB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lonicera leschenaultii* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lonicera macrantha* (D.DON) SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lonicera semenovii* REGEL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lonicera spinosa* (JACQUEM. EX DECNE) WALP. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lonicera webbiana* WALL. EX DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lophopetalum wallichii* KURZ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Loranthus coriaceus* DESR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Loranthus elasticus* DESR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Loranthus falcatus* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Loranthus longiflorus* DESR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Loranthus pentandrus* HEYNE. EX SCHULT.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lotus corniculatus* LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Loxococcus rupicola* WENDL.& DRUDE and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ludwigia adscendens* (L.) HARA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ludwigia clavelliana* GOMEZ DE LA MAZA & MONLINET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ludwigia hyssopifolia* (DON) EXCELL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ludwigia octovalvis* (JACQ.) RAVEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ludwigia octovalvis* (JACQ.) RAVEN sessiliflora (MICHELI) RAVEN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ludwigia parviflora* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ludwigia perennis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ludwigia peruviana* (L.)

HARA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ludwigia prostrata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Luffa acutangula* (L.) ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Luffa acutangula* ROXB. *amara* (ROXB.) CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Luffa aegyptiaca* MILL. EX. HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Luffa amara* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Luffa cylindrica* (L.) M.J. ROEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Luffa echinata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Luffa graveolens* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Luffa graveolens* ROXB. *longystyla* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Luffa pentandra* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Luffa tuberosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Luffa umbellata* (KLEIN) ROEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Luisia tenuifolia* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lumnitzera racemosa* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lupinus albus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lupinus angustifolius* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lupinus digitatus* FORSK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lupinus luteus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Luvunga eleutherandra* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Luvunga scandens* (BLUME) KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Luzula campestris* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lychnis apetala* L. SP. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lychnis coronaria* LAMK.



NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Lycianthes laevis (DUN.) BITTER SUBTRUNCATA (WALL. EX DUN.) DEB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Lycianthes laevis (DUNAL) BITTER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Lycium barbarum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Lycium europaeum L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Lycium ruthenicum MURR. EX DUNAL NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Lycoperdon gemmatum BATSCH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Lycoperdon pusillum PER. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lycopersicon esculentum* MILL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lycopersicon lycopersicum* (L.) KARST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lycopersicum esculentum* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lycopodium cernuum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lycopodium clavatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lycopodium phlegmaria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lycopus europaeus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lycoris radiata* (L'HERIT.) HERBERT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lygodium circinatum* (BURM) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lygodium flexuosum* (L.) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lygodium japonicum* (THUNB.) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lygodium microphyllum* (CAV.) R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lygodium pinnatifidum* SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lygodium scandens* (L.) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lyonia ovalifolia* (WALL.) DRUDE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Maba bauxifolia* PERS. and

15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Maba buxifolia* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Macadamia ternifolia* F. MUELL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Macaranga denticulata* (BL.) MUELL.-ARG. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Macaranga indica* W. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Macaranga nicobarica* BALAKR. & CHAKRAB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Macaranga peltata* (ROXB.) MUELL.-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Macaranga roxburghii* WRIGHT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Macaranga tanarius* (L.) M. & A. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Macaranga tetracoccus* (ROXB.) KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Machilus bombycina* KING EX HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Machilus macrantha* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Machilus villosa* HK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Maclura pomifera* (RAFIN.) C.K. SCHM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Macropanax dispermus* (BL.) KTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Macrosolen cochinchinensis* (LOUR.) TIEGH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Macrosolen parasiticus* (L.) DANSER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Macrotomia benthamii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Macrotomia perennis* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Macrotomia speciosa* AITCHET HEMST. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Macrotyloma uniflorum* (LAM.) VERDC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Madhuca butyracea* (ROXB.) MACBR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Madhuca diplostemon* (CLARKE) ROYEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Madhuca indica* GMEL. and

15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Madhuca insignis* (RADLK) LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Madhuca longifolia* (KOEN.) MACLER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Madhuca malabarica* (BEDD.) R.N.PARKAR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Madhuca neriifolia* (MOON) LAM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Maerua apetala* (ROTH) JACOBS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Maerua arenaria* HOOK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Maerua oblongifolia* (FORSK.) A.RICH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Maesa chisia* DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Maesa indica* (ROXB.) A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Maesa montana* DC, and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Maesa ramentacea* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Maharanga emodi* (WALL.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mahonia acanthifolia* DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mahonia borealis* TAKEDA NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mahonia leschenaultii* (WALL. EX. WIGHT & ARN.) and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mahonia manipurensis* TAKEDA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mahonia nepaulensis* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mahonia pycnophylla* (FEDDE) TAKEDA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mahonia sikkimensis* TAKEDA NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mahonia simonsii* TAKEDA NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Majorana hortensis* MOENCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Malachra capitata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Malaxis acuminata* D.DON

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Malaxis biloba* (LINDL.) AMES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Malaxis mackinnonii* (DUTHIE) AMES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Malaxis muscifera* (LINDLEY) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Malaxis rheedei* SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Malaxis saprophyta* (KING & PRANTL) TANG & WAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mallotus ferrugineus* (ROXB.) MUELL-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mallotus peltatus* (GEIS.) MUELL.-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mallotus philippensis* (LAM.) MUELL.-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mallotus repandus* (WILLD.) MULL.-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mallotus rhamnifolius* (WILLD.) MULL.-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mallotus tetracoccus* (ROXB.) KURZ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Malpighia glabra* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Malpighia punicifolia* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Malus pumila* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Malus sylvestris* MILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Malva neglecta* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Malva parviflora* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Malva rotundifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Malva sylvestris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Malva verticillata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Malvastrum americanum* (L.) TORR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Malvastrum coromandelianum* GARCKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mammea americana* L. and

15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mammea longifolia* PLANCH. & TRIANA. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mammea suriga* (BUCH.-HAM. EX ROXB.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mandragora autumnalis* SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mandragora officinalis* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mangifera caesia* JACK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mangifera domestica* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mangifera indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mangifera sylvatica* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Manihot esculenta* CRANTZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Manihot utilissima* POHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Manilkara hexandra* (ROXB.) DUBARD and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Manilkara kauki* (L.) DUBJ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Manilkara zapota* (L.) VAN ROYEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Manisuris granularis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Maoutia puya* WEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,



stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mappia foetida* MIERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Maranta arundinacea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Maranta arundinacea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Marchantia palmata* - NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Marchantia polymorpha* - NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mariscus concinnus* SCHRADER EX NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mariscus javanicus* (HOUTT.) MERR. & METCALF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Marlea tomentosa* ENDL.

NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Marrubium vulgare* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Marsdenia brunoniana* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Marsdenia hamiltonii* W. & A. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Marsdenia lucida* EDGEW. EX MADDEN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Marsdenia roylei* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Marsdenia tenacissima* (ROXB.) MOON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Marsdenia tinctoria* R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Marsdenia volubilis* (L.F). and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Marsilea dentata* KUNTZE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Marsilea grandifolia* LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Marsilea minuta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Marsilea quadrifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Martnia diandra* GLOX. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Martynia annua* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Martynia diandra* GLOX. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mastixia assamica* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mastixia arborea* CB. CLARK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mathiola incana* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Matricaria aurea* (Loefl.)Sch. Bip. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Matricaria chamomilla* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Matricaria lasiocarpa* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Matricaria recutita* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Matthiola flavida* BOISS.

NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Matthiola incana* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Matthiola tristis* R.BR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mattiastrium thomsonii* (CL.) KAZMI NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Maytenus emarginata* (WILLD.) DING and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Maytenus heyneana* (ROTHY) RAJU & BABU NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Maytenus senegalensis* (LAM.) EXELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mazus japonicus* (THUNB.) KTZE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mazus pumilus* (BURM.F.) VAN STEENIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Meconopsis aculeata* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Meconopsis nepaulensis* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Meconopsis paniculata* (D.DON) PRAIN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Meconopsis robusta* HK. F. & T. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Meconopsis simplicifolia* (G.DON) WALP. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Meconopsis wallichii* HOOK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mecoropsis napaulensis* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Medicago lupulina* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Medicago minima* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Medicago polymorpha* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Medicago sativa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Megacarpaea polyandra* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Melaleuca alternifolia* (MAIDEN & BETCHE) CHEEL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Melaleuca cajuputi* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Melaleuca leucadendron* L.



and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Melanorrhoea curtisii* OLIV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Melanorrhoea usitata* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Melanorrhoea wallichii* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Melanthesa rhamnoides* (RETZ.) BI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Melanthesa turbinata* (ROXB.) WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Melanthium indicum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Melasma thompsonii* (HK.F.) WETTST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Melastoma affine* D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Melastoma asperum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Melastoma decemfidum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Melastoma malabathricum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Melia azadirachta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Melia azedarach* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Melia composita* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Melia dubia* HIERN, NON CAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Melianthus major* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Melica ciliata* DUTHIE. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Melica jacquemontii* DCNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Melilotus indica* (L.) ALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Melilotus officinalis* (L.) PALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Melilotus parviflora* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Meliosma arnottiana* WALP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Meliosma simplicifolia*

(ROXB.) WALP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Melissa axillaris* (BENTH.) BAKH. F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Melissa officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Melissa parviflora* BENTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Melocalamus compactiflorus* BENTH. F. HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Melocanna bambusoides* TRIN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Melocanna bambusoides* TRIN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Melochia corchorifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Melodinus monogynus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Melothria heterophylla* COGN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Melothria indica* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Melothria maderaspatana* (L.) COGN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Melothria perpusilla* COGN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Melothria scabra* (LINN. F.) PANIGR. ET S.C. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Memecylon amplexicaule* ROXB. *malabarica* CLARKE IN HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Memecylon angustifolium* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Memecylon edule* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Memecylon gracile* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Memecylon heyneanum* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Memecylon malabaricum* (CLARKE) COGN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Memecylon sessile* BENTH. EX WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Memecylon talbotianum* BRANDIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Memecylon umbellatum* BURM. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Menanthes sumatrana* (MIQ.)

BREMEK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Menispermum coeculus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Menispermum columba* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Menispermum cordifolium* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Menispermum glabrum* BRUM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mentha aquatica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mentha arvensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mentha cordifolia* OPHIZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mentha crispa* GARSAULT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mentha dumetorium* SCHULT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mentha longifolia* (L.) HUDS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mentha mulleriana* SCH.-BIP. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mentha niliaca* JACQ. alopecuroides NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mentha piperita* STOKES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mentha pulegium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mentha rotundifolia* (L.) HUDS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mentha sativa* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mentha spicata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mentha sylvestris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mentha verticillata* D.DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mentha viridis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Meriandra benghalensis* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Meriandra strobilifera* BENTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Merremia dissecta* (JACQ.)

HALLIER F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Merremia emarginata* (BURM.F.) HALL.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Merremia gangetica* (L.) CUFO. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Merremia hastata* (DESR. ) HALLIER. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Merremia hederacea* (N.BURM.) H.HALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Merremia mammosa* (LOUR.) HALL. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Merremia peltata* (Linn.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Merremia tridentata* (L.) HAILLIER *tridentata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Merremia tridentata* (L.) HALL. *F. hastata* (DESR.) OOST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Merremia tridentata* (L.) H. HALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Merremia tuberosa* (LINN.) RENDLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Merremia turpethum* RENDLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Merremia umbellata* (L.) HALLIER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Merremia vitifolia* (BURM. F.) HALL. F and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mesembryanthemum crystallinum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mesua ferrea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mesua nagassarium* (BURM.F.) KOSTERM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Metathelypteris gracilescens* (BL.) CHING NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Meyna laxiflora* ROBYNS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Meyna spinosa* ROXB. EX LINK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mezoneuron cucullatum* (ROXB.) WT. AND ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mezoneuron sumatranum* W.A. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Michelia champaca* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Michelia doltsopa* BUCH.-

HAM. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Michelia montana* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Michelia nilagirica* ZENK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Micranthus oppositifolius* WENDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Microcos paniculata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Microglossa pyrifolia* (LAM.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Microglossa volubilis* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Microlepis puberula* VAVR NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Microlepia speluncae* (L.) MOORE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Micromelum hirsutum* OSKIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Micromelum integerrimum* (Buch-Ham) Roem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Micromelum minutum* (FORST. F.) WT. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Micromelum pubescens* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Micromeria biflora* (DON) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Micromeria capitellata* BENTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Micrometum integerrimum* (BUCH.-HAM.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices



on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Micropus xanthopus* (FR.) KUNT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Microhynchus nudicaulis* LESS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Microsorium alternifolium* COPEL.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Microsorium punctatum* (L.) COPEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Microsorium scolopendria* (BURM.F.) COPEL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Microstegium ciliatum* A.CAMUS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Microstylis muscifera* RIDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Microstylis saprophyta* KING

& PANTL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Microstylis versicolor* (LINDL.) ABEYW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Microstylis wallichii* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Microtoena insuavis* (HANCE) PRAIN EX DUNN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Microula tibetica* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mikania cordata* (BURM. F.) R.L. ROBINSON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mikania micrantha* H.B.K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Milium ramosum* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Milium roxburghianum* (GRIFF.) HK. F. & TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Milium tomentosum* (ROXB.) SINCLAIR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Milium velutinum* HOOK. F. & TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Millettia auriculata* BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Millettia caudata* (BENTH.) BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Millettia extensa* (BENTH.) BAKER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Millettia pachycarpa* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Millettia piscidia* WIGHT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Millettia racemosa* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Millingtonia hortensis* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mimosa abstergens* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mimosa amara* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mimosa cineraria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mimosa cinerea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mimosa ferruginea* ROTTLER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mimosa flexuosa* BENTH.

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Mimosa hamata WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Mimosa intsia L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Mimosa invisa MART. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Mimosa lucida ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Mimosa paniculata BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Mimosa pudica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Mimosa pudica L. hispida BRENAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mimosa pudica* L. tetrandra (WILLD.)DC and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mimosa pudica* L. unijuga (DUCHASS. & WALP.)GRISEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mimosa rubicaulis* AUCT. NON LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mimosa rubicaulis* LAMK. himalayana (GAMBLE) DHASHI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mimosa spinisilqua* KLEIN. EX POIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mimosa suma* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mimulus moschatus* DOUGL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mimulus strictus* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mimusops elengi* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mimusops hexandra* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mimusops indica* A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mimusops kauki* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mirabilis jalapa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mischocarpus sundaicus* Bl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mitracarpus villosus* (SW.) DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mitragyna parvifolia*



KORTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mitragyna parvifolia* KORTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mitragyna rotundifolia* KUNTZE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mnesithea laevis* (RETZ.) KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Modecca palmata* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Modecca trilobata* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Modecca wightiana* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Moghania bracteata* HIU-LIN-LI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Moghania chappar* KUNTZE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Moghania macrophylla* KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Moghania nana* MUKHSJEE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Moghania phursia* O.KTZE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Moghania semialata* (ROXB.) MUKHERJEE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Moghania stricta* (ROXB.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Moghania strobilifera* J.ST. HILAIRE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Moghania tuberosa* KTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Molineria crassifolia* BAKER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Molinia coerulea* MOENCH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mollugo cerviana* SER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mollugo hirta* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mollugo lotoides* (L.) O. KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mollugo nudicaulis* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mollugo nudicaulis* LAMK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mollugo oppositifolia* L. and

15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Mollugo pentaphylla L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Mollugo spargula L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Mollugo stricta L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Momordica balsamina WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Momordica charantia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Momordica charantia L. charantia and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Momordica charantia L. muricata (WILLD.) CHAKR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Momordica cochinchinensis* SPR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Momordica cymbalaria* HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Momordica dioica* ROXB. EX WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Momordica exserta* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Momordica muricata* VELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Momordica tuberosa* COGN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Momordica umbellata* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Monetia barlerioides* L HERIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Moniera cuneate* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Moniera cuneifolia* MICHX. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Monochoria hastaeifolia* PRESL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Monochoria hastata* SOLMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Monochoria vaginalis* PRESL.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Monotropa uniflora* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Morchella esculenta* PERS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Morina coulteriana* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Morina longifolia* WALL. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Morina persica* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Morinda angustifolia* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Morinda citrifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Morinda coreia* BUCH.-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Morinda pubescens* J.E.SMITH IN REES pubescens VERDC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Morinda pubescens* SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Morinda tinctoria* ROXB.



tomentosa (ROTH) HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Morinda tomentosa HEYNE EX ROTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Morinda umbellata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Moringa concanensis NIMMO EX DALZ. & GIBSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Moringa conconensis NIMMO. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Moringa oleifera LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Moringa pterygosperma and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Morus aedosa GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Morus alba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Morus australis* POIRET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Morus indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Morus laevigata* WALL. EX BRAND. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Morus nigra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Moschosma polystachyum* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Moullava spicata* (DALZ.) NICOLS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mucuna atropurpurea* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mucuna bracteata* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mucuna capitata* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mucuna cochinchinensis* Cheval and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mucuna gigantea* (WILLD.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mucuna hirsuta* WIGHT & ARN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mucuna monosperma* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mucuna nigricans* (LOUR.) STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mucuna pruriens* (L.) DC.

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mucuna prurita* HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mucuna utilis* Wall. ex Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mukia maderaspatana* (L.) M.ROEMER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mukia scabrella* (L.F.) ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mundulea sericea* (WILLD.) A. CHEVAL NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mundulea suberosa* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Munronia pinnata* (WALL.) HARMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Muntingia calabura* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Murdannia edulis* (STOKES) FADEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Murdannia elata* (VAHL) BRUECKNER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Murdannia japonica* (THUNB) FADEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Murdannia nudiflora* (L.) BRENNAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Murdannia scapiflora* (ROXB.) ROYLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Murdannia semiteres* (DALZ.) SANTAPAU and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Murdannia vaginata* (L.) BRUECK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Muricia cochinchinensis* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Murraya exotica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Murraya koenigii* (L.) SPR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Murraya paniculata* (L.) JACK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Musa balbisiana* COLLA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Musa chinensis* SWEET. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Musa ornata* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Musa paradisiaca* L. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Musa rosacea* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Musa sapientum* O.KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Musa sapientum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Musa superba* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Musa textilis* NEE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Musa troglodytarum* KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Musa velutina* WENDL. & DRUDE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mussaenda belilla* BUCH.-HAM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mussaenda erythrophylla* SCHUM. & THONN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mussaenda frondosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mussaenda glabra* VAHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mussaenda glabrata* VAHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mussaenda hirsutissima* (HOOK. F.) HUTCHINSON EX GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mussaenda laxa* (HOOK. F.) HUTCH EX GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mussaenda macrophylla* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mussaenda roxburghii* HK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mutilla occidentalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mylitta lapidescens* HORAN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Myosoton aquaticum* (L.) MOENCH NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Myrica cerifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Myrica esculenta* BUCH.-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Myrica integrifolia* ROXY. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Myrica nagi* THUNB. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Myrica pensylvanica* LOISEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Myrica sapida* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Myricaria bracteata* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Myricaria coulteriana* ROYLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Myricaria elegans* ROYLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Myricaria germanica* DESV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Myriogyne minuta* LESS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Myrioneuron nutans* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Myriophyllum spicatum* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Myristica argentea* WARB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Myristica dactyloides* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Myristica fragrans* HOUTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Myristica laurifolia* HOOK.F. & THOMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Myristica malabarica* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Myristica moschata* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Myristica officinalis* L..F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Myropyrum similacifolium* BLUME NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Myrsine africana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Myrsine capitellata* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Myrsine semiserrata* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Myrsine serrata* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Myrtus caryophyllata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Myrtus communis* L. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Myxopyrum serratum* A.W. HILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Myxopyrum smilacifolium* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Nannorrhops ritchiana* H. WENDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Naravelia zeylanica* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Narcissus tazetta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Nardostachys grandiflora* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Nardostachys jatamansi* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Naregamia alata* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Naringi alata* (WALL. EX WIGHT & ARN.) EL NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Naringi crenulata* (ROXB.) NICOLSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Nasturtium fontanum* ASCHERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Nasturtium indicum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Nasturtium officinale* R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Nasturtium palustre* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Natsiatum herpeticum* BUCH.-HAM. EX ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical



practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Nauclea aculeata* H.B. & K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Nauclea cadamba* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Nauclea missionis* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Nauclea orientalis* (L.) L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Nauclea ovalifolia* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Nauclea sessilifolia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Neanotis hirsuta* (L.F.) LEWIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Neanotis rheedei* (WIGHT &

ARN.) W.H.LEWIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Neillia thyrsiflora* DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Neisosperma oppositifolium* (Lamk.) Fosb. & Sach. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Nelsonia canescens* (LAM.) SPR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Nelumbium speciosum* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Nelumbo nucifera* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Neodissochaeta celebica* (Bl.) Bakh.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Neolamarckia cadamba* (ROXB.) BOSSER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Neolitsea cassia* (L.) KOSTERM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Neolitsea chinensis* (LAM.) CHUN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Neolitsea scrobiculata* (MEISSNER) GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Neolitsea umbrosa* (NEES) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Neolitsea zeylancia* (NEES) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Neonauclea sessilifolia* (ROXB.) MERR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Nepenthes distillatoria* AUCT. EX STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Nepenthes khasiana* KH.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Nepeta cataria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Nepeta ciliaris* BENTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Nepeta coerulascens* MAXIM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Nepeta connata* ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Nepeta discolor* ROYLE EX BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Nepeta elliptica* ROYLE EX BENTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Nepeta eriostachya* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Nepeta floccosa* BTH. LAB.

GEN. & SP. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Nepeta glomerulosa* BOISS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Nepeta glutinosa* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Nepeta hindostana* (ROTH) HAINES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Nepeta leucophylla* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Nepeta longibracteata* (BENTH.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Nepeta malabarica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Nepeta podostachys* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Nepeta royleana* STEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Nepeta ruderalis* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Nepeta spicata* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Nephelium lappaceum* LINN. MANT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Nephelium litchi* (LOUR.) GAMB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Nephelium longana* CAMB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Nephelium stipulaceum* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Nephrolepis biserrata* SCHOTT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Nephrolepis cordifolia* (L.) PRESL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Nephrolepis multiflora* (ROXB.) JARRETT EX MORTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Neptunia natans* (L. F.) DRUCE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Neptunia oleracea* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Neptunia prostrata* (LAM.) BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Neptunia triquetra* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Nerium antidysentericum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Nerium coronarium* JACQ.



and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Nerium indicum* MILLER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Nerium odorum* SOLANED and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Nerium oleander* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Nerium tomentosum* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Nervilia aragoana* GAUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Nervilia plicata* SCHLTR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Nervilia prainiana* (KING & PANTL) SCIDEN.F and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Nesaea lanceolata* (WT. &ARN.) KOEHNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Nesaea prostrata* (DILLWYN) SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Neuracanthus sphaerostachyus* DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Neuracanthus trinervis* WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Nicandra physalodes* (L.) GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Nicotiana macrophylla* SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Nicotiana plumbaginifolia* VIV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Nicotiana rustica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Nicotiana tabacum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Niebuhreria linearis* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Nigella damascena* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Nigella sativa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Nilgiranthus ciliatus* (NEES) BREMEK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Nilgiranthus heyneanus* (NEES) BREMEK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Nipa fruticans* WURMB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Nomocharis nana*

(KLOTZ.)WILSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Nopalea cochenillifera* (L.) LYONS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Nothapodytes nimmoniana* (GRAH.) MABB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Notholaena eckloniana* KUNTZE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Nothopanax fruticosum* MIQ. FL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Nothopegia castaneifolia* (Roth)Ding Hou and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Nothopegia colebrookiana* BL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Nothosaerva brachiata* WIGHT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Notonia grandiflora* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Nyctanthes arbor-tristis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Nymphaea alba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Nymphaea caerulea* SAVIGN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Nymphaea cyanea* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Nymphaea edulis* D.C and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Nymphaea lotus* HOOK. F.(NON L). and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Nymphaea nouchali* BURM. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Nymphaea odorata* AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Nymphaea pubescens* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Nymphaea rubra* ROXB. EX ANDREWS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Nymphaea stellata* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Nymphaea stellata* WILLD. *cyanea* H.F. & T. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Nymphaea tetragona* GEORGI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Nymphoides cristata* (ROXB.) O. KTZE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Nymphoides hydrophylla*

(LOUR.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Nymphoides indica* (L.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Nymphoides indicum* (L.) O. KTZE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Nymphoides macrospermum* VASUDEVAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Nymphoides peltata* (GMEL.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Nypa fruticans* Wurb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ochlandra brandisii* GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ochlandra rheedii* BENTH. & HOOK. F. EX GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ochlandra scriptoria* (DENNST.) C.E.FISCHER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ochlandra travancorica* GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ochna gamblei* KING(SONARI) NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ochna jabotapita* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ochna lanceolata* KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ochna obtusata* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ochna pumila* HAM. EX D. DON PRODR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ochna squarrosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ochradeneus baccatus* DEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ochradenus baccatus* DEL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ochreinauclea missionis* (WALL. EX G.DON) RIDSDALE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ochrocarpus longifolius* (WIGHT) T.ANDERSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ochthochloa coracana* EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ocimum adscendens* WIGHT EX HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ocimum album* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ocimum americanum* L. and

15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ocimum basilicum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ocimum basilicum* L. *basilicum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ocimum basilicum* L. *majus* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ocimum basilicum* L. *pilosum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ocimum basilicum* L. *minimum* DAMERT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ocimum canum* SIMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ocimum caryophyllatum* SCHWEIG EX. SCHRAUK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ocimum gratissimum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ocimum kilimandscharicum* GUERKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ocimum pilosum* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ocimum polystachyon* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ocimum prostratum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ocimum sanctum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ocimum tenuiflorum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Odina pinnata* KOENIG and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Odina woder* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Oenanthe javanica* (Bl.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Oenothera biennis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Olax acuminata* WALL. EX BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Olax imbricata* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Olax nana* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Olax scandens* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Oldenlandia auricularia*

K.SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Oldenlandia biflora LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Oldenlandia corymbosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Oldenlandia dichotoma HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Oldenlandia diffusa ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Oldenlandia fruticosa (L.) K. SCHUM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Oldenlandia glandulifera WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Oldenlandia herbacea (L.) ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Oldenlandia heynii* BR. EX. G. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Oldenlandia umbellata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Olea cuspidata* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Olea dioica* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Olea europea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Olea ferruginea* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Olea glandulifera* WALL. EX DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Olea polygama* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,



stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Oleandra neriiformis* CAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Oleandra pistillaris* (SW.) C.CHR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Oleandra wallichii* PRESL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Oligochaeta ramosa* (ROXB.) WAGEN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Oligomeris linifolia* (VAHL) MACB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Onosma bracteatum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Onosma echioides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Onosma hispidum* WALL.

EX G. DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Onosma hookeri CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Onychium contiguum (WALL.) HOPE.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Onychium japonicum O. KUNTZE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Onychium siliculosum (DESV.) C. CHR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Operculina petaloidea (CHOISY) OOSTSTROOM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Operculina turpethum (L.) S. MANSO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Ophelia angustifolia D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ophelia chiraita* GRISEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ophelia densifolia* GRISEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ophelia elegans* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ophelia multiflora* DATZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ophiocephalus striatus* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ophioglossum costatum* R.BR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ophioglossum fibrosum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ophioglossum nudicaule* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ophioglossum pendulum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ophioglossum thermale* KUMAROV NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ophioglossum vulgaatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ophioglossum vulgatum* (L.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ophiopogon intermedium* DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ophiopogon japonicum* KER-GAWL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ophiopogon malcolmsonii* ROYLE EX HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ophiopogon wallichianus*

HOOK.F. PAUCIFLORA HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Ophiorrhiza mungos L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Ophiorrhiza nicobarica BALAKR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Ophiorrhiza nutans C. B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Ophiorrhiza ochroleuca HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Ophiorrhiza pauciflora HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Ophiorrhiza rugosa WALL. ARGUITEA DEB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Ophioxylon serpentinum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ophiuros exaltatus* KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ophrestia pentaphylla* (DALZ.) VERDC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Opilia amentacea* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Oplismenus burmannii* (RETZ.) BEAUV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Opopanax chironium* KOCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Opuntia cochinellifera* MILL. GARD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Opuntia dillenii* (KER-GAMIER) HAW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Opuntia elatior* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Opuntia ferox* HAW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Opuntia ficus-indica* (L.) MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Opuntia monacantha* HAW. SUPPL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Opuntia nigricans* HAW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Opuntia stricta* (HAW.) HAW. dillenii (KER.GAWL) BENSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Opuntia vulgaris* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Orchis chusua* D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Orchis habenarioides* K. & P.



and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Orchis latifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Orchis laxiflora* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Orchis mascula* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Orchis spathulata* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Oreocnide frutescens* (THUNB.) MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Oreocnide integrifolia* (GAUD) MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Origanum majorana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Origanum vulgare* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ormocarpum cochinchinense* (LOUR.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ormocarpum sennoides* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ormosia travancoria* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Orobanche aegyptiaca* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Orobanche solmsii* CLARKE EX. HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Orophea katschallica* KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Oroxylum indicum* (L.) VENT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Orthosiphon aristatus* (BL.) MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Orthosiphon diffusus* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Orthosiphon glabratus* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Orthosiphon grandiflorus* BOLDINGH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Orthosiphon incurvus* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Orthosiphon pallidus* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Orthosiphon rubicundus* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Orthosiphon spiralis* (LOUR)

MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Orthosiphon stamineus* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Orthosiphon thymiflorus* (ROTH.) SLEASEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Orygia decumbens* FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Oryza granulata* Nees. & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Oryza meyeriana* (Zoll.&Mor.)Baill *granulata* Tateoka and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Oryza mutica* STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Oryza rufipogon* GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Oryza sativa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Osbeckia aspera* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Osbeckia capitata* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Osbeckia chinensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Osbeckia crinita* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Osbeckia cupularis* DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Osbeckia nepalensis* HK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Osbeckia sexatilis* (DENNST.) SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Osbeckia sikkimensis* CRAIB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Osbeckia stellata* KER-GAWL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Osbeckia zeylanica* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Osmanthus fragrans* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Osmunda claytoniana* L.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Osmunda regalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Osyris arborea* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Osyris quadripartita* SALZ

EX DECNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Osyris wightiana* WALL. EX WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Othonnopsis intermedia* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Otostegia aucheri* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Otostegia limbata* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ottelia alismoides* (L.) PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ougeinia dalbergioides* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ougeinia oojeinensis* (ROXB.) HOCHR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ouratea angustifolia* BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Oxalis acetosella* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Oxalis corniculata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Oxalis corymbosa* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Oxalis debilis* H.B.K. *corymbosa* (DC.) LOUR. 0. C0. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Oxalis latifolia* H.B. & K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Oxalis martiana* ZUCC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Oxalis pubescens* H.B.K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Oxyria digyna* (L.) HILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Oxyspora paniculata* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Oxystelma esculentum* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Oxystelma secamone* (L.) KARST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Oxytenanthera nigrociliata* MUNRO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Oxytenanthera thwaitesii* MUNRO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Oxytropis lapponica* (WAHL.) GAY. CORRESS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Oxytropis mollis* ROYLE EX

BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Oxytropis tatarica* BUNGE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pachygone ovata* (POIR.) HOOK.F. & THOMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pachygone zeylanica* (GAERTN) SANT. & WAGH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pachyrrhizus angulatus* RICH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pachyrrhizus erosus* (L.) URBAN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pachystoma senile* (LINDL.) REICHB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Padus cornuta* (WALL. EX ROYLE) CARR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Paederia foetida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Paederia scandens* (LOUR.) MERILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Paederia tomentosa* BLUME BIJDR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Paeonia emodi* WALL. EX. ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pajanelia longifolia* (WILLD.) K.SCHUM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Palaquium ellipticum* (DOLZ.) BAILLON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Palhinhaea cernua* (L.) FRANCO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pamburus missionis* (WIGHT) SWINGLE and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Panax ginseng* MEY. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Panax pseudoginseng* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Panax quinquefolius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Panax wangianus* Sun and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Panocratium triflorum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Panocratium zeylanicum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *PKalamnus fascicularis* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *PKalamnus foetidus* ROXB.

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *PKalamnus furcatus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *PKalamnus kaida* KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *PKalamnus odoratissimus* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *PKalamnus tectorius* AUCT. NON SOLAND and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *PKalamnus thwaitesii* MARTELLI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *PKalamnus unipapillatus* DENNST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Panicum antidotale* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Panicum argyptiacum* HORT. EX ROEM. & SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Panicum brizoides* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Panicum crus-corvi* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Panicum flavo-marginatum* MEZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Panicum floro-marginatum* MEZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Panicum frumentaceum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Panicum grossarium* GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Panicum grossarium* GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,



stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Panicum incomtum* TRIN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Panicum isachne* ROTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Panicum italicum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Panicum macimum* FACQ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Panicum maximum* JACQ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Panicum miliaceum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Panicum milliare* AUCT. NON LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Panicum psilopodium* TRIN.

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Panicum psilopodium* TRIN. *psilopodium* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Panicum repens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Panicum sarmentosum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Panicum stagninum* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Panicum sumatrense* ROTH EX ROEM. ET SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Papaver argemone* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Papaver dubium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Papaver hybridum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Papaver nudicaule* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Papaver orientale* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Papaver rhoeas* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Papaver somniferum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Paphiopedilum druryi* (BEDD.) STEIN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Paracalyx scariosa* (ROXB.) ALI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Paraleptochilus decurrens* (BLUME) COPEL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Parameria barbata* (BI.) SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Parameria polyneura* HOOK.R. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Paramignya angulata* KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Paramignya longispina* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Paramignya monophylla* WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pardanthus chinensis* KER. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Paris polyphylla* SMITH and

15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Parkia biglandulosa* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Parkia javanica* MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Parkia roxburghii* G. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Parkia timoriana* (A. DC.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Parkinsonia aculeata* L.SP. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Parmelia cirrhata* FR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Parmelia kamstchadalis* ACH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Parmelia nilgherrensis* NYL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Parmelia perforata* ACH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Parmelia perlata* (HUDS.) ACH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Parmignya monophylla* WIGHT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Parnassia laxmannii* PALL. EX SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Parnassia nubicola* HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Parnassia palustris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Parnassia pusilla* HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Parochetus communis* DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Parsonsia alboflavescens* (DENNST.) MABB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Parsonsia helicandra* HOOK. & ARN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Parsonsia laevigata* (Moon) Alston. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Parsonsia spiralis* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Parthenium hysterophorus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pasania truncata* (KING) SCHOTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Paspalum conjugatum* BERG.



and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Paspalum distichum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Paspalum scrobiculatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Paspalum scrobiculatum* L. *commersonii* STAPF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Passiflora assamica* CHAKRAVARTY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Passiflora edulis* SIMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Passiflora foetida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Passiflora incarnata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Passiflora perpera* MAST. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Passiflora quadrangularis* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Paullinia cupana* H.B. & K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pausinystalia yohimba* PIERRE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pavetta crassicaulis* BREMEK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pavetta indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pavetta indica* L. minor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pavetta tomentosa* ROXB. EX SMITH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pavonia odorata* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pavonia procumbens* SOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pavonia propinqua* GARCKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pavonia repKalam* (J.E. SM.) SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pavonia zeylanica* CAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Payena lucida* A. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pecteilis susannae* (L.) RAF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pedaliium murex* L. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pedicularis bicornuta* CLOTZ. EX. GARCKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pedicularis cheilanthifolia* SCHRENK NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pedicularis comosa* LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pedicularis longiflora* RUDOLPH tubiformis (KLOTZSCH) PENNEL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pedicularis pectinata* WALL. EX BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pedicularis pycnantha* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pedicularis pyramidata* ROYLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pedicularis siphonantha* D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pedilanthus tithymaloides* (L.) POIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Peganum harmala* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pegia nitida* COLEBR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pegolettia senegalensis* CASS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pegonatherum crinitum* KUNTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pelargonium graveolens* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pelargonium roseum* R. BR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Peliosanthes bakeri* HK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Peliosanthes teta* ANDR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pellaea colomelanos* LINK NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pellaea hastata* (THUNB) PRANTL NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Peltigera canina* WILLD and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Peltophorum dasyrhachis* (MIQ.) KURZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Peltophorum pterocarpum* (DC.) BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pemphis acidula* FORST. and

15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pennisetum alopecuroides* (L.) SPRENG. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pennisetum americanum* (L.) LEEKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pennisetum compressum* R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pennisetum flaccidum* GRISEB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pennisetum glaucum* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pennisetum spicatum* ROEM. & SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pennisetum typhoides* (BURM.F.) STAPF ET HUBB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pennisetum typhoideum* (RICH) NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pentanema indicum* (L.) LING and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pentaneura khasiana* KURZ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pentapetes phoenicea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pentaptera tomentosa* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pentatropis capensis* (L.F.) BULLOCK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pentatropis cynanchoides* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pentatropis microphylla* (ROXB.) WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pentstemon nivalis* (Gmel.) Field & Wood. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pentstemon spiralis* Decne. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Peperomia pellucida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Peperomia reflexa* (L.f.) A. Dietr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Peperomia tetraphylla* (G.Forst.) Hook. & A. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Peranema cyathoides* D.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pergularia aitchisonii* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pergularia daemia* (Forsk.)

CHOIV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pergularia extensa* N.E.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pergularia tomentosa* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pericampylus glaucus* (LAMK.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pericampylus incanus* MIERS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Perilepta auriculata* (NEES) BREMEK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Perilla frutescens* (L.) BRITT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Periploca aphylla* DECNE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Periploca indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Periploca sylvestris* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Peristrophe bicalyculata* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Peristrophe bivalvis* MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Peristrophe paniculata* (FORSK.) BRUMMITT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Peristrophe roxburghiana* (SCHULT.) BREMEK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Peristylus stocksii* (HK.F.) KRANZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Perotis indica* (L.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Perovskia abrotanoides* KAR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Perovskia atriplicifolia* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Persea fructifera* KOST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Persea gamblei* (KING EX HK.F.) KOST. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Persea macrantha* (NEES) KOST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Petrea volubilis* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Petroselinum crispum* NYM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Peucedanum aucheri* BOISS.

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Peucedanum dhana* BUCH.-HAM. EX CLARKE DALZELII C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Peucedanum grande* CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Peucedanum graveolens* BENTH. EX HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Peucedanum nagpurens* (C.I.) PRAIN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Phaius grandifolius* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Phaius tancarvilleae* (L. HERIT.) BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Phaius wallichii* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Phalaenopsis amabilis* LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Phalaris arundinacea* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Phalaris canariensis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Phallus rubicundus* (BOSC.) FRIES NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pharbitis nil* CHOIS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pharnaceum cerviana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pharnaceum mollugo* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Phaseolus aconitifolius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,



stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Phaseolus adenanthus* G.F. MEYER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Phaseolus aureus* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Phaseolus dalzellii* COOKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Phaseolus lunatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Phaseolus mungo* (L) MANT. radiatus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Phaseolus mungo* (L) MANT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Phaseolus pauciflorus* DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Phaseolus radiatus* L. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Phaseolus roxburghii* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Phaseolus semierectus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Phaseolus sublobatus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Phaseolus trilobus* AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Phaseolus vulgaris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Phaulopsis dorsiflora* (RETZ.) SANTAPAU and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Phaulopsis imbricata* (FORSK.) SWEET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Phlegmariurus phlegmaria* (L.) SEN & SEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Phlogacanthus curviflorus* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Phlogacanthus guttatus* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Phlogacanthus jenkinsii* C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Phlogacanthus pubinervis* T.ANDERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Phlogacanthus thrysiflorus* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Phlogacanthus thrysiflorus* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Phlogacanthus thrysiformis* (HARD.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Phlomis bracteosa* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Phoebe lanceolata* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Phoebe wightii* MEISSN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Phoenix acaulis* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Phoenix asperulatus* HUTCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Phoenix dactylifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Phoenix farinifera* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Phoenix humilis* ROYLE and

15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Phoenix loureirii* KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Phoenix paludosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Phoenix pusilla* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Phoenix sylvestris* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pholidota chinensis* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pholidota imbricata* (ROXB.) LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Phoradendron leucarpum* (RAF.) REV. & M.C. JOHNST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Photinia notoniana* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Photinia serrulata* LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Phragmites australis* (CAV.) TRIN. EX STEUD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Phragmites communis* TRIN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Phragmites karka* TRIN. EX STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Phragmites maxima* BLATTER & MCCANN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Phragmites roxburghii* (KUNTH) STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Phrymium dichotoma* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Phyla nodiflora* (L.) GREENE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Phyllagathis rotundifolia* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Phyllanthus acidus* (L.) SKEELS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Phyllanthus airy-shawii* BRUNEL & ROUX and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Phyllanthus amarus* SCHUM. & THENN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Phyllanthus clarkei* HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Phyllanthus debilis* KLEIN



EX WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Phyllanthus distichus* (L.) MUELL.-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Phyllanthus emblica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Phyllanthus fraternus* WEBSTER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Phyllanthus gomphocarpus* HK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Phyllanthus indofischeri* BENNET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Phyllanthus maderaspatensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Phyllanthus missionis* HOOK.F. FL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Phyllanthus mukherjeeanus* MITRA ET BENNET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Phyllanthus multiflorus* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Phyllanthus niruri* SENSU HOOK.F.Non Linn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Phyllanthus polyphyllus* DALZ. & GIBS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Phyllanthus reticulatus* POIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Phyllanthus rhamnoides* WILLD and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Phyllanthus rheedii* WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Phyllanthus simplex* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Phyllanthus urinaria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Phyllanthus virgatus* G.FORSTER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Phyllocephalum indicum* (LESS.) KIRKMAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Phyllochlamys taxoides* KOORDERS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Phyllostachys bambusoides* SIEB. & ZUCC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Phymatodes ebenipes* (HOOK.) CHING.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Phymatodes scolopendria* (BURM.) CHING. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Physalis alkekengi* L. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Physalis alkekengi* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Physalis angulata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Physalis divaricata* D. Don. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Physalis flexuosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Physalis indica* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Physalis minima* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Physalis peruviana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Physochlaina praealta* (DECNE) MIERS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Physostigma venenosum* BALF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Phytolacca acinosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Phytolacca americana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Phytolacca lathenia* (MOQ.) HANS WALTERS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Picrasma guassoides* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Picea abies* (L.) KARST. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Picrasma javanica* BI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Picrasma nepalensis* BENN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Picrasma quassioides* BENNET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Picris hieracioides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Picrorhiza kurroa* ROYLE EX BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Picrorhiza scrophulariiflora* PENNELL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Picrorrhiza kurrooa* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pieris ovalifolia* D. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pilea microphylla* (L.)

LIEBM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Pilea umbrosa WEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Piliostigma malabaricum (ROXB.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Pilocarpus jaborandi HOLMES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Pimenta acris KOSTEL ALLG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Pimenta racemosa J. W. MOORE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Pimpinella anisum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Pimpinella bracteata HAINES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pimpinella diversifolia* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pimpinella heyneana* (WALL. EX DC.) KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pimpinella involucrata* MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pimpinella saxifraga* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pimpinella stocksii* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pimpinella tirupatiensis* BAL. & SUB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pinanga dicksonii* (ROXB.) BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pinanga manii* BECC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pinus dammara* LAMB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pinus deodara* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pinus excelsa* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pinus gerardiana* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pinus griffithi* M. CLELL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pinus insularis* ENDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pinus kesiya* GORDON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pinus longifolia* ROXB. and

15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pinus maritima* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pinus merkussi* JUNGH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pinus picea* PALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pinus roxburghii* SARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pinus sylvestris* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pinus wallichiana* JACKS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pinus webbiana* WALL. EX. LAMB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Piper argyrophyllum* MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Piper attenuatum* BUCH.-HAM. EX MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Piper aurantiacum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Piper auranticum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Piper baccatum* CAS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Piper bachystachyum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Piper bantamense* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Piper barberi* GAMBLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Piper betele* LINN. SIRIBOA (MIQ.) C.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Piper betle* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Piper betleoides* C. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Piper boehmeriaefolium* WALL . and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Piper caninum* BLUME NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Piper chaba* HUNTER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Piper clusii* C.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Piper crassipes* KORTH. EX.

C.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Piper cubeba L. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Piper dichotomum HORT. PAR. EX KUNTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Piper diffusum VAHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Piper gamblei CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Piper griffithii DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Piper guineense SCHUM & THONN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Piper lanceolatum RUIZ & PAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Piper longum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Piper mullesua* D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Piper nigrum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Piper officinarum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Piper pedicellatum* C. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Piper pedicellosum* WALL. EX CASS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Piper peepuloides* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Piper retrofractum* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,



stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Piper ribesoides* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Piper sarmentosum* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Piper sylvaticum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Piper thomsoni* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Piper thomsonii* HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Piper trichostachyon* (MIQ.) C.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Piper trioicum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Piper wallichii* (MIQ.)

HAND MAZZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Pipturus velutinus WEDD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Pisonia aculeata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Pisonia alba SPAN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Pisonia grandis R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Pisonia mitis L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Pisonia morindifolia R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Pisonia umbellata (FORST.) SEEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pistacia chinensis* BUNGE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pistacia chinensis* BUNGE *integerrima* (STEW) RECH.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pistacia integerrima* STEW. EX BRANDIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pistacia khinjuk* STOCKS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pistacia lentiscus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pistacia terebinthus* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pistacia vera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pistia stratiotes* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pistia stratiotes* LINN. CUNEATA ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pisum arvense* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pisum sativum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pithecellobium angulatum* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pithecellobium bigeminum* MART. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pithecellobium clypearia* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pithecellobium dulce* (ROXB.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pithecellobium fasciculatum*

BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Pithecellobium globosum KOSTERM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Pithecellobium lobatum BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Pithecellobium monadelphum (ROXB.) KOSTER. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Pithecolobium dulce BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Pithecolobium subcoriaceum THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Pithecolobium umbelletum (VAHL.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Pittosporum floribundum SENSU HOOK.F. & THOMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pittosporum nepaulense* (DC.) REHDER & WILSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pittosporum nilghirens* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pittosporum tetraspermum* WT. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pityrogramma calomelanos* (L.) LINK NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Planchonella obovata* (R.BR.) PIERRE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Plantago amplexicaulis* CAV. bauphula (EDGEW.) RECH. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Plantago arenaria* DECNE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Plantago asiatica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Plantago brachyphylla* EDGEW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Plantago ciliata* DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Plantago depressa* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Plantago erosa* WALL. IN ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Plantago himalaica* PILG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Plantago ispaghula* ROXB. EX FLEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Plantago lagocephala* BUNGE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Plantago lanceolata* L. and 15



wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Plantago major* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Plantago media* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Plantago ovata* FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Plantago psyllium* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Plantago pumila* WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Plantago stocksii* BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Plantago tibetica* HK. & T. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Platanthera susannae* (L.) LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Platanus orientalis* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Platostoma africanum* BEAUV. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Platostoma africanus* BEAUV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Platostoma flaccidum* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Plecosperrum spinosum* TREC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Plectranthus ambonicus* (LOUR.) SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Plectranthus barbatus* ANDR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Plectranthus coetsa* HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Plectranthus fruticosus* WIGHT EX HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Plectranthus incanus* LINK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Plectranthus japonicus* (BURM.F) KOIDZ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Plectranthus lophanthoides* (DON) GRIER. & LONG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Plectranthus mollis* (AITON) SPLRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Plectranthus nilgherriensis* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Plectranthus rugosus* WALL.

NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Plectranthus striatus* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Plectranthus ternifolius* D. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Plectranthus vettiveroides* (JACOB) SINGH & SHARMA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Plectronia didyma* KURZ FOR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Plectronia parviflora* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pleione maculata* (LINDL.) LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pleiospermium alatum* (WALL. EX WT. & ARN.) SURINGLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pleopeltis contorta* (CHRIST.) PANIGR. & PATAV. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pleopeltis lanceolata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pleopeltis macrocarpa* (BORRY EX WILLD.) KAULF. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pleopeltis nuda* HOOK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Plesmonium margareti*ferum (ROXB.) SCHOTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pleurospermum angelicoides* (DC.) CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pleurospermum brunonis* (DC.) BENTH. EX. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pleurospermum candollei* (DC.) CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pleurostyliia opposita* (WALL.) ALSTON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pluchea indica* LESS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pluchea lanceolata* OSKIN & HIERN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pluchea pinnatifida* HOOK. F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pluchea tomentosa* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pluechea indica* LESS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Plumbago auriculata* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Plumbago capensis* THUNB.

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Plumbago indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Plumbago rosea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Plumbago zeylanica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Plumeria acuminata* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Plumeria acutifolia* POIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Plumeria alba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Plumeria rubra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Plumieria acutifolia* POIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Plumieria alba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Plumieria rubra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Poa cynosuroides* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Poa malabarica* KLEIN. EX STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Podocarpus latifolia* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Podocarpus neriifolius* DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Podophyllum emodi* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Podophyllum hexandrum* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Podophyllum peltatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Poeciloneuron indicum* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Poeciloneuron pauciflorum* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pogonatherum crinitum* (THUNB.) KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pogonia plicata* (ROXB.) LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pogostemon auricularis* (L.) HASSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pogostemon benghalensis*

(BURM.F.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Pogostemon cablin (BLANCO) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Pogostemon elsholtzioides BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Pogostemon heyneanus BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Pogostemon paniculatus (WILLD.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Pogostemon parviflorus BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Pogostemon patchouli PELLET. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Pogostemon plectranthoides DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pogostemon pubescens* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pogostemon purpurascens* DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pogostemon vestitus* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pogostemon villosus* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Poikilospermum suaveolens* (BL.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Poinciana elata* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Poinciana gilbesii* HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Poinciana pulcherrima* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Polanisia felina* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Polanisia icosandra* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Polemonium caeruleum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Polianthes tuberosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Polyalthia cerasoides* (ROXB.) BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Polyalthia coffeoides* (HOOK.F.&THOMS.) BENTH. & HOOK.F. EX. HOOK.F. & THOMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Polyalthia fragrans* BENTH. & HOOK. F. EX HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Polyalthia korinti* (DUNAL)

BENTH. & J.HOOK. EX J.HOOK. & TH oms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Polyalthia longifolia* BENTH. & HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Polyalthia simiarum* BENTH. & HK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Polyalthia suberosa* (ROXB.) THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Polyanthes tuberosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Polycarpaea corymbosa* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Polycarpon prostratum* (FORSK.) ASCH. & SCHWEINF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Polygala abyssinica* (R.BR.) FRESEN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Polygala arillata* HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Polygala arvensis* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Polygala chinensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Polygala crotalarioides* HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Polygala elongata* KLEIN EX WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Polygala erioptera* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Polygala glomerata* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Polygala irregularis* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,



stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Polygala leptalea* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Polygala longifolia* POIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Polygala persicariaefolia* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Polygala senega* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Polygala sibirica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Polygala telephioides* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Polygala vulgaris* THUNB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Polygallata arillata* BUCH.-

HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Polygonatum cirrhifolium ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Polygonatum multiflorum (L.) ALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Polygonatum verticillatum (L.) ALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Polygonum affine DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Polygonum alatum HAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Polygonum alpinum ALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Polygonum amphibium L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Polygonum amplexicaule* DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Polygonum auriculatum* MEISN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Polygonum aviculare* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Polygonum barbatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Polygonum bistorta* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Polygonum bistorta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Polygonum capitatum* BUCH.-HAM. EX DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Polygonum chinense* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Polygonum chinense* LINN. SUBHASTATA MEISSN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Polygonum convolvulus* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Polygonum cymosum* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Polygonum flaccidum* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Polygonum glabrum* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Polygonum hydropiper* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Polygonum lapathifolium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Polygonum macrophyllum*

DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Polygonum minus HUDS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Polygonum molle D.DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Polygonum multiflorum THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Polygonum nepalense MEISSN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Polygonum orientale L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Polygonum paronychioides MEYER EX HOHEN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Polygonum perfoliatum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Polygonum persicaria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Polygonum plebeium* R. BR. EFFUSA HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Polygonum plebeium* R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Polygonum polystachyum* WALL. EX MEISSN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Polygonum posumbi* HAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Polygonum pulchrum* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Polygonum recumbens* ROYLE EX BAB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Polygonum roettleri* ROTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Polygonum rumicifolium* ROY. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Polygonum serrulatum* LAGASCA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Polygonum sphaerostachyum* MEISSN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Polygonum stagninum* (BUCH.-HAM. EX MEISSN.) STEWARD and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Polygonum stewartianum* DIELS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Polygonum strigosum* BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Polygonum tenellum* BL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Polygonum tomentosum*



WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Polygonum tortuosum* D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Polygonum vacciniifolium* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Polygonum virginianum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Polygonum viviparum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Polypodium irioides* LAMK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Polypodium quercifolium* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Polypodium vulgare* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Polyporus anthelminticus* BERK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Polyporus officinalis* FRIES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Polyscias fruticosa* (L.) HARMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Polysolenia wallichii* HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Polystichum aculeatum* (L.) ROTH NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Polystichum biaristatum* (BLUME) MOORE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Polystichum squarrosum* (D.DON) FEE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Polytoca barbata* STAPF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Polytrichum juniperinum* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pometia pinnata* Forst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ponerorchis chusua* (D.DON) SOO. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pongamia glabra* VENT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pongamia pinnata* (L.) PIERRE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pontederia vaginalis* BLANCO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Populus alba* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Populus caspica* BORNM.

NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Populus ciliata* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Populus euphratica* OLIV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Populus nigra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Porana paniculata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Porphyra umbilicalis* (L.) AG. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Porphyra vulgaris* LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Portulaca grandiflora* HOOK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Portulaca quadrifida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Portulaca meridiana* LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Portulaca oleracea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Portulaca pilosa* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Portulaca quadrifida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Portulaca sativa* LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Portulaca tuberosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Potentilla anserina* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Potentilla arbuscula* D.DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Potentilla argyrophylla* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Potentilla atosanguinea* LODD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Potentilla bifurca* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Potentilla fragarioides* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Potentilla fruticosa* L. *rigida* (LEHM.) WOLF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Potentilla fulgens* WALL. EX HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Potentilla gerardiana* LINDL.

EX LEHM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Potentilla kleiniana* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Potentilla lineata* TREVIR EX REICH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Potentilla mooniana* WIGHT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Calophyllum inophyllum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Calophyllum polyanthum* Wall.ex Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Garcinia cowa* Roxb. ex DC and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Garcinia gummi-gutta* (L.) Robs. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Garcinia mangostana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Garcinia morella* (Gaertn.) Desr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Garcinia papilla* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Garcinia rubro-echinata* Kosterm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Garcinia spicata* (Wight & Arn.) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Garcinia talbotii* Raiz. ex Sant and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Garcinia travancorica* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Garcinia wightii* T. And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Garcinia xanthochymus* Hook. f. ex. T. And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hypericum androsaemum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hypericum humifusum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hypericum japonicum* Thunb. ex Murr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hypericum mysurense* Heyne ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hypericum patulum* Thunb ex Murray and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hypericum uralum* Buch. - Ham. ex D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hypericum wightianum* Wall.

ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mammea suriga* (Buch. - Ham. ex Roxb.) Kosterm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mesua ferrea* L. subsp. *ferrea* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mesua ferrea* L. subsp. *pulchella* (Planch. & Triana) Vesque var. *pulchella* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mesua ferrea* L. subsp. *pulchella* (Planch. & Triana) Vesque var. *coromandeliana* (Wight) Mahesh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Poeciloneuron indicum* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Poeciloneuron pauciflorum* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Camellia japonica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Camellia sinensis* (L.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eurya nitida* Korth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gordonia obtusa* Wall ex Wight Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Schima wallichii* (DC.) Korth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ternstroemia japonica* (Thunb.) Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Saurauia fasciculata* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Saurauia napaulensis* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Stachyurus himalaicus* Hook. f. & Thoms. ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dipterocarpus indicus* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hopea erosa* (Bedd.) van Sloot. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hopea glabra* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hopea parviflora* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hopea ponga* (Dennst.) Mabblerley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hopea utilis* (Bedd.) Bole and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Shorea roxburghii* G. Don. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vateria indica* L. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ancistrocladus heyneanus* Wall. ex Graham and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Abelmoschus angulosus* Wall ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Abelmoschus esculentus* (L.) Moench and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Abelmoschus ficulneus* (L.) Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Abelmoschus manihot* (L.) Medicus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Abelmoschus moschatus* Medicus subsp. *tuberosus* (Span.) Borss. Waalk and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Abutilon crispum* (L.) Medicus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Abutilon hirtum* (Lam.) Sweet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Abutilon indicum* (L.) Sweet subsp. *indicum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Abutilon indicum* (L.) Sweet subsp. *guineense* (Schumach.) Borssum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Abutilon megapotamicum* (Spreng.) Mill. & Naud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Abutilon neilgherrense* Munro ex Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Abutilon pannosum* (Forst. f.) Schlect and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Abutilon persicum* (Burm. F.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Abutilon ramosum* (Cav.) Guill. & Perr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on



coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Abutilon striatum* Dickson ex Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Abutilon theophrastii* Medicus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Alcea rosea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Decaschistia crotonifolia* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Decaschistia rufa* Craib and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gossypium arboreum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gossypium barbadense* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gossypium herbaceum* L. and

15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gossypium hirsutum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hibiscus canescens* Heyne ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hibiscus cannabinus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hibiscus furcatus* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hibiscus hirtus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hibiscus lobatus* (Murr.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hibiscus lunariifolius* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hibiscus mutabilis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hibiscus micranthus* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hibiscus panduriformis* Burm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hibiscus platanifolius* (Willd.) Sweet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hibiscus radiatus* Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hibiscus rosa-sinensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hibiscus sabdariffa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hibiscus schizopetalus* (Mast.) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hibiscus surattensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hibiscus syriacus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hibiscus tiliaceus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hibiscus trionum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hibiscus vitifolius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Kydia calycina* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Malachra capitata* (L.) L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Malva parviflora* L. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Malva sylvestris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Malva verticillata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Malvastrum coromandelianum* (L.) Garcke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Malvaviscus arboreus* Cav. var. *arboreus* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Malvaviscus arboreus* Dill ex Cav. var. *penduliflorus* (DC.) Schery and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Modiola caroliniana* (L.) G. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pavonia odorata* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pavonia procumbens* (Wall ex. Wight & Arn.) Walp. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pavonia zeylanica* (L.) Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Plagianthus pulchellus* A. Gray and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sida acuta* Burm.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sida cordata* (Burm. f.) Borssum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sida cordifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sida mysorensis* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sida rhombifolia* L. var. *rhombifolia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sida rhombifolia* L. var. *retusa* (L.) Borss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sida schimperiana* Hochst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sida spinosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Thespesia lampas* (Cav.) Dalz. ex Dalz. & Gibs and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Thespesia populnea* (L.) Soland ex Correa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Urena lobata* L. subsp. *lobata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Urena lobata* L. subsp. *sinuata* (L.) Borssum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Adansonia digitata* L. and 15



wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bombax ceiba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bombax ellipticum* Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bombax insigne* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ceiba pentandra* (L.) Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Chorisia speciosa* St. Hil. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cullenia exarillata* Robyns and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Durio zibethinus* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Byttneria herbacea* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cola acuminata* (P. Beauv.) Schott & Endlicher and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dombeya acutangula* Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dombeya burgessiae* Gerr. ex Harv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dombeya mastersii* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dombeya mollis* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dombeya platanifolia* Boj. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dombeya spectabilis* Boj. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dombeya wallichii* (Lindl.) K. Schum. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eriolaena hookeriana* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eriolaena lushingtonii* Dunn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eriolaena quinquelocularis* (Wight & Arn.) Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eriolaena stocksii* Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Firmiana colorata* (Roxb.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Guazuma ulmifolia* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Helicteres isora* L. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Heritiera papilio* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hildegardia populnifolia* (Roxb.) Schott & Endl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Kleinhovia hospita* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Leptonychia moacurroides* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Melhania balakrishnanii* K.Ravik., R.Ganesan & K.Ramamurthy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Melhania cannabina* Wight ex Mast. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Melhania hamiltoniana* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Melhania incana* Heyne ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Melochia corchorifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Melochia nodiflora* Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Melochia pyramidata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pentapetes phoenicea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pterospermum acerifolium* (L.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pterospermum canescens* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pterospermum diversifolium* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pterospermum obtusifolium* Wight ex Mast. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pterospermum reticulatum* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pterospermum rubiginosum* Heyne ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pterospermum xylocarpum* (Gaertn.) Sant. & Wagh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pterygota alata* (Roxb.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sterculia balanphas* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sterculia foetida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sterculia guttata* Roxb. ex

DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sterculia urens* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sterculia villosa* Roxb. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Theobroma cacao* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Waltheria indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Berrya cordifolia* (Willd.) Burret. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Berrya javanica* (Turez.) Burret. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Corchorus aestuans* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Corchorus capsularis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Corchorus fascicularis* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Corchorus olitorius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Corchorus tridens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Corchorus trilocularis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Corchorus urticifolius* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Grewia abutilifolia* Juss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Grewia abutilifolia* Vent. ex Juss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Grewia barberi* Drumm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Grewia bracteata* Roth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Grewia damine* Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Grewia flavescens* Juss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Grewia gamblei* Drumm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Grewia heterotricha* Mast. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Grewia hirsuta* Vahl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Grewia lanceaefolia* Roxb.

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Grewia nervosa* (Lour.) Panigr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Grewia oppositifolia* Buch - Ham ex Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Grewia orbiculata* Rottl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Grewia orientalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Grewia pKalamica* Drumm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Grewia rhamnifolia* Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Grewia rothii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Grewia serrulata* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Grewia tenax* (Forsk.) Fiori and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Grewia tiliifolia* Vahl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Grewia umbellifera* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Grewia villosa* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Muntingia calabura* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Triumfetta annua* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Triumfetta pentandra* A. Rich and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Triumfetta pilosa* Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Triumfetta rhomboidea* Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Triumfetta rotundifolia* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Elaeocarpus amoenus* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Elaeocarpus blascoi* Weibeln and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Elaeocarpus lanceifolius* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Elaeocarpus munronii* (Wight) Mast. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Elaeocarpus recurvatus*

Corner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Elaeocarpus rugosus* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Elaeocarpus serratus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Elaeocarpus glandulosus* Wall. ex Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Elaeocarpus tuberculatus* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Elaeocarpus venustus* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hugonia mystax* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Linum mysurense* Heyne ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Linum usitatissimum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Reinwardtia indica* Dumort. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Erythroxylum coca* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Erythroxylum lanceolatum* (Wight) Walp. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Erythroxylum monogynum* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Erythroxylum moonii* Hochr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Erythroxylum obtusifolium* (Wight) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aspidopterys canarensis* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on



coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aspidopterys indica* (Roxb.) Hochr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Galphimia gracilis* Bartl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hiptage benghalensis* (L.) Kurz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hiptage obtusifolia* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hiptage parvifolia* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Malpighia coccigera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Malpighia glabra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Malpighia heterantha* Wight

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Malpighia puniceifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tristellateia australasiae* A. Rich. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Balanites aegyptiaca* (L.) Del. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Fagonia cretica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Guaiacum officinale* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tribulus lanuginosus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tribulus subramanii* P. Singh, Giri & V. Singh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Erodium moschatum* (L.) L'Herit and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Geranium nepalense* Sweet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pelargonium capitatum* (L.) Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pelargonium cucullatum* (L.) Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pelargonium x domesticum* L.H.Bailey and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pelargonium graveolens* L'Herit and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pelargonium grossularioides* (L.) Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pelargonium x hortorum* L.H.Bailey and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pelargonium inquinans* (L.) Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pelargonium peltatum* Soland. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tropaeolum majus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tropaeolum pentaphyllum* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Limnanthes douglasii* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Biophytum insignis* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Biophytum intermedium* Wight var. *pulneyensis* Edgew. & Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Biophytum longibracteatum*

Tad. & Jacob and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Biophytum nudum* (Arn.) Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Biophytum polyphyllum* Munro and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Biophytum proliferum* (Arn.) Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Biophytum reinwardtii* (Zucc.) Klotzsch and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Biophytum sensitivum* (L.) DC. var. *sensitivum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Biophytum sensitivum* (L.) DC var. *candolleianum* (Wight) Edgew. & Hook.f and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Biophytum sensitivum* (L.) DC var. *nervifolium* (Thw.) Edgew. & Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Oxalis acetosella* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Oxalis cernua* Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Oxalis corniculata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Oxalis corymbosa* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Oxalis deppei* Lodd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Oxalis latifolia* H. B. K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Oxalis pubescens* H. B. K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Oxalis variabilis* Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Averrhoa bilimbi* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Averrhoa carambola* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hydrocera triflora* (L.) Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Impatiens acaulis* Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Impatiens auriculata* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Impatiens balsamina* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Impatiens campanulata* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Potentilla multifida* L. and 15



wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Potentilla nepalensis* HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Potentilla reptans* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Potentilla salesoviana* STEPH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Potentilla sericea* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Potentilla sibbaldi* HOOK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Potentilla sundaica* (BL.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Potentilla supina* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pothomorphe subpeltata* (WILLD.) MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pothos cathcarti* SCHOTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pothos kunstleri* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pothos officinalis* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pothos scandens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pouzolzia bennettiana* WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pouzolzia frondosa* (DON) KTZE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pouzolzia hirta* HASSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pouzolzia indica* GAUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pouzolzia quinquenervis* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pouzolzia sanguinea* (BI.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pouzolzia viminea* WEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pouzolzia zeylanica* (L.) BENN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Prangos pabularia* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pratia begonifolia* (WALL.) LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pratia nummularia* KURZ

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Premna barbata* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Premna coriacea* CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Premna corymbosa* ROTTL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Premna divaricata* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Premna esculenta* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Premna flavescens* HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Premna herbacea* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Premna integrifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Premna latifolia* ROXB. *mucronata* C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Premna latifolia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Premna macrophylla* WALL. EX SCHAUER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Premna mucronata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Premna obtusifolia* R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Premna parasitica* BLUME NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Premna serratifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Premna spinosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Premna thyrsoidea* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Premna tomentosa* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Premna villosa* CLARKE IN HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Primula denticulata* HK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Primula macrophylla* D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Primula reticulata* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Prinsepia utilis* ROYLE and

15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Prismaomeris tetrandra K.SCHUM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Priva cordifolia (L.F.) DRUCE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Priva leptostachya JUSS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Pronephrium nudatum (ROXB. EX GRIFF.) HOLTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Prosopis chilensis (MOLINA) STUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Prosopis cineraria (L.) DRUCE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Prosopis farcta (SOL EX RUSS) MAC BRIDE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Prosopis juliflora* (SW.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Prosopis spicigera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Protium kataf* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Protium pubescens* ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Protium serratum* (COLEBR) ENGLER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Prunus amygdalus* BATSCHE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Prunus armeniaca* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Prunus avium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Prunus carmesiana* HARA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Prunus cerasoides* D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Prunus cerasus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Prunus ceylanica* (WT.) MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Prunus communis* FRITSCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Prunus communis* HUDS. insitia and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Prunus cornuta* (ROYLE) STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Prunus domestica* L. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Prunus dulcis (MILLER) D.A. WEBB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Prunus insititia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Prunus mahaleb L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Prunus malus L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Prunus persica BATSCHE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Prunus pudum (WALL.) ROXB. EX BRANDIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Prunus salicina LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Prunus triflora* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Prunus undulata* HAM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Przewalskia tangutica* MAXIM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Psalliotia campestris* L FR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Psammogeton biternatum* EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Psammogeton canescens* (DC.) VATKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pseudarthria viscida* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pseuderanthemum bicolor* (SCHRANK.) RADIK and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pseuderanthemum platiferum* (WALL.) RADLK. EX LINDAU and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pseudodissochaeta assamica* (CL.) NAYAR NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pseudodrynaria caronas* (WALL. EX METT.) CHING. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pseudognaphalium luteoalbum* (L.) HILL. & BURTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pseuduvaria prainii* (KING) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Psidium cattleianum* SABINE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Psidium guajava* L. pomiferum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Psidium guajava* L. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Psidium pomiferum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Psidium pyrifolium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Psidium quajava* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Psilanthus travancorensis* (WIGHT & ARN.) LERAY. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Psilotrichum trichotomum* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Psilotum nudum* BEAUV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Psophocarpus tetragonolobus* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Psoralea corylifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Psoralea plicata* DEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Psoralea tetragonoloba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Psychotria calocarpa* KURZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Psychotria curviflora* THW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Psychotria dalzielii* J. HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Psychotria glandulosa* (DENNST.) SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Psychotria ipecacuanha* LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on



coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Psychotria montana* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Psychotria sarmentosa* BLUME NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Psychotria viridiflora* REINW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Psychotria andryaloides* (DC) NOVOP. EX KRASH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pteridium aquilinum* (L.) KUHN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pteris aquilina* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pteris biaurita* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pteris cretica* L.F. NULL and

15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pteris ensiformis* BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pteris longipes* DON F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pteris multifida* POIR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pteris vitata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pteris wallichiana* AGARDH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pternandra coerulescens* JACK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pterocarpus dalbergioides* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pterocarpus indicus* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pterocarpus marsupium* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pterocarpus santalinus* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pterococcus corniculatus* (SM.) PAX & HOFFM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pterocymbium javanicum* R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pterolobium hexapetalum* (ROTH) SANT. & WAGH NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pteropyrum olivierii* JAUB. & SPACH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pterospermum acerifolium* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pterospermum canescens* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pterospermum diversifolium* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pterospermum heyneanum* WALL. EX. WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pterospermum rubiginosum* HEYNE EX. WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pterospermum suberifolium* (L.) LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pterospermum xylocarpum* (GAERTH.) SAMT. & WAGH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pterygota alata* R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ptesmonium margaritifolium*

(ROXB.) SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Ptychopetalum olacoides BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Ptychopetalum uncinatum ANSELMINO. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Ptychotis ajowan DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Pueraria hirsuta (THUNB.) SCHU. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Pueraria lobata (WILLD.) OHWI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Pueraria phaseoloides (ROXB.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Pueraria tuberosa (ROXB. EX. WILLD.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pulicaria crispa* SCH.-BIP and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pulicaria dysenterica* (L.) GAERTN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pulicaria glaucescens* JAUB. & SPACH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pulicaria wightiana* (DC.) BENTH. EX CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Puneeria coagulans* STOCKS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Punica granatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pupalia lappacea* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pupalia orbiculata* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Putranjiva roxburghii* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Putranjiva zeylanica* MUELL.-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pycnocycla aucheriana* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pycnocycla glauca* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pycnospora lutescens* (POIR.) SCHINDLER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pygeum gardneri* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pygeum wightianum* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pygmaeopremna herbacea*



(ROXB.) MOLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pygmaeopremna pyrifolia* - culta NAKAI NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pyrethrum indicum* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pyrethrum umbeliferum* BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pyrola rotundifolia* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pyrrosia adnascens* (SW.) CHING and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pyrrosia heterophylla* (L.) ORUCE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pyrrosia lanceolata* (L.) FARWELL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pyrrosia mannii* (GIES.) CHING NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pyrrosia penangiana* (HK.) HOLTT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pyrus aucuparia* GAERTN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pyrus chinensis* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pyrus communis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pyrus cydonia* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pyrus lindleyi* REHD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pyrus malus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pyrus pashia* BUCH.-HAM EX DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pyrus tomentosa* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Quamoclit coccinea* MOENCH.METH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Quamoclit phoenicea* CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Quamoclit pinnata* BOJER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Quamoclit vulgaris* CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Quassia indica* (GAERTN.) NOOTEBOOM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Quercus acutissima* CARR.

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Quercus floribunda* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Quercus ilex* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Quercus incana* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Quercus infectoria* OLIV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Quercus lamellosa* SMITH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Quercus leucotrichophora* A. CAMUS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Quercus pachyphylla* KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Quercus robur* PALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Quercus truncata* KING. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Quisqualis indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Radermachera xylocarpa* (ROXB.) SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Randia cochinchinensis* (LOUR.) MERR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Randia densiflora* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Randia dumetorum* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Randia fasciculata* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Randia longiflora* LAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Randia longispina* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Randia malabaricum* LAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Randia rugulosa* (THW.) HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Randia spinosa* POIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Randia tetrasperma* BENTH. & HOOK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Randia tomentosa* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Randia uliginosa* DC. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ranunculus aquatilis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ranunculus arvensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ranunculus cantoniensis* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ranunculus diffusus* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ranunculus falcatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ranunculus hirtellus* ROYLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ranunculus hyperboreus* ROTLB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ranunculus laetus* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ranunculus lingua* L. SP. PL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ranunculus muricatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ranunculus pensylvanicus* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ranunculus sceleratus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ranunculus trichophyllus* CHAIX IN VILL. DAUPH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ranunculus tricuspid* MAXIM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Raphanus caudatus* ALEF. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Raphanus sativus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rauvolfia canescens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rauvolfia densiflora* (WALL.) BENTH. EX HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rauvolfia micrantha* HOOK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rauvolfia reflexa* T. & B. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rauvolfia serpentina* (L.) BENTH. EX KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rauvolfia tetraphylla* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ravenala madagascarensis*

SONN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Reaumuria hypericoides WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Reinwardtia indica DUMORT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Reinwardtia trigyna PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Reissantia arborea (ROXB) HARA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Reissantia grahamii (WIGHT) DING.HOU. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Reissantia indica (WILLD.) HALLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Remirea maritima AUBL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Remusatia vivipara* SCHOTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Reseda odorata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rhabdia lycioides* SENU CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rhamnus dahuricus* PALL. REISE RUSS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rhamnus nepalensis* WALL. EX ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rhamnus prostrata* JACQ. EX PAKER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rhamnus purpurea* EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rhamnus purshiana* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rhamnus triquetra* (WALL.) BRANDIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rhamnus virgatus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rhamnus wightii* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rhaphidophora decursiva* SCHOTT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rhaphidophora laciniata* (BURM.F.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rhaphidophora pertusa* SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rhazya stricta* DECNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rheum acuminatum* HK. F.

& T. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Rheum australe D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Rheum emodi WALL. EX MEIM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Rheum moorcroftianum ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Rheum nobile HOOK.F. & THOMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Rheum officinale BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Rheum palmatum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Rheum rhaponticum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rheum spiciforme* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rheum spiciforme* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rheum undulatum* PALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rheum webbianum* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rhinacanthus calcaratus* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rhinacanthus communis* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rhinacanthus nasuta* (L.) KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rhinoglossum obliquum* BL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on



coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rhizophora apiculata* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rhizophora mangle* Roxb. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rhizophora mucronata* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rhodamnia trinervia* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rhodiola heterodonta* (Hook. f. & Thoms.) Boriss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rhodiola imbricata* EDGEW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rhododendron anthopogon* D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rhododendron arboreum* SM.

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Rhododendron barbatum WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Rhododendron campanulatum DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Rhododendron chrysanthum PALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Rhododendron cinnabarinum HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Rhododendron decipiens LACAITA NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Rhododendron falconeri HOOK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Rhododendron javanicum BENN. PL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rhododendron lepidotum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rhododendron ponticum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rhododendron setosum* D. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rhododendron thomsonii* HOOK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rhodomyrtus parviflora* ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rhodomyrtus semialata* MURR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rhodomyrtus tomentosa* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rhus chinensis* MILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rhus coriaria* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rhus hookeri* SAHNI & BAHADUR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rhus insignis* HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rhus javanica* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rhus parviflora* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rhus punjabensis* J.L. STEW. EX BRAND. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rhus semialata* MURR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rhus succedanea* L. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rhus wallichii* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rhynchoscarpa foetida* SCHRAD NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rhynchoglossum obliquum* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rhynchosia minima* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rhynchosia nummularia* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rhynchospermum verticillatum* REIN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rhynchostylis retusa* (L.) BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ribes alpestre* WALL. EX DECNE. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ribes emodense* REHDER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ribes grossularia* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ribes himalense* ROYLE EX DECNE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ribes nigrum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ribes orientale* DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ribes rubrum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Richardia scabra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ricinus communis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Riedlea corchorifolia* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rikliella squarrosa* (L.) RAYNAL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rivea hypocrateriformis* CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rivea ornata* CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rocella montagnei* BEL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Roripa islandica* (OEDER) BORBAS SCHINZ & THELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rorippa dubia* HARA and 15



wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rorippa indica* (L.) HIERN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rorippa indieca* HIERN. APETALA HOCHR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rorippa islandica* (OED.) BORBASS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rorippa montana* SMALL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rorippa nasturtium-aquaticum* (L.) HAYEK NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rosa alba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rosa banksiae* AIT. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rosa brunonii* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rosa centifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rosa chinensis* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rosa eglanteria* MILL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rosa foetida* HERM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rosa gallica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rosa indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rosa macrophylla* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rosa moschata* HERRM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rosa multiflora* THUNB. EX J. MURR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rosa rubra* BLACKW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rosa sericea* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rosa webbiana* WALL. EX ROYLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Roscoeia alpina* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Roscoeia procera* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Roscoeia purpurea* ROYLE

NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rosmarinus officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rostellularia procumbens* (L.) NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rosularia rosulata* (EDGEW.) OHBA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rotala baccifera* KOEHNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rotala densiflora* (ROTH) KOEHNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rotala indica* (WILLD.) KOEHNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rotala rotundifolia* KOEHNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rothia indica* (L.) DRUCE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rotula aquatica* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rourea mimosoides* PLANCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rourea minor* (GAERTN.) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rourea santaloides* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Roylea cinerea* (DON) BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Roylea elegans* WALL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rubia cordifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rubia munjista* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rubia sikkimensis* KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rubia tinctorum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rubus biflorus* HAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rubus contennifer* KURZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rubus ellipticus* SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rubus fruticosus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rubus idaeus* L. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rubus lasiocarpus* SMITH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rubus lucens* FOCKE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rubus moluccanus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rubus niveus* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rubus paniculata* SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rubus rugosus* SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rubus saxatilis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rubus strigosus* MICHX. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rubus ulmifolicus* SCHOTT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rudolphia frondosa* POIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ruellia patula* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ruellia prostrata* POIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ruellia secunda* BLANCO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ruellia strepens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ruellia suffruticosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ruellia tuberosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rumex acetosella* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rumex crispus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rumex dentatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rumex hastatus* DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rumex hymenosepalus* TORR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rumex maritimus* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rumex nepalensis* SPR. and

15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rumex orientalis* BERNH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rumex paulsenianus* RECH. F. FEDD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rumex scutatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rumex vesicarius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rumphia amboinensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rungia parviflora* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rungia pectinata* (L.) NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rungia repens* (L.) NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ruscus aculeatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Russelia equisetiformis* SCHL. & CHAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ruta angustifolia* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ruta chalepensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ruta graveolens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ruta tuberculata* FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rytidix granularis* (L.) SKEELS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sabia lanceolata* COLEBR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sabia robusta* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Saccharomyces cerevisiae* MEYEN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Saccharum arundinaceum* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Saccharum bengalense* RETZ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Saccharum ciliare* ANDERS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Saccharum fuscum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Saccharum munja* ROXB.

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Saccharum officinarum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Saccharum robustum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Saccharum sara* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Saccharum sinense* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Saccharum spontaneum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sacciolepis indica* CHASE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sacciolepis interrupta* (WILLD.) STAPF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Saccolabium guttatum* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Saccolabium papillosum* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Saccolabium praemorsum* HOOK NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sageraea dalzelli* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sageraea laurifolia* (GRAHAM) BLATTER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sagina saginoides* (L.) KARST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sagittaria sagittifolia* L. *sagittifolia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Saguerus rumphii* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on



coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Salacia chinensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Salacia fruticosa* HEYNE EX LAWS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Salacia grandiflora* KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Salacia macrophylla* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Salacia macrosperma* WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Salacia oblonga* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Salacia reticulata* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Salicornia brachiata* ROXB.

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Salicornia indica* DREGE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Salix acmophylla* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Salix acutifolia* WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Salix alba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Salix babylonica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Salix caprea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Salix daphnoides* VILL NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Salix elegans* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Salix pycnostachya* ANDERSS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Salix tetrasperma* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Salmalia insignis* (WALL.) SCHOTT & ENDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Salmalia malabarica* SCHOTT & ENDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Salomonium cantoniensis* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Salsola baryosma* (R. & S.) DANDY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Salsola foetida* DEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Salsola kali* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Salvadora indica* ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Salvadora oleoides* DECNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Salvadora persica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Salvadora persica* L. *wightiana* (PLANCH EX THW.) VERDC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Salvadora wightiana* PLANCH. EX THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Salvia aegyptiaca* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Salvia bengalensis* KOENIG

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Salvia cabulica* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Salvia coccinea* BUCHOZ EX ETLINGA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Salvia glutinosa* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Salvia haematodes* W. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Salvia hians* ROYLE EX BTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Salvia lanata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Salvia macrosiphon* BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Salvia moorcroftiana* WALL. EX BENTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Salvia mukerjeea* BENNET & RAIZADA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Salvia officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Salvia plebeia* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Salvia pumila* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Salvia sclarea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Salvia spinosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Salvinia cucullata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Kalamdera indica* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Kalamdera lucida* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Kalamnea Kalamn* (JACQ.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sambucus ebulus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sambucus hookeri* REHDER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sambucus javanica* REINW. EX BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sambucus nigra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sambucus wightiana* WALL.



EX WGT. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sandoricum indicum* CAV. DISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sandoricum koetjape* (BURM.F.) MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sanguinaria canadensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sanicula europaea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sansevieria cylindrica* BOJ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sansevieria ebracteata* (CAV.) SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sansevieria hyacinthoides* (L.) DRUCE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sansevieria lanuginosa* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sansevieria roxburghiana* SCHULT. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sansevieria trifasciata* HORT. EX PRAIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sansevieria zeylanica* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Santaloides minus* SCHELLENB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Santalum album* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Santalum flonum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Santolina chamaecyparissus* LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sapindus emarginatus* VAHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sapindus laurifolia* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sapindus mukorossi* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sapindus trifoliatu*s L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sapiu*m indicum WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sapiu*m insigne TRIMEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sapiu*m sebiferum ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Saponaria vaccaria* L. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Saprosma ternatum* (WALL. EX ROXB.) HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Saraca asoca* (ROXB.) DE WILDE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Saraca indica* AUCT. NON L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sarcandra glabra* (THUNB.) NAKAI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sarcocephalus cordatus* MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sarcocephalus missionis* HAVILAND REV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sarcococca saligna* (D.DON) MUELL.-ARG. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sarcolobus globosus* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sarcostemma acidium* (ROXB.) VOIGT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sarcostemma acidium* VOIGT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sarcostemma brevistigma* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sarcostemma brunonianum* WT. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sarcostemma intermedium* DECNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sarcostemma secamone* (L.) BENNET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sarcostemma stocksii* HK. F and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sarcostigma kleinii* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sassafras albidum* (NUTT.) NESS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sassafras officinale* NEES. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Satureja hortensis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Satureja montana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Satyrium nepalense* D. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Saurauia armata* KURZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Saurauia macrotricha* KURZ

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Saurauia napaulensis* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Saurauia nepalensis* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Saurauia robusta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Saurauia roxburghii* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sauromatum guttatum* (WALL.) SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sauromatum pedatum* (WILLD.) SCHOTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sauromatum venosum* (AIT.) KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sauropus androgynus* (L.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sauropus quadrangularis* MUELL. ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Saussurea affinis* SPR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Saussurea albescens* (DC.) SCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Saussurea auriculata* (DC.) SCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Saussurea bracteata* DECNE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Saussurea candicans* CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Saussurea ceratocarpa* DECNE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Saussurea costus* (FALC.) LIPSCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Saussurea gossypiphora* DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Saussurea gracilis* DECNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Saussurea heteromalla* (DON) HAND.-MAZZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Saussurea hypoleuca* SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Saussurea lappa* C.B.CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Saussurea obvallata* (DC.) EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Saussurea sacra* EDGEW.

NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Saussurea schultzei* H.K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Saussurea simpsoniana* (FIELD & GARD.) LIPSCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Saussurea taraxacifolia* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Saxifraga diversifolia* WALL. EX SER. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Saxifraga imbricata* ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Saxifraga ligulata* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Scabiosa speciosa* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Scaevola frutescens* KRAUSE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Scaevola koenigii* VAHL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Scaevola sericea* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Scaevola taccada* (GAERTN.) ROXB. N and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.ULL

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Scaphium affine* RIDLEY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Scaphium wallichii* SCHOTT & ENDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Scapiflora species* (ROXB.) ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Schefflera elata* (BUCH.-HAM. EX D.DON) HARMS. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Schefflera elliptica* (BL.) HARMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Schefflera hypoleuca* (KURZ) HARMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Schefflera shypoleucoids* HARMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Schefflera stellata* (GAERTN.) HARMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Schefflera venulosa* (WIGHT & ARN.) HARMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Schefflera venulosum* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Schima wallichii* (DC.) KORTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Schinus molle* HORT. EX

ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Schisandra chinensis* (TURCZ.) BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Schisandra neglecta* SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Schizachyrium exile* STAPF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Schizaea dichotoma* (L.) SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Schizandra neglecta* SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Schizophyllum commune* FR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Schleichera oleosa* (LOUR.) OKEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Schleichera trijuga* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Schlerichera trijuga* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Schrebera swietenoides* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Schultzia benthami* C.B.CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Schumannianthus virgatus* (ROXB.) ROLFE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Schweinfurthia papilionacea* MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Schweinfurthia sphaerocarpa* A.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Scilla coromandeliana* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on



coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Scilla hohenackeri* FISCHET MAY. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Scilla hyacinthina* (ROTH.) MAC BRIDE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Scilla indica* BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Scindapsus aureus* (LINDEN EX ANDRE) ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Scindapsus officinalis* SCHOTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Scirpus articulatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Scirpus barbatus* ROTTB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Scirpus corymbosus* HEYNE

NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Scirpus grossus* L. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Scirpus inclinatus* (DEL.) ASCHERS. & SCHWEINF. EX BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Scirpus kysoor* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Scirpus lacustris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Scirpus maritimus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Scirpus tuberosus* DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Scleria hebecarpa* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Scleria levis* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Scleria lithosperma* (L.) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Scleria pergracilis* (NEES) KUNTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Scleria poaeformis* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Scleria terrestris* (L.) FASS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sclerocarya birrea* HOCHST and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Scleropyrum pentandrum* (DENNST.) MABBERLEY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Scleropyrum wallichianum* (WIGHT & ARN.) A. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Scolopia aculeata* SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Scolopia crenata* CLOS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Scoparia dulcis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Scopolia anomala* (LINK & OTTO) AIRY-SHAW NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Scopolia lurida* DUNAL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Scopolia stramonifolia* (WALL.) SHRESTHA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Scorzonera virgata* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Scrophularia koelzii* PENN.

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Scrophularia variegata* M.B. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Scurrula parasitica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Scurrula philippensis* (CH. & SCH.) DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Scutellaria angulosa* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Scutellaria assamica* MUKHERJEE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Scutellaria discolor* COLEBR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Scutellaria galericulata* L and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Scutellaria glandulosa* COLEBR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Scutellaria heydei* HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Scutellaria indica* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Scutia indica* BRONG.. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Scutia myrtina* (N.BURM.) KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Scyphiphora hydrophyllacea* GAERTN.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sebastiania chamaelea* MUELL.ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Secamone emetica* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sechium edule* SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Securinega leucopyrus* (WILLD.) MUELL.ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Securinega suffruticosa* (PALL.) REHDER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Securinega virosa* BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sedum asiaticum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sedum crassipes* WALL. EX HOOK. F. & TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sedum ewersii* LEDEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sedum multicaule* WALL



and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sedum quadrifidum* PALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sedum tibeticum* HOOK.F. & T. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sedum tillacoides* DUTHIE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sedum trifidum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sedum wallichianum* HOOK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Selaginella bryopteris* (L.) BAK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Selaginella chrysocaulos* (HOOK. & GREV.) SPRING.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Selaginella ciliaris* (RETZ.) SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Selaginella involvens* SPRENG. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Selaginella krausiana* A.BR.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Selaginella monosperma* SPRING.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Selaginella plumosa* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Selaginella radicata* (HOOK. & GREV.) SPRING.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Selaginella repKalam* (DESV. EX POIR.) SPRENG NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Selaginella rupestris* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Selaginella willdenowii* (POIR.) BAK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Selenicereus grandiflorus* (LINN.) BRITT. & ROSE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Selinum candollei* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Selinum filicifolium* EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Selinum striatum* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Selinum tenuifolium* WALL. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Selinum vaginatum* C.B. CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Semecarpus anacardium* L. F.

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Semecarpus heterophylla* BLUME NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Semecarpus kurzii* ENGLER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Semecarpus travancorica* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sempervium sedoides* JACQ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Senebiera didyma* PERS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Senecio aureus* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Senecio bhutanicus* BALAK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Senecio cappa* DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Senecio graciliflorus* . DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Senecio hohenackeri* HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Senecio jacquemontianus* BENTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Senecio kraschennikovii* SCHICH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Senecio laetus* EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Senecio nudicaulis* HAM. EX D. DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Senecio quinquelobus* HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Senecio scandens* DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Senecio tenuifolius* BURM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Senecio vulgaris* L and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Senna prostrata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Serenoa repens* (BARTR.) SMALL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sesamum indicum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sesamum laciniatum* KLEIN EX. WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sesamum orientale* L. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sesamum prostratum* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sesbania aculeata* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sesbania aculeata* PERS. *cannabina* (RETZ.) BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sesbania aegyptiaca* POIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sesbania bispinosa* (JACQ.) W.F. WIGHT *bispinosa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sesbania cannabina* RETZ. POIRET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sesbania grandiflora* (L.) POIRET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sesbania paludosa* PRAIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sesbania sesban* (L.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sesbania sesban* (L.) MERR. bicolor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sesbania sesban* (L.) MERR. picta (CON.) SANTAPAU and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sesbania sesban* (L.) MERR. typica and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sesbania sesban* (L.) MERR. sesban sesban and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sesbania speciosa* TAUB. EX ENGL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Seseli diffusum* (ROXB. EX. SM.) SAMT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Seseli indicum* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Seseli sibiricum* BENTH. EX CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sesuvium portulacastrum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Setaria glauca* BEAUV and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Setaria italica* (L.) BEAUV and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Setaria planifolia* STAPF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Setaria plicata* (LAM.) COOKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Setaria verticillata* (L.) P.

BEAUV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Setaria viridis* BEAUV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Shorea robusta* GAERTN. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Shorea roxburghii* G.DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Shorea tumbaggaia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sida acuminata* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sida acuta* BURM. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sida alba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sida carpinifolia* L. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sida cordata* (BURM.F.) BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sida cordifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sida humilis* CAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sida lanceolata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sida mauritiana* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sida orientalis* CAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sida ovata* FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sida retusa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sida rhombifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sida rhombifolia* L. *retusa* (L.) BORASSUM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sida rhombifolia* L. *retusa* (L.) MASTERS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sida rhombifolia* L. *rhombifolia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sida rhombifolia* L. *rhomboidea* (DC.) MASTERS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sida rhomboidea* ROXB. EX FLEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sida spinosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sida veronicaefolia* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sideroxylon spinosum* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sideroxylon tomentosum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Siegesbeckia orientalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Siegesbeckia orientalis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Silene apetala* WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Silene inflata* SM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Silene laxantha*

MAJUMDAR NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Silene moorcroftiana* WALL. EX BTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Silene vulgaris* (MOENCH) GARCKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Silybum marianum* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Simmondsia chinensis* (LINK) C.K. SCHNEID. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sinapis alba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sinapis chinensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sinapis juncea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sinapis ramosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sison ammi* HERB. MADR. EX WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sisymbrium altissimum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sisymbrium irio* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sisymbrium loeselii* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sisymbrium orientale* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sisymbrium sophia* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sium latijugam* C.B. CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Skimmia anquetilia* N.P.TAYLOR & AIRY SHAW and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Skimmia arborescens* T.ANDERS EX. GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Skimmia laureola* (DC.) ZUCC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Smilax aspera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Smilax china* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Smilax glabra* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Smilax glaucophylla* KLOTZSCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Smilax lanceifolia* ROXB.

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Smilax macrophylla* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Smilax ocreata* A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Smilax ovalifolia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Smilax parvifolia* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Smilax perfoliata* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Smilax prolifera* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Smilax pseudo-china* WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Smilax wightii* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Smilax zeylanica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Smithia conferta* J.E. SMITH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Smithia geminiflora* ROTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Smithia sensitiva* AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Solanum aculeatissimum* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Solanum albicaule* KOTSCHY EX DUNAL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Solanum americanum* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Solanum anguivi* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Solanum aviculare* FORST. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Solanum capsicoides* ALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Solanum ciliatum* LAMK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Solanum denticulatum* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Solanum dulcamara* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Solanum erianthum* D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Solanum ferox* L. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Solanum giganteum* JACQ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Solanum gracilipes* DECNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Solanum hirsutum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Solanum incanum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Solanum indicum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Solanum insanum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Solanum jacquini* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Solanum khasianum* C.B. CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Solanum kurzii* PRAIN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Solanum laciniatum* AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Solanum lasiocarpum* DUNAL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Solanum lycopersicum* LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Solanum mauritianum* SCORP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Solanum melongena* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Solanum melongena* L. incanum KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical



practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Solanum myriacanthum* DUNAL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Solanum nigrum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Solanum pseudocapsicum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Solanum pubescens* HEYNE. EX WALP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Solanum sarmentosum* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Solanum seaforthianum* ANDR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Solanum sisymbirifolium* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Solanum spirale* ROXB. and

15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Solanum surattense* BURM. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Solanum torvum* SWARTZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Solanum trilobatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Solanum tuberosum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Solanum verbascifolium* AUCT NON L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Solanum viarum* DUNAL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Solanum villosum* SCHUR. puniceum (KRISCHLEGER) EDMONDS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Solanum violaceum* ORTEGA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Solanum virginianum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Solanum xanthocarpum* SCHRAD & WENDL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Solena amplexicaulis* (LAM.) GANDHI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Solena heterophylla* LOUR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sonchus arvensis* L and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sonchus asper* (L.) HILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sonchus brachytus* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sonchus maritimus* L and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sonchus oleraceus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sonchus wightianus* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sonerila maculata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sonerila rheedei* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sonerila tenera* ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sonneratia acida* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sonneratia apetala* BUCH.-

HAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sonneratia caseolaris* (L.) ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sonneratia griffithii* KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sophora glauca* LESCH. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sophora griffithii* STOCKS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sophora mollis* (GRAH. EX ROYLE) BAK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sophora tomentosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sophora wightii* BAKER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sopubia delphinifolia* G. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sorbaria tomentosa* (LINDL.) REHDER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sorbus aucuparia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sorbus tianshanica* RUPR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sorghum bicolor* MOENCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sorghum halepense* (L.) PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sorghum saccharatum* PERS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sorghum vulgare* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Soymida febrifuga* (ROXB.) A.JUSS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sparganium stoloniferum* BUCH.- HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Spathodea campanulata* P. BEAUV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Spathoglottis plicata* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Spatholobus parviflorus* (ROXB.) KTZE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Spatholobus roxburghii* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Spergula arvensis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Spergularia rubra* (L.)



J.PRESL & C.PRESL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Spermacoce articularis* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Spermacoce hispida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Spermatocyon suaveolens* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sphaeranthus africanus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sphaeranthus amaranthoides* BURM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sphaeranthus hirtus* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sphaeranthus indicus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sphaeranthus microcephalus* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sphaeranthus senegalensis* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sphaerostephanos subtractus* (BERG.) HOLLT.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sphaerostephanos unitus* (L.) HOLLT.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sphenoclea zeylanica* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sphenodesme involucrata* (PRESL.) paniculata (CL.) MEISSN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sphenodesme pentandra* JACK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sphenomeris chinensis* (L.) MAXON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sphenomeris chusana* COPELAND NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sphyrantha lutescens* (KURZ) PAX & HOFFER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Spilanthus acmella* MURR. olerace and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Spilanthus calva* WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Spilanthus oleracea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Spilanthus paniculata* WALL. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Spinacia oleracea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Spinifex littoreus* (N.BURM.)

MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Spiraea aruncus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Spiraea bella* SIMS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Spiraea canescens* D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Spiraea lindleyana* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Spondias acuminata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Spondias mangifera* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Spondias mombin* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Spondias pinnata* (L.F.) KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Stachyphrynium spicatum* (ROXB.) SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Stachys floccosa* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Stachys officinalis* (L.) TREV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Stachys palustris* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Stachys parviflora* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Stachys sylvatica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Stachys tuberosa* LOUR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Stachytarpheta indica* (L.) VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Stachytarpheta jamaicensis* (L.) VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Stachytarpheta mutabilis* (JACQ.) VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Stachytarpheta urticaefolia* (SALISB.) SIMS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Statice aegyptica* DELILE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Stauroanthera grandifolia* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Stauroanthera umbrosa* CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Stellaria alsine* GRIMM.

undulata (THUNB.) OHWI NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Stellaria aquatica SCOP and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Stellaria media WIGHT EX EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Stellaria chamaejasme L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Stemodia viscosa ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Stemonia tuberosa LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Stenochlaena palustris (N.BURM.) BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Stenolobium stans SEE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Stenoloma chinensis* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Stenotaphrum dimidiatum* (L.) BRONGN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Stephania glabra* (THUNB.) MIERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Stephania glandulifera* MIERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Stephania hernandifolia* (WILLD.) WALP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Stephania japonica* (THUNB.) MIERS. discolour (BLUME.) FORMAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Stephania japonica* (THUNB.) MIERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Stephania japonica* (THUNB.) MIERS. *japonica* and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Stephania rotunda* LOUR NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Stephania wightii* (A.) DUN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Stephegyne parvifolia* KORTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sterculia alata* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sterculia balanphas* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sterculia foetida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sterculia guttata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sterculia rubiginosa* VENT.

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sterculia scaphigera* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sterculia urens* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sterculia villosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Stereospermum chelonoides* (L.F.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Stereospermum colais* (DILLWYN) MABB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Stereospermum neuranthrum* KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Stereospermum personatum* (HASSK.) CHATTERJEE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Stereospermum suaveolens* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Stereospermum tetragonum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Stereospermum xylocarpum* WIGHT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Steudnera virosa* (KUNTH) PRAIN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Stichoneuron caudatum* RIDLEY NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Stictocardia campanulata* (L.) MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Stipa capensis* THUNB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Stipa capillata* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Stipa sibirica* (L.) LAMK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Stipa tortilis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Stranvaesia glaucescens* LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Streblus asper* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Streblus taxoides* (HEYNE EX ROTH) KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Striga asiatica* (L.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Striga gesnerioides* (WILLD.) VATKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Striga lutea* LOUR and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Striga orobanchoides* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Strobilanthes acrocephalus* T. AND. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Strobilanthes auriculatus* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Strobilanthes callosus* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Strobilanthes ciliatus* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Strobilanthes consanguineus* C.B.CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Strobilanthes dalhousianus* C.B. CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Strobilanthes flaccidifolius* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Strobilanthes heyneanus* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Strobilanthes kunthiana* T.ANDERS. EX BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Strobilanthes lupulinus* NEES NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Strobilanthes nobilis* CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Strobilanthes wallichii* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Strobilanthes wightianus* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Stroemia tetrandra* VAHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,



stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Strophanthus dichotomus* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Strophanthus wallichii* A. DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Strophanthus wightianus* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Strychnos aenea* A.W. HILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Strychnos axillaris* COLEB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Strychnos cinnamomifolia* THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Strychnos colubrina* AUCTION. PL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Strychnos gaultheriana* PIER.

NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Strychnos ignatia LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Strychnos ignatii BERG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Strychnos maingayi CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Strychnos minor DENNST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Strychnos nux-biKalam A.W.Hill and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Strychnos nux-vomica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Strychnos potatorum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Strychnos rheedei* CL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Strychnos wallichiana* STEUD. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Stylocoryne lucens* GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Stylophorum lactucoides* (HOOK. F. & THOMS.) BENTH. & HOOK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Stylosanthes fruticosa* (RETZ.) ALST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Styrax benzoin* DRYAND and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Styrax hookeri* CLARKE. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Styrax officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Styrax serrulatum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Styrax tonkinensis* CRAIB EX. HARTWICH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Suaeda fruticosa* FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Suaeda monoica* FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Suregada angustifolia* (BAILL. EX MUELL. - ARG.) AIRY SHAW and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Suregada multiflora* (JUSS.) BAILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Swertia affinis* CLARKE. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Swertia alata* ROYLE EX.

D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Swertia angustifolia* BUCH.-HAM. EX D. DON. PULCHELLA BURKILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Swertia angustifolia* HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Swertia chirata* (ROXB. EX. FLEM.) KAR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Swertia chirayita* ROXB. EX (FLEMING) KARST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Swertia ciliata* (G.DON) BURTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Swertia cordata* CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Swertia corymbosa* (GRISEB.) WT. EX CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Swertia decussata* NIMNO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Swertia densiflora* (GRISEB.) KASHYAPPA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Swertia densifolia* (GRISEB.) KASHYAPA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Swertia lawii* BURKILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Swertia minor* (GRISEB.) KNOBL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Swertia paniculata* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Swertia perennis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Swertia petiolata* DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Swertia pulchella* C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Swertia purpurascens* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Swertia thomsonii* Cl. EX HK.F. & TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Swietenia febrifuga* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Swietenia macrophylla* KING NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Swietenia mahagoni* (L.) JACQ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Symphorema involucratum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Symphorema polyandrum*



WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Symphytum officinale* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Symplocos beddomei* C.B.CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Symplocos caudata* WALL. EX. G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Symplocos chinensis* (LOUR.) DRUCE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Symplocos cochinchinensis* S.MOORE laurina laurina (RETZ.) NOOTEBOOM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Symplocos cochinchinensis* S.MOORE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Symplocos crataegoides* BUCH.-HAM. EX.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Symplocos laurina* WALL. EX REHD. & E. H. WILS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Symplocos monantha* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Symplocos paniculata* (THUNB.) MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Symplocos racemosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Symplocos spicata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Symplocos sumuntia* D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Symplocos theaefolia* BUCH.-HAM. EX DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Synadenium grantii* HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Synantherias sylvatica* SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Synapis dichotoma* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Synedrella nodiflora* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Synnema uliginosum* (L.F.) O. KUNTZE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Syringa emodi* WALL. EX ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Syringa persica* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Syzygium alternifolium* (WT.) WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Syzygium aromaticum* (L.)

MERRILL & PERRY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Syzygium caryophyllaeum* AUCT.NON GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Syzygium caryophyllatum* (L.) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Syzygium cerasoides* (ROXB.) CHATT. & KANJI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Syzygium cerasoideum* (ROXB.) RAIZADA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Syzygium cumini* (L.) SKEELS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Syzygium hemisphericum* (WIGHT) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Syzygium heyneanum* WALL. EX DUTHIE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Syzygium jambolana* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Syzygium jambolanum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Syzygium jambos* (L.) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Syzygium malaccense* (L.) MERR. & MERR. & PERRY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Syzygium neyneanum* (DUTHIE) GAMBLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Syzygium operculatum* (ROXB.) NIEDENZU obovatum (DUTHIE) GAMBLE. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Syzygium operculatum* GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Syzygium Kalamrangense* (BL.) MERR. & PERRY and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Syzygium travancoricum* GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Syzygium zeylanicum* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tabernaemontana alternifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tabernaemontana coronaria* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tabernaemontana crispa* ROBT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tabernaemontana dichotoma* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tabernaemontana divaricata* (L.) ROEM. & SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tabernaemontana heyneana*

WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tabernaemontana sphaerocarpa* BLUME. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tabernaemontana wallichiana* STEUD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tacca aspera* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tacca integrifolia* KER-GAWL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tacca leontopetaloides* (L.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tacca pinnatifida* J.R. & G. FORST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tagetes erecta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tagetes minuta* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tagetes patula* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tamarindus indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tamarix aphylla* (L.) KARST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tamarix ariculata* VAHL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tamarix dioica* ROXB. EX. ROTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tamarix ericoides* ROTTL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tamarix gallica* AUCT. NON.L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tamarix indica* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tamarix troupii* HOLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tanacetum dolichophyllum* KITAM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tanacetum fruticosum* LEDEB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tanacetum gracile* HOOK. F. & TH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tanacetum longifolium* WALL. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tanacetum parthenium* (L.) SCHULTZ BIP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tanacetum tenuifolium*

JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tanacetum tibeticum* HK.F. & TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tanacetum tomentosum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tanacetum vulgare* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Taraktogenos kurzii* KING and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Taraktogenos macrocarpa* (BEDD.) BALAK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Taraxacum officinale* WIGGERS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Taraxacum officinale* WIGG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tarenna asiatica* KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Taverniera cuneifolia* (ROTH) ARN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Taverniera nummularia* BAKER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Taxillus tomentosus* (ROXB.) VAN TIEGHAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Taxillus umbellifer* (SCHULTES) DANSER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Taxus baccata* L. *wallichiana* Zucc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Taxus wallichiana* ZUCC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tecoma capensis* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tecoma grandiflora* LOISEL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tecoma radicans* JUSS. EX SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tecoma stans* JUSS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tecoma undulata* G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tecomella undulata* (SM.)SEEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tectaria coadunata* (WALL.) CHR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tectaria macrodonta* (FEE) CHR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tectaria polymorpha*

(WALL. & HOOK.) COPEL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tectona grandis* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Telosma minor* CRAIB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Telosma pallida* (ROXB.) CRAIB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Teona ciliata* ROEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tephrosia candida* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tephrosia hamiltonii* J.R.DRUMM NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tephrosia hirta* (BUCH.-HAM.) GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tephrosia petrosa* BLATTER & HALBB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tephrosia procumbens* BUCH.-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tephrosia purpurea* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tephrosia purpurea* PERS. *pumila* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tephrosia rheedei* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tephrosia senticosa* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tephrosia spinosa* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tephrosia tinctoria* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,



stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tephrosia uniflora* PERS. petrosa (BLATT. & HALLB.) GILLETT & ALI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tephrosia uniflora* PERS. petrosa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tephrosia villosa* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Teramnus labialis* (L.F.) SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Teramnus mollis* BENTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Terminalia alata* HEYNE EX ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Terminalia arjuna* (ROXB.) WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Terminalia bellerica* ROXB.

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Terminalia bellerica* ROXB. *laurinoides* CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Terminalia bellirica* (GAERTN.) ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Terminalia bialata* STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Terminalia catappa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Terminalia chebula* RETZ. *typica* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Terminalia chebula* RETZ. & WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Terminalia citrina* FLEMING and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Terminalia coriacea* (ROXB.) WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Terminalia crenulata* ROTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Terminalia manii* KING NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Terminalia myriocarpa* HEURCK & MUELL-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Terminalia oSkini* BRANDIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Terminalia pallida* BRANDIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Terminalia paniculata* ROTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Terminalia pyrifolia* KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Terminalia reticulata* ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Terminalia tomentosa* (ROXB.) WIGHT. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Terminalia travancorensis* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Termitomyces microcarpus* (BERK. & BR.) HEIM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ternstroemia gymnanthera* (WT. & ARN.) BEDD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ternstroemia japonica* AUCT. NON THUNB) NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tetracera akara* (N.BURM.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tetracera indica* (HOUTT.

EX CHRISTM. & PAUZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tetracera laevis* AUCT. NON VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tetracera scandens* (L.) MERR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tetrameles nudiflora* R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tetranthera roxburghii* NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tetrastigma lanceolarium* (ROXB.) PLANCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tetrastigma leucostaphylum* (DENNST.) ALSTON EX MABB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tetrastigma serrulata* (ROXB.) PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Teucrium chamaedrys* LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Teucrium polium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Teucrium scordium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Teucrium stocksianum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Thalictrum alpinum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Thalictrum cultratum* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Thalictrum dalzelli* HOOK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Thalictrum foetidum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Thalictrum foliolosum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Thalictrum javanicum* Bl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Thalictrum minus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Thalictrum pauciflorum* ROYLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Thalictrum pedunculatum* EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Thalictrum reniforme* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Thamnia vermicularis* (SWARTZ) ACH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Thea assamica* J.W.MAST.



and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Thecagonium biflorum* (L.) BABU and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Thelypteris gracilescens* (BL.) CHING. glandulysis KTZE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Themeda arguens* (L.) HACK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Themeda arundinacea* (ROXB.) RIDLEY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Themeda gigantea* HACK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Themeda triandra* FORSSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Theobroma cacao* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Theriophonum infaustum* N.E. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Theriophonum minutum* BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Thespesia lampas* (CAV.) DALZ. EX DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Thespesia populnea* (L.) SOL.EX. CORREA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Theum tibeticum* MAXIM. EX HOOK. F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Thevetia neriifolia* JUSS. EX. STEUDEL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Thevetia peruviana* MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Thlaspi arvense* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Thlaspi kotschyannum* BOISS. & HOHEN BROIGAR NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Thlaspi tetragona* HK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Thomsonia nepalensis* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Thonningia axillaris* (L.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Thottea siliquosa* (LAM.) DING HOU and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Thuja orientalis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Thunbergia alata* BOJER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Thunbergia erecta* (BENTH.)

T. ANDERS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Thunbergia fragrans* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Thunbergia grandiflora* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Thunbergia hawtayneana* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Thunbergia laurifolia* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Thymus linearis* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Thymus serpyllum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Thymus vulgaris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Thysanolaena acarifera* NEES. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Thysanolaena agrostis* NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Thysanolaena maxima* (ROXB.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Thysanolaena procera* MEZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tiaridium indicum* LEHM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tiliacora acuminata* MIERS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tiliacora racemosa* COLEBR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tinospora cordifolia* (WILLD.) HOOK.F. & THOMS. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tinospora crispa* (L.) HOOK.F. & THOMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tinospora malabarica* (LAM.) HOOK F. & THOMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tinospora sinensis* (LOUR.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tinospora tomentosa* (COLEBR.) HOOK. F. & THOMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tithonia diversifolia* (HEMSLEY) A. GRAY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tithonia tagetiflora* DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Toddalia aculeata* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Toddalia asiatica* (L.) LAM.

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Toddalia bilocularis* W. & A. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tonningia axillaris* KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Toona ciliata* ROEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Torenia asiatica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Torenia bicolor* DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Torenia parviflora* BUCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Torenia polygonoides* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Torenia thouarsii* KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Torenia travancorica* GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Torenia vagans* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tournefortia candollii* C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tournefortia montana* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tovara virginiana* (LINN.) RAFIN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Toxocarpus villosus* DECNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Trachelospermum fragrans* HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Trachelospermum lucidum* (DON) SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Trachycarpus martianus* H.WANDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Trachydium lehmanni* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Trachyspermum ammi* (L.) SPRAGUE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Trachyspermum khasianum* (CI.) WOLFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Trachyspermum roxburghianum* (DC.) CRAIB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tradescantia axillaris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tragia bicolor* MIQ. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tragia cannabina* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tragia cordata* MICHX. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tragia cordifolia* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tragia involucrata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tragia muelleriana* PAX & HOFFM. unicolor (MUELL.ARG.) PAX & HOFFM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tragia plukenetii* A.RADCLIFFE-SMITH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tragopogon gracilis* D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tragopogon porrifolius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tragopogon pratensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Trapa bicornis* L. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Trapa bispinosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Trapa natans* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Trapa natans* L. *bispinosa* (ROXB.) NAKIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Trema cannabina* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Trema orientalis* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Trevesia palmata* (ROXB.) VIS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Trewia nudiflora* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Trewia polycarpa* BTH. & HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Trianthema decandra* L. MANT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Trianthema govinda* BUCH.-HAM. EX G. DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Trianthema govindia* BUCH.-HAM EX G. DON. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Trianthema monogyna* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Trianthema pentandra* LINN.

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Trianthema portulacastrum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Trianthema triquetra* ROTTL. EX WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tribulus alatus* DEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tribulus lanuginosus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tribulus terrestris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tricalysia singularis* (KORTH.) K. SCHUM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tricalysia sphaerocarpa* (HOOK.F.) GAMBLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Trichilia connaroides* (WT. & ARN.) BENTVELZEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Trichilia spinosa* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Trichodesma africanum* R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Trichodesma indicum* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Trichodesma zeylanicum* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tricholepis angustifolia* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tricholepis glaberrima* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tricholepis montana* DLAZ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on



coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tricholepis procumbens* WIGHT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Trichomanes javanicum* BLUME NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Trichopus zeylanicus* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Trichopus zeylanicus* GAERTN. *travancoricus* (BED and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Trichosanthes anaimalaiensis* BEDDOME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Trichosanthes anguina* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Trichosanthes bracteata* (LAM.) VOIGT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Trichosanthes cordata*

ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Trichosanthes cucumerina* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Trichosanthes dioica* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Trichosanthes incisa* ROTTLE. EX ROSENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Trichosanthes laciniosa* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Trichosanthes lobata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Trichosanthes nervifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Trichosanthes palmata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Trichosanthes tricuspidata* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Trichosanthes wallichiana* (SERINGE) WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tridax procumbens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Trifolium alexandrinum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Trifolium alexandrinum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Trifolium fragiferum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Trifolium indicum* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Trifolium officinalis* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Trifolium pratense* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Triglochin maritima* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Triglochin palustris* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Trigonella corniculata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Trigonella emodi* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Trigonella foenum-graecum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Trigonella hamosa* (L.) WILLD. uncata (BOISS. & BOE) TOWNSEND and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Trigonella incisa* BENTHA.

NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Trigonella occulta* DELILE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Trigonella polycerata* L and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Trigonella uncatata* BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Trigonostemon longifolius* BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Trillium govanianum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Trimufetta rhomboidea* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Triphasia trifolia* (BURM. F.) P. WILS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tripleurospermum maritimum* (LINN.) W.D.J. KOCH *inodorum* (LINN.) HYL. EX VAAR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Triticum aestivum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Triticum amyleum* SER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Triticum durum* DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Triticum pilosum* (DALZ. & GIBS) NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Triticum sativum* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Triticum spelta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Triticum vulgare* WILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Triumfetta annua* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Triumfetta bartramia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Triumfetta rhomboidea* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Triumfetta rotundifolia* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Triumfetta semitriloba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Triumfetta tomentosa* NORONHA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tropaeolum minus* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Trophis aspera* RETZ. and 15



wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tropidia curculigoides* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tuber cibarium* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tulipa stellata* HK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Turbina corymbosa* (L.) RAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Turnera angustifolia* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Turnera diffusa* WILLD. APHRODISIACA (L.F. WARD)URB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Turnera ulmifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Turpinia nepalensis* WALL. EX WT. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Turpinia pomifera* (ROXB.) DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Turraea villosa* BENN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tussilago farfara* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tylophora asthmatica* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tylophora dalzellii* HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tylophora fasciculata* BUCH.-HAM. EX WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tylophora hirsuta* WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tylophora indica* (BURM.F.) MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tylophora tenuis* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tylophora tenuissima* (ROXB.) WGT. & ARN. EX WGT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tylophora tetrapetala* (DENNST.) SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Typha angustata* BORY & CHAUB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Typha angustifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Typha australis* SCHUM. & THONN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Typha elephantina* GRAH,

NON ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Typha laxmannii* LEPECH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Typhonium divaricatum* DECNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Typhonium flagelliforme* (LODD.) BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Typhonium roxburghii* SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Typhonium trilobatum* (L.) SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ulmus campestris* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ulmus wallichiana* PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Uncaria cordata* (LOUR.) MERR. *ferruginea* (BL.) RIDSD. *FORMA NULL* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Uncaria gambier* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Uncaria sessilifructus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Unona narum* DUN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Uria alopecuroides* WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Uria crinita* DESV and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Uria hamosa* WALL. EX WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Uria lagopodioides* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Uraria picta* DESV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Uraria prunellaefolia* GREH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Uraria rufescens* (DC.) SCHINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Urena lobata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Urena repKalam* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Urena simiata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Urena sinuata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Urginea coromandeliana*

HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Urginea indica* (ROXB) KUNTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Urginea maritima* (L.) BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Urginea nagarjunae* Hemadri and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Urtica ardens* LINK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Urtica dioica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Urtica hyperborea* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Urtica parviflora* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Urtica pilulifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Usnea sikkimensis* BISWAS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Usnea flexilis* STIRT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Usnea florida* (L.) WIGG. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Usnea hirta* (L.) WIGG. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Usnea longissima* ACH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Usnea rubicunda* STIRT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Usnea sikkimensis* BISPAS. SP. NOV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Usnea venosa* MOT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Uteleria sallicifolia* BEDD. EX HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Uteria salicifolia* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Utricularia bifida* L and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Utricularia gibbosa* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Utricularia reticulata* SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Utricularia stellaris* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Uvaria dulcis* DUNAL and

15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Uvaria ebracteolata* PRESL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Uvaria hookeri* KING and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Uvaria micrantha* (A.DC.)Hook.f.Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Uvaria narum* (DUNAL) WALL EX WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Uvaria zeylanica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vaccaria pyramidata* MEDIC and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vaccinium leschenaultii* WIGHT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vaccinium macrocarpon* AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Valeriana brunoniana* W. & A. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Valeriana dubia* BUNGE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Valeriana hardwickii* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Valeriana jatamansi* JONES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Valeriana leschenaultii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Valeriana officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Valeriana pyrolaefolia* DENE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Valeriana wallichii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vallisneria spiralis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vallisneria spiralis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vallisneria spiralis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vallisneria spiralis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vallisneria spiralis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vallisneria spiralis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vallisneria spiralis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *VKalam spathulata* (L.) SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *VKalam teres* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *VKalam tessellata* (ROXB.) DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *VKalam testacea* (LINDL.) REICHB.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vandellia erecta* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vandellia pedunculata* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vandellia pyxidaria* MAXIM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vangueria pubescens* KUNTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vangueria spinosa* SENSU HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vanilla planifolia* ANDR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vanilla wightiana* LINDL.EX WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vateria indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vateria macrocarpa* B.L.GUPTA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vateria malabarica* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vatica lancaefolia* BI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,



stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ventilago calycina* TUL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ventilago calyculata* TULASNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ventilago denticulata* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ventilago madraspatana* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vepris bilocularis* (WIGHT & ARN.) ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Veratrum album* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Veratrum viride* AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Verbascum chinense* (L.)

SANT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Verbascum coromandelianum* (VAHL) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Verbascum thapsus* PLENK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Verbena nodiflora* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Verbesina calendulacea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Verchellia farnesiana* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vernonia albicans* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vernonia anthelmintica* (L.) WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vernonia arborea* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vernonia aspera* BUCH.-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vernonia cinerea* LESS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vernonia patula* MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vernonia pyramidale* (D.DON) MITRA NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vernonia revoluta* BUCH.-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vernonia roxburghii* LESS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vernonia squarrosa* (D.DON) LESS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vernonia teres* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Veronica agrestis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Veronica anagallis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Veronica arvensis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Veronica beccabunga* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Veronica biloba* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Veronica hederaefolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Veronica serpyllifolia* L.

NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vetiveria zizanioides* (L.) NASH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Viburnum acuminatum* WALL. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Viburnum colebrookianum* WALL. EX CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Viburnum coriaceum* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Viburnum corylifolium* HK.F. & TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Viburnum cotinifolium* DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Viburnum cylindricum* BUCH.-HAM. EX D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Viburnum foetidum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Viburnum hebanthum* THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Viburnum nervosum* D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Viburnum obovatum* WALT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Viburnum punctatum* BUCH.- HAM, EX D. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vicatia wolffiana* (WOLFF EX FEDDE) NORMAN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vicia faba* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vicia hirsuta* KOCH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vicia sativa* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vicoa auriculata* CASS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vicoa indica* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vigna aconitifolia* (JACQ.) MARECHAL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vigna adenantha* (MEYER) MARECHAI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vigna angularis* (WILLD.) OHWI. & OHASHI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vigna catjang* ENDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vigna cylindrica* SKEELS



and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Vigna dalzelliana (O.KTZE ) VERDC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Vigna grahmiana (WT. & ARN.) VERD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Vigna mungo (L.) HEPPER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Vigna pilosa BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Vigna radiata (L.) R. WILCZEK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Vigna radiata (L.) WILEZ sublobata (ROXB.) VERDC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Vanda alpina (Lindl.) Lindl. (Allelopathically enriched), Vigna trilobata (L.) VERDCOURT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vigna umbellata* (THUNB.) OHWL & OHOSHI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vigna unguiculata* (L.) WALP. *cylindrica* (L.) ESELT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vigna unguiculeta* (L.) WALP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vigna vexillata* (L.) A. RICH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vinca major* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vinca minor* SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vinca parviflora* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vinca pusilla* MURR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vinca rosea* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vincetoxicum album* (MILL.) ASCHERS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vincetoxicum hirundinaria* MEDIC glaucum (WALL. EX WT.) HARA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Viola biflora* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Viola caespitosa* D.DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Viola canescens* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Viola cinerea* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Viola diffusa* GING. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Viola odorata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Viola patrinii* GING. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Viola pilosa* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Viola serpens* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Viola suffruticosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Viola sylvestris* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Viola tricolor* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Viscum album* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Viscum articulatum* BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Viscum monoicum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Viscum nepalense* SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Viscum orientale* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vitex agnus-castus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vitex altissima* L.F and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vitex glabrata* F. MUELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vitex leucoxydon* SCHAU and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vitex negundo* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vitex negundo* L. *incisa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vitex negundo* L. *negundo* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vitex negundo* L. *purpurascens* SIVARAJAN & MOLDENKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vitex paniculata* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vitex peduncularis* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vitex pinnata* L. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vitex pubescens* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vitex quinata* (LOUR.) F.N. WILLIAMS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vitex trifolia* L. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vitis adnata* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vitis araneosus* DALZ. & GIBS. EX M.LAWS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vitis carnosus* (ROXB.) WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vitis hastata* MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vitis heyneana* ROEM. & SCULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vitis indica* W. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vitis lanata* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vitis latifolia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vitis objecta* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vitis pallida* W. & A. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vitis parvifolia* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vitis pedata* VAHL EX WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vitis planicaulis* HOOK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vitis polystachya* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vitis quadrangularis* WALT EX WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vitis repens* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vitis rugosa* HOOK.F. & THOMS. EX M. LAWS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vitis setosa* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vitis tomentosa* HEYNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vitis trifolia* L. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vitis vinifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vitis vitifera* HAINES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vittaria elongata* SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vittaria zosterifolia* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Viverra zibetha* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Volkameria inermis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Volutarella divaricata* C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Wagatea spicata* DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Wahlenbergia marginata* (THUNB.) A. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Waldheimia glabra* (DECNE) REGEL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Waldheimia stoliczki* (CI.) OSTENF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Waldheimia tomentosa* (DECNE) REGEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Wallichia disticha* T. ANDERS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Walsura piscidia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Walsura trifoliata* (A.JUSS) HARMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Waltheria indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Wattakaka volubilis* (L.F.) STAPF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Webera corymbosa* WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Webera tetrandra* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Wedelia biflora* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Wedelia calendulacea* LESS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Wedelia chinensis* MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Wedelia wallichii* LESS. and

15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Wendlandia exerta* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Wendlandia heynei* (R. & S.) SANTAPAU and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Wendlandia notoniana* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Wendlandia pendula* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Wendlandia tinctoria* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Wikstroemia canescens* MEISSN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Wikstroemia indica* (L.) C. A. MEY. *viridiflora* (MEISSN.) HOOK. F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Wikstroemia ridleyi* GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Wikstroemia viridiflora* MEISSN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Willughbeia edulis* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Withania coagulans* DUNAL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Withania somnifera* DUNAL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Wolffia globosa* (ROXB.) HARTOG & PLAS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Wollastonia biflora* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Woodfordia floribunda* SALISB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on



coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Woodfordia fruticosa* (L.) KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Wrightia antidysenterica* GRAH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Wrightia arborea* (DENNST.) MABB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Wrightia coccinea* SIMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Wrightia tinctoria* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Wrightia tomentosa* R.& S. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Wrightia zeylanica* R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Xanthium indicum* KOEN.

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Xanthium strumarium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Xanthophyllum arnottianum* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Xanthophyllum flavescens* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Xanthoxylum fraxineum* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Xantolis tomentosa* (ROXB.) RAF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Xeromphis spinosa* (THUNB.) KEAY NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Xeromphis uliginosa* (RETZ.) MAHESH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ximenia aegyptiaca* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ximenia americana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Xylaria polymorpha* PERS. EX MERAT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Xylia dolabriformis* BENTH.& HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Xylia xylocarpa* (ROXB.) TAUB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Xylocarpus granatum* KOEN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Xylopia parvifolia* HOOK.F. & THOMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Xylosma longifolium* CLOS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Xyris anceps* LAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Xyris auceps* AUCT. NON LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Xyris complanata* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Xyris indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Xyris pauciflora* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Youngia japonica* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Yucca aloifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Yucca filamentosa* WOOD

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Yucca gloriosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Zaleya decandra* (L.) BURM. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Zaleya govindia* (DON) NAIR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Zaleya pentandra* (L.) JEFFREY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Zalia decandra* (L.) BURM. F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Zannichellia indica* ROTTL. EX ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Zanonia indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Zantedeschia aethiopica* (L.) SPR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Zanthoxylum acanthopodium* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Zanthoxylum alatum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Zanthoxylum armatum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Zanthoxylum budrunga* (ROXB.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Zanthoxylum hamiltonianum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Zanthoxylum hostile* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Zanthoxylum limonella* (DENNST.) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Zanthoxylum nitidum* (ROXB.) DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Zanthoxylum ovalifolium* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Zanthoxylum oxphyllum* EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Zanthoxylum rhetsa* (ROXB.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Zanthoxylum tetraspermum* WT. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Zanthoxylum triphyllum* WIGHT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Zataria multiflora* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Zea mays* L. and 15



wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Zehneria hookeriana* ARN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Zehneria indica* (LOUR.) KERN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Zehneria maysorensis* (WT. & ARN.) ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Zehneria scabra* (L.F.) SOND. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Zehneria thwaitesii* (SCHWEIN.) JEFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Zehneria umbellata* THW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Zephyranthes ajax* SPRENGER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Zephyranthes grandiflora* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Zephyranthes rosea* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Zeuxine longilabris* (LINDL.) BENTH. EX HOOK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Zeuxine strateumatica* (L.) SCHLECHTER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Zeuxine sulcata* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Zingiber capitatum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Zingiber cassumunar* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Zingiber cernuum* DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Zingiber chrysanthum* ROSC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Zingiber mioga* ROSC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Zingiber montanum* (KOEN.) LINK EX A. DIETRICH NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Zingiber officinale* ROSC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Zingiber officinalis* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Zingiber purpureum* ROSC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Zingiber roseum* ROSC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Zingiber rubens* ROXB. and

15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Zingiber squarrosus* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Zingiber zerumbet* ROSC. EX SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Zinnia elegans* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Zizania caduciflora* HAND.-MAZZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Zizania latifolia* TURCZ. EX STAPF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ziziphora clinopodioides* M.BIEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ziziphora tenuior* L and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ziziphus glabarata* HEYNE, EX ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ziziphus glabrata* HEYNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ziziphus jujuba* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ziziphus mauritiana* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ziziphus napeca* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ziziphus nummularia* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ziziphus oenoplia* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ziziphus oxyphylla* EDGEW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ziziphus rugosa* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ziziphus rugosa* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ziziphus sativa* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ziziphus sororia* ROEM. & SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ziziphus trinervia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ziziphus trinervius* ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Anemone hupehensis* Lemoine ex Boynton var. *japonica* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Anemone rivularis* Buch.-

Ham.ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aquilegia vulgaris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Clematis gouriana* Roxb. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Clematis munroiana* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Clematis smilacifolia* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Clematis theobromina* Dunn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Clematis wightiana* Wall. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Consolida ambigua* (L.) P. W. Ball and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Delphinium elatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Naravelia zeylanica* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ranunculus diffusus* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ranunculus muricatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ranunculus reniformis* Wall. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ranunculus wallichianus* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Thalictrum foliolosum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Thalictrum javanicum* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Thalictrum saniculaeforme* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Chimonanthus praecox* (L.) Link and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Acrotrema arnotianum* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dillenia bracteata* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dillenia indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dillenia pentagyna* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dillenia retusa* Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dillenia suffruticosa*

(Griffith) Martelli and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tetracera akara* (Burm. f.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Magnolia campbellii* Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Magnolia grandiflora* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Magnolia liliflora* Desr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Magnolia x alba* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Michelia champaca* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Michelia nilagirica* Zenk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Alphonsea lutea* (Roxb.) Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Alphonsea sclerocarpa* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Alphonsea zeylanica* Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Annona cherimola* Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Annona muricata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Annona reticulata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Annona squamosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Artabotrys hexapetalus* (L. f.) BhKalamri and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Artabotrys zeylanicus* Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cananga odorata* (Lam.) Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cyathocalyx zeylanicus* Champ. ex Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Desmos lawii* (Hook. f. & Thoms.) Safford and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Desmos viridiflorus* (Bedd.) Safford and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Goniothalamus cardiopetalus* (Dalz.) Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Goniothalamus rhynchantherus* Dunn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Goniothalamus salicina*

Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Goniothalamus thwaitesii* Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Goniothalamus wightii* Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Goniothalamus wynadensis* (Bedd.) Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Meiogyne pannosa* (Dalz.) Sinclair and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Meiogyne ramarowii* (Dunn) Gandhi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Miliusa eriocarpa* Dunn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Miliusa montana* Gard. ex Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Milium nilagirica* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Milium tomentosum* (Roxb.) Sinclair and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Milium wightianum* Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mitrophora heyneana* (Hook. f. & Thoms.) Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Orophea erythrocarpa* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Orophea thomsonii* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Orophea uniflora* Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Polyalthia cerasoides* (Roxb.) Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on



coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Polyalthia coffeoides* (Hook. f. & Thoms.) Benth. & Hook. f. ex Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Polyalthia fragrans* (Diaz.) Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Polyalthia korintii* (Dunal) Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Polyalthia longifolia* (Sonner.) Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Polyalthia rufescens* Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Polyalthia suberosa* (Roxb.) Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Polyalthia tirunelveliense* M. B. Viswan. & ManikKalam and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Popowia beddomeana* Hook.

f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sageraea dalzellii* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Uvaria macropoda* Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Uvaria narum* (Dunnal) Wall. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Uvaria zeylanica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Xylopia parvifolia* (Wight) Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Anamirta cocculus* (L.) Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cissampelos pareira* L. var. *hirsuta* (Buch.-Ham. ex DC.) Forman and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cocculus hirsutus* (L.) Diels and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cocculus laurifolius* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cocculus pendulus* (Forst.) Diels and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Coscinium fenestratum* (Gaertn.) Coleb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cyclea arnottii* Miers and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cyclea peltata* (Lam.) Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Diploclisia glaucescens* (Blume) Diels and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pachygone ovata* (Poir.) Miers ex Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Stephania japonica* (Thunb.) Miers and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Stephania wightii* (Arn.) Dunn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tiliacora acuminata* (Lam.) Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tinospora cordifolia* (Willd.) Miers ex Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tinospora sinensis* (Lour.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Berberis lycium* Royle and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Berberis nilghiriensis* Ahrendt and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Berberis tinctoria* Lesch. and

15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Berberis wightiana* Schneid. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mahonia leschenaultii* (Wall. ex Wight & Arn.) Takeda and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Nelumbo nucifera* Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Nymphaea nouchali* Burm. f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Nymphaea pubescens* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Nymphaea rubra* Roxb. ex Salisb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Argemone mexicana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Eschscholzia californica* Cham. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Mecanopsis wallichii* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Papaver caucasicum* Bait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Papaver fugax* Poir. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Papaver rhoeas* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Papaver somniferum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Romneya coulteri* Harv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Corydalis lutea* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dicentra scandens* (D. Don.) Walp. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Fumaria indica* (Hassk.) Pugsley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Fumaria officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Barbarea intermedia* Boreau and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Barbarea verna* (Miller) Asch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Barbarea vulgaris* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Brassica juncea* (L.) Czern. & Coss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Brassica nigra* (L.) Koch and



15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Brassica oleracea* L. var. *botrytis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Brassica oleracea* L. var. *capitata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Brassica oleracea* L. var. *gemmifera* Zenk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Brassica oleracea* L. var. *gongylodes* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Brassica rapa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Capsella bursa-pastoris* (L.) Medicus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cardamine africana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cardamine hirsuta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cardamine trichocarpa* Hochst. ex A. Rich. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cheiranthus cheiri* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Coronopus didymus* (L.) Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Iberis amara* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Iberis umbellata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lepidium ruderae* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lepidium sativum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lepidium virginicum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lobularia maritima* (L.) Desv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Matthiola incana* (L.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Raphanus sativus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rorippa indica* (L.) Hiern and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Rorippa nasturtium - aquaticum* (L.) Hayek and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sisymbrium volgense* Ledeb. ex Shmal. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Thlaspi arvense* L. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cadaba fruticosa* (L.) Druce and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cadaba trifoliata* (Roxb.) Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Capparis brevispina* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Capparis decidua* (Forsk.) Edgew and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Capparis divaricata* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Capparis diversifolia* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Capparis fusifera* Dunn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Capparis grandiflora* Wall ex. Hook.f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Capparis grandis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Capparis kollimalayana* Viswanathan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Capparis moonii* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Capparis nilgiriensis* Subbha Rao Kumari & Chandr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Capparis rheedii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Capparis rotundifolia* Rottl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Capparis roxburghii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Capparis sepiaria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Capparis shevaroyensis* Sundararaghavan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Capparis spinosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Capparis zeylanica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cleome angustifolia* Forsk and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cleome aspera* Koen ex. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cleome burmannii* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cleome chelidonii* L. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cleome felina* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cleome hassleriana* Chod. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cleome monophylla* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cleome rutidosperma* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cleome speciosa* Raf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cleome viscosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Crateva adansonii* DC. subsp. *odora* (Buch. - Ham.) Jacobs and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Crateva magna* (Lour.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gynandropsis gynandra* (L.) Briq and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Maerua apetala* (Roth) Jacobs and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Maerua oblongifolia* (Forsk.) A. Rich and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Steriphoma clemoides* Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Reseda alba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Reseda luteola* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hybanthus enneaspermus* (L.) F. v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hybanthus travancoricus* (Bedd.) Melch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Viola arcuata* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Viola betonicifolia* J. E. Smith subsp. *betonicifolia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Viola canescens* Wall. ex Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Viola hamiltoniana* D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Viola pilosa* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bixa orellana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cochlospermum religiosum*

(L.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Aphloia theiformis* (Vahl) Benn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Casearia championii* Thwaites and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Casearia graveolens* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Casearia ovata* (Lam.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Casearia rubescens* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Casearia thwaitesii* Briq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Casearia tomentosa* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Casearia wynadensis* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Flacourtia indica* (Burm.f.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Flacourtia jangomas* (Lour.) Raeusch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Flacourtia montana* Graham and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Homalium jainii* A. N. Henry & Swamin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Homalium travancoricum* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Homalium ceylanicum* (Gard.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hydnocarpus alpina* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hydnocarpus macrocarpa* (Bedd.) Warb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hydnocarpus pentandra* (Buch. - Ham.) Oken and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Oncoba spinosa* Forsk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Scolopia crenata* (Wight & Arn.) Clos var. *crenata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Scolopia crenata* (Wright & Arn.) Clos var. *brevifolia* Mukherjee and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Xylosma latifolium* Hoof. F. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Xylosma longifolia* Clos and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Hymenosporum flavum*

(Hook.) F.v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pittosporum anamallayense* Nayar & Giri and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pittosporum bicolor* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pittosporum ceylanicum* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pittosporum crassifolium* Soland.ex Putterl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pittosporum dasycaulon* Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pittosporum eugenoides* A. Cunn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pittosporum napaulense* (DC.) Rehder & Wilson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pittosporum neelgherrense* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pittosporum tetraspermum* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pittosporum tobira* (Thunb.) Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pittosporum umbellatum* Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pittosporum undulatum* Vent and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Pittosporum viridulum* Nayar, Giri & Chandrasekaran and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sollya heterophylla* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Muraltia juniperifolia* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,



stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Polygala arillata* Buch.-Ham. ex D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Polygala arvensis* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Polygala bolbothrix* Dunn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Polygala chinensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Polygala elongata* Klein ex Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Polygala erioptera* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Polygala jacobii* Chandrabose and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Polygala javana* DC. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Polygala longifolia* Poir. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Polygala myrtifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Polygala persicariifolia* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Polygala rosmarinifolia* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Polygala sibirica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Polygala telephioides* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Polygala virgata* Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Polygala wightiana* Wall. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Securidaca bracteata* Bennett and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Xanthophyllum flavescens* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Xanthophyllum manickamii* Murugan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Arenaria neelgerrensis* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cerastium glomeratum* Thuill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Cerastium indicum* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Dianthus caryophyllus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Drymaria cordata* (L.) Willd. ex Roem. & Schultes subsp. *diandra* (Blume) Duke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Drymaria villosa* Cham. & Schlecht. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Gypsophila elegans* M. Bieb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Lychnis coronaria* (L.) Desr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Polycarpaea aurea* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Polycarpaea corymbosa* (L.) Lam. var. *corymbosa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Polycarpaea corymbosa* (L.) Lam. var. *longipetala* Sriniv. & D. Naras. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Polycarpaea diffusa* Wight &

Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Polycarpha spicata* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Polycarpon prostratum* (Forsk.) Asch. & Schweinf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Polycarpon tetraphyllum* (L.) L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Sagina saginoides* (L.) Karsten, Deutsch and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Saponaria officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Scleranthus annuus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Silene armeria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Silene coeli - rosa* (L.) Godron and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Silene gallica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Spergula arvensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Stellaria media* (L.) Vill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Stellaria monosperma* Buch. - Ham. ex D. Don var. *paniculata* (Edgew) Majumdar and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Stellaria vestita* Kurz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Vaccaria pyramidata* Medicus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Portulaca oleracea* L. var. *oleracea* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Portulaca oleracea* L. var. *linearifolia* Sivarajan & Manilal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Portulaca pilosa* L. subsp. *pilosa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Portulaca pilosa* L. subsp. *pilosa* var. *tuberosa* (Roxb.) Sivar. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Portulaca pilosa* subsp. *grandiflora* (Hook.f.) Geesink and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Portulaca quadrifida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Portulaca wightiana* Wall ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Portulacaria afra* Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Talinum portulacifolium*



(Forsk.) Asch. & Schweinf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Talinum triangulare* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tamarix aphylla* (L.) Karsten and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tamarix ericoides* Rottl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Tamarix indica* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bergia ammannioides* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Bergia capensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Elatine ambigua* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Elatine triandra* Schkuhr and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Calophyllum apetalum* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Calophyllum austroindicum* Kosterm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ziziphus vulgaris* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Ziziphus xylopyrus* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Zornia diphylla* (L.) PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Zornia gibbosa* SPAN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Zosima absinthifolia* (VENT.) LINK NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Vanda alpina* (Lindl.) Lindl. (Allelopathically enriched), *Zosima orientalis* HOFFM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>,

**(Where there are two or three same references of one species then consider the first one as purified through long duration purification method, second as purified through medium duration method and third through short duration purification method.)**

For queries write at [pankajoudhia@gmail.com](mailto:pankajoudhia@gmail.com)